1877.

BARR & SUGDEN'S

DESCRIPTIVE SPRING CATALOGUE

OF

CHOICE SEEDS

FOR

FLOWER & KITCHEN GARDEN

WITH A COMPREHENSIVE AND CLASSIFIED DESCRIPTIVE LIST OF GLADIOLI, LILIES, IRIS, &c.



SEED BULB&PLANT WAREHOUSE

BARR & SUGDEN,

12, KING STREET, COVENT GARDEN, LONDON, W.C.

"A useful manual for the amatsur in the selection of flowers for the adornment of the garden, and vegetables for the use of the table."

Immediate proceedings in Chancery will be taken against all infringements of the Copyright of this Work.

SPECIAL NOTICES.

- I. In rebuilding and extending our business premises we availed ourselves of the opportunity to cover in the entire area of the roof with a Housetop Conservatory; and as this is the first which has been constructed as part of a main building, the announcement may interest many who are desirous of utilizing the roofs of dwelling-houses in cities, whether for plants, as a sanitorium, or to afford additional accommodation without materially increasing the expense of construction. The Conservatory forms an elegant finish to our Warehouse, and is the design of Messrs. Spalding and Knight. The bent roof is the patent of Messrs. Fletcher, Lowndes, and Co.; and Newton's Ventilating Boxes are used to regulate and keep the atmosphere pure, and thereby prevent the ingress of carbon which would be unavoidable by the ordinary means of ventilation.
- II. The germination of seeds we test under glass, and the purity of the "stocks" we prove at our Experimental Grounds.
- III. Our Novelty List, as usual, has been carefully compiled. While in it will be found introductions of sterling merit, there doubtless are some with pretensions greater than a more intimate acquaintance will warrant.
- IV. The Gladioli List is given in a classified form, the result of several consecutive years' careful collating, and we have discarded many of the varieties which are now superseded, and others where the distinction is not sufficiently marked.
- V. The Lily List we have republished with several very important additions. Our collection now represents almost every known Lily, and consists of representatives from China, Japan, the Himalayas, the Neilgherrles, Cashmere, California, Canada, the United States, British Columbia, the Caucasus, Siberia, the Pyrenees, the Maritime Alps, European Turkey, the Levant, &c., and in accordance with the Monograph of J. G. Baker, Esq., they are arranged under five heads or groups according to natural structure prima facie.
- VI. Our Iris List we republish. It is arranged in natural groups to assist purchasers in making selections, and we would mention that Iris Barbata is one of the grandest decorative plants we possess for the margins of lakes, ponds, and such places, while for wild gardens, shrubberies, and woodland walks it is charming, and as a cut flower for vases it is unsurpassed.
- VII. Miscellaneous Plants will be found immediately after the enumeration of the Iris, and a few specialities on page 12 are quoted on account of their importance as hardy plants for the flower garden.
- VIII. Carriage is allowed on orders amounting to 21s. and upwards, to any principal Railway Station in England and Wales, to Edinburgh and Glasgow, and to any principal Station on the North British, Caledonian and Scottish Central Lines, and to Dublin and Belfast. Also to Cork and Waterford, it by steamboat from London, but only as far as Bristol if by railway, en route for Ireland. We prefer sending by rail, as it is more expeditious, and, therefore, unless otherwise instructed, we shall forward via Bristol.
- IX. Carriage to be deducted at settlement in accordance with conditions, Par. VIII. Formerly our custom was to pay carriage in London; but we were compelled to relinquish this practice, in consequence of our "Carriage Paid" packages not being delivered with the same promptitude as those not prepaid; and, also, on account of continual complaints from our eustomers that they also had to pay carriage before they could get the goods. We mention this as the reason why we abandoned a practice followed by us for so many years.
- X. Orders which are paid in advance, if in accordance with Par. VIII., can either be sent carriage paid, or a liberal equivalent in goods added. This latter course will be adopted unless we are otherwise instructed.
- XI. Seeds quoted by us in the Catalogue as at "per packet," we forward post-paid; or if sent by rail, however small the amount, the carriage can be deducted from the remittance at settlement.
- XII. No charge is made for packing or package, except in the case of Plants, Seed Potatoes, Asparagus, Seakale, and Rhubarb. A small charge is made in these eases for the mat, hamper, etc., and, if returned within a fortnight, half-price will be allowed.
- XIII. Fruit and Forest Trees, Shrubs, Plants in Pots, Soils, Watson's Lawn Sand, Wirework, Plant Cases and Stands, Gilbert's Hand Lights, Barr's Portable Cut Flower and Bouquet Transmission Cases, Heated Frames, Garden Engines and Water Barrows, Flower Boxes, Jardinets, and Terra-Cotta, Rustic, China, and Glass goods—on these we do not allow carriage, and the packages are eharged.
- XIV. Five per cent, allowed on payments made within one month from date of invoice, and this deduction is to be made from the amount by the remitter.
- XV. Post Office Orders to be made payable at King-street Post Office, Covent Garden, W.C. All cheques to be crossed, adding the words "and Co." Small amounts may be paid in Postage Stamps; when convenient, however, it is safer to take out a Post Office Order, the charge for which, if under 10s., is a penny.

NOTICES TO FOREIGN AND COLONIAL CORRESPONDENTS.

- XVI. To insure attention, orders must be accompanied by a remittance, a draft, or an "order to pay," on a London agent. The remittance must be sufficient to cover the expense of cases, and also of carriage, if the freight is required to be paid in advance.
- XVII. Seeds can now be despatched to India, at the rate of 1s, per lb., in hermetically sealed tin cases, through the Indian Parcels Post, and also in waterproof bags by the ordinary mail at 1s, 4d. per lb. Our Indian Customers will kindly notify by which service they wish their postal parcels sent.
- XVIII. In shipping plants to India, great care is exercised by us in selecting, preparing, and properly packing the same, and our consignments have, on the whole, been very successful. Still, there are so many contingencies, that we cannot, in any way, hold ourselves responsible for the condition in which the plants reach their destination.
 - XIX. Our successful shipments of seeds to India have induced several of the Agricultural and Horticultural Societies there to entrust us with the execution of their orders for distribution amongst the members.

		-		
DIVISION 1.	-FLOWER SEI	EDS, FROM P	PAGE 4 TO 50.	
The enumeration of Annuals,	Perennials, Page		D	age
Ornamental Foliage Plants, &c Climbers, hardy, half-hardy, and		COTTechone of	Morning Glory Pelargoniums, in 6 classes	9
Collections of Aetere, in 10 classes	7	,,	Pentstemons	10 9
,, Antirrhinums, in 3	classes 8	1.7	retunias	9
Balsams, in 3 classe Carnations, in 11 cl	s 8	11	Phlox Drummondii	9
,, Cockscombs, in 2 cla	asses 10	"	Picotees, in 3 classes	IO
,, Convolvulus Major	9	"	Portulacas, in 2 classes	9
" Everlastings, in 5 c	lasses 8	,,	Stocks, in 8 classes	6
Geraniums, Zonale Gourds, in 3 classes		.,	Tropæolume	9
Grasses, in 5 classes		"	Wallflowers, in 2 classesZinnias, in 3 classes	8
" Hollyhocks	9	Flower Seeas b	v weight	50
,, Ipomœas, in 2 classe		General Collect	Jons selected for Amateurs	13
Larkspurs, in 3 class Marigolds	ses 9	Ornamental Gr	Specialities for 1877asses	4
Barr's New Heated Fram	og for Rojeing	Soods and	Ctril-i C-11	II
Preserving Plants in	n Winter. See	Illustrations and	Prices on page 76.	
	-VEGETARLE S	EEDS EROM	PAGE 52 TO 66.	
I. General List of Leguminoue F	Planta that is Prac	Pages See	TAGE 53 TO 66.	
11 Edible-leaved	and Edible-nowered	l Plants that ic.	Carliforner Cabbarre Chinast Da	52
Eurore-rooteu	Flames, inal is, iscen	(arrot (lutan	Invaid Xcc	54
4 V Equale-11 unled	. Flante. <i>Inglis.</i> (<i>m</i>	cumper Welon I	amata Vacatable M Va.	57 60
				62
VII Roots Plants.	Basil, Savory, Mar	rjoram, Parsley, e	chata Carlat Car	64
General Collections of Vegetable S	beeds for Small or I	, Asparagus, Arti arge Families		65
				51
ALPHAE	BETICAL LIS	I OF VEGI	ETABLES.	
Artichoke, Globe 54	Endive	63	Potato Onion	66
,, Plants 66	French Beans	53	Fumpkins, Gourds, or Squaehee	61
,, Jerusalem Roots 66 Aeparague Seed 54	Garlic	66	Radish	64
,, Roote 66	Garniehing Herbs Gooseberry Seed	5 04	Rampion	59
Barbe de Capucin 62	Gourde, Pumpkins		Rape Raspberry Seed	54
Beans, Broad, French & Runnere 53	Herb Seede, sweet	and pot 64	Rhubarb Seed	52
Beet, edible leaved 54	,, Plants	66	. Roots	66
Percels Fold on Crosses	Garnishing	64	Runner Beans	21
Borecole, Kale, or Greens 54 ,, Garnishing 65	Hybrid Sproute Ice Plant	56	Savoy Cabbage	57
Broccoli 55	Indian Corn for T	able 66	Salsify (Vegetable Oyeter)	59
Brussele Sprouts 56	Knol Khol (Kohl R	abi) 57	Scorzonera	54
Cabbage 56	reek	58	Sea-Kale Seed	57
Capeicum and Chili	Lettuce	63	Roots	56
Cardoon 56	Love Apple (Toma Maize, for Table	61	" Beet	54
Carrot 58	Mallow, Curled	65	shallots	57
Cauliflower 57	Marrow, Vegetabl	e 6ī	Skirret	10 20
Cherry	Martynia, for Pick	ding 61	Sorrel	5.4
Chervil	Melon	60	Spinach	3 7
Chives	Muchroom Spawn Books	on The 66	,, Beet	54
Couve Tronchuda (Sea-Kale	Mustard	64	Squashes, Gourds, or Pumpkine & Strawberry Seed	10
Cabbage) 57	Nasturtium, for P.	ickling 61	Tarragon, Roots	6
Creee, Plain, Curled, Ameri-	Onion	58	Tomato (Love Apple)	íτ
can, Australian, &c 62 Cucumber, Frame 60	,, rotato or U	Inderground 66	Tree Union	10
Ridge 60			Turnip	9
Currant Seed 62	Parenip	59	Vines, 7s. 6d. to 15s. each	1
Currant Seed 62 Dandelion 62 For Plant (Aubardine)	Peas	52	Witloef 6	2
Egg Plant (Aubergine) 60	· Potatoes	65	Yame, Chinese 6	6
Mixture of Grasses for Lawne,	Croquet and Cricke	t Grounds Omas	mental Baries fro	
mature of Grasses for Perman	eut Pasture. Meado	WR Acc	- (6	
weed-deedroying Lawn Sand 10	or eradicating Dais	ies, Dandelions,	Plantaine, &c ,, 66	
DIVISION 111	-FARM SEEDS	S, ETC., PAGI	ES 66 AND 67.	
Beet 67 Cabbage	67 I	ucern	67 Parenin 6	7
Broom 07 Carrot	00 1	lom Kabi	67 Sainfoin 6	7
Buckwheat 67 Chicory	67 I	langold Wurzel	66 Sunflower, for Poultry	
Marrowe 67 Goree	67 I	arsley	67 and Game 67 Turnin 66	7
DIVISION IV.—BULBS, T	UBERS. PLANT	S. ETC. PAGE	ES 68-75 AND PACE 10	
Hepatica 12 Lilies	68. F	enice	12 Pyrethrums, Double 16	6
Unristinas Rose 12 LUV OI L	ne vallev 2011	Ierbaceous Plant	is 75 Phlox, Perennial New 12	2
Helleborus 12 Tigridias	3 74 S	Chizostylie	40 Sempervivums	
Gladioli 67 Tuberose	S 75 C	arnations	75 Violeta Sweet Scented ve	2
Cyclamen 74 Alpine St	accusente 75 P	1coteee	as i Potentillas as	
Irls	Arabia Aubelossa	Audoulo Ch	12 Funkias	2
Iberis, Pansy, Phlox, Polyanthu	s. Primrose Viola	Wallflower etc	See Bulb Catalogue page	
,,,,	.,		Dec Duib Catalogue, page 37.	

NOVELTIES AND SPECIALITIES FOR 1877.

The height is given in inches or feet.

	Per pkt.—s.	۵.	
1	Acroclinium grandiflorum atro-roseum, bright rosy crimson, a fine Everlasting	ď	
2	roseum rohustum, the flowers of this Everlasting are larger and more double than the	0	
-	older form	U	
3	Ethionema, exquisitely beautiful rock plants. For varieties see p. 15.	_	
4			
5			
6			
7		0	
8			
0			
	as again down bright consist on elegant not plant, which that be treated like two or	0	1
9		0	•
10	Alyssum odoratum compactum, a compact, product howering, should flow and bushy, decorative Anarrhinum bellidifolium, pretty light blue flowers in spikes, habit [dwarf and bushy, decorative]		
11		0	,
12	it produces its tufts of small rosette-like flowers freely	. 0)
	it produces its tufts of small rosette-like nowers freely Anemone coronaria semi-plena, the flowers are unusually large, ranging from semi-double to double, 6d. &		
13	Anemone coronaria semi-plena, the flowers are unusually large, ranging from semi-double to ded. & and with rich and beautiful colours	r 0	>
	and with rien and beautiful colours and with large vellow flowers, freely produced from		
14	Aplopappus chiatus, a stately half hardy annual, military annual and hardy annual an	0)
		0	,
15	spinulosus, nowers bright yellow, a file had have a beautiful blue, edged with		
16	", spinulosus, flowers origin yeura, a fine had a flowers of a beautiful blue, edged with a spirit	o 6	5
	white	I	
17		1 0	
18	Artemisia Roezili, a charining dwarf streety foliaged species		6
19	Amundinaria falcata a fine ornamental grass		0
20	Aster. Victoria Hedgehog, Peach Blossom		0
21	Rose-purple		0
22	Aubrietia Bougainvillea, a valuable hardy perennial for spring flowering		o
23			6
24		Ů.	0
25	Bambusa gracilis, an elegant species of Bamboo. Bambusa gracilis, an elegant species of Bamboo and species such as Ne Plus Ultra. Mont	•	,
26	Bambusa gracilis, an elegant species of Bambusa gracilis, and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and most beautiful hybrids and species, such as Ne Plus Ultra, Mont Begonias, including the newest and plus Ultra, which is not a species and plus Ultra, Mont Begonias, and the new P		
20	Begonias, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including the newest and most occauting hybrids and species, including hybrids and hybrids and hybrids hybrids and hybrids hybrids and hybrids hybrids hybrids hybrids and hybrids		
			6
	Lothair, and all others of any value for conservatory decoration, and all others of any value for conservatory decoration, as, 6d., 3s, 6d. & early in spring will produce flowering bulbs for planting out for summer decoration, 2s, 6d., 3s, 6d. & early in spring will produce flowering bulbs for planting out for summer decoration, 2s, 6d., 3s, 6d. &	5	6
077			
46	Begonia Froebeli, certificated by the Royal Froebelian Society in Fingles, 1975, international Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the best new flowering plant, International Exhibition of 1875, received the Gold Medal as the Bold Medal as		
	. I I I in a plant commencing to nover in time and continuing the Addum.		_
	bulbs a pot plant it is unique, and of the simplest culture		6
-00			0
28		5	6
29		I	0
30	Broom, White Portugal, a fine plant for shifts and double the size of the older varieties, a	I	0
31			
32		I	0
		3	6
33		2	6
34		2	6
35		3	6
36	waters victoria compacts of the genus	2	6
37		1	0
38	Candytuit carminea, a beautiful tark mine-is a remarkably robust, branching, close growing dwarf		
39	variety of Iberis coronaria	I	0
	variety of <i>lberis coronaria</i> new dwarf hybrid, flesh colour rose """ white Capsicum Tom Thumb, a charming pot plant Capsicum Tom Thumb, a charming bot plant capsicum Tom Thumb, a charming bo	I	0
40	These beautiful dwarf hybrid lberis are	I	0
41	very desirable plants.	(I	0
42	2 , , , William of plant	0	6
43	Capsicum Tom Thumb, a charming pot plant Carduns giganteus, a fine plant for shrubberies and wild gardens, in summer it is covered with small		
44	carduus giganteus, a fine plant for sin dobestes that the given	0	6
	purple flowers, height to ft. Celosia cristata, var. pyramidadis atro-purpurea, a variety of Cockseomb, with beautiful maroon		
4.		7	6
	foliage and shining dark purple combs	ī	0
40			
	6 cristata variegata, the combs of this Cockscomb are beautiful plant with righly coloured		
4	foliage and shining dark purple combs cristata variegata, the combs of this Cockscomb are beautifully variegated6d. & pyramidals plumosa, Amarynth, an elegant and decorative plant, with richly coloured	7	6
4	7 pyramidalis plumosa, Amarynta, an elegant and decorative plant, with fitting conducts	I	6
	7 ,, pyramidalis plumosa, Amarynta, an elegant and decorative plant, the field carmine-purple plumes	1	0
4	pyramidalis plumosa, Amarynta, an elegant and decorative plant, and reiny elegant and decorative plant and reiny elegant and reiny eleg	I	0
4	pyramidalis plumosa, Amarynth, an elegant and decorative plant, with them before the carmine-purple plumes rich magenta, an exceedingly decorative conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathersy plumes are charming, 6d, & Reid's Perfection; the gracefully pendant feathersy plumes are charming, 6d, & pyramidalis plumosa, Amarynth, an elegant and decorative plant, with the properties of the plumosa.	I	0 0 0
4	pyramidalis plumosa, Amarynth, an elegant and decorative plant, with them conserved to the plumes are charmine, fact, an exceedingly decorative conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d, & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flowers to the confolial, this differs from the old variety in the leaf not being divided	I I S I 2	0 0 0 6
4 4 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, with heavy conditions of the property plumes are conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d, & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flower candidissima integrifolia, this differs from the old variety in the leaf not being divided	I I 2 2	0 0 0 6 6
4 4 5 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, the first continues carmine-purple plumes rich magenta, an exceedingly decorative conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d, & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flower; candidissima integrifolia, this differs from the old variety in the leaf not being divided Cineraria new dwarf compacta, 8 in	I I S I 2	0 0 0 6
4 4 5 5 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, that richy elegant and decorative plant, and richy elegant and decorative plant, and richy elegant and decorative conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d, & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flower; candidissima integrifolia, this differs from the old variety in the leaf not being divided cineraria new dwarf compacta, 8 in	I I I 2 2 2	0 0 6 6 6
4 4 5 5 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, the richy elegant and decorative plant, the richy elegant and decorative plant, and record richy elegant and decorative plant, and decorative plant and deco	1 1 1 2 2 2	0 0 0 6 6
4 4 5 5 5 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, and the control of the carmine-phrefie plumos rich magenta, an exceedingly decorative conservatory plant, 3 ft. Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d. & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flower; candidissima integrifolia, this differs from the old variety in the leaf not being divided cineraria new dwarf compacta, 8 in. nana kermesina dwarf crimson, 9 in. Covent Garden Royal Blue; this is the most beautiful of all the Cinerarias, both as regards colour, quality of flower, and habit of growth regards colour, quality of flower, and habit of growth regards colour, quality of flower, and habit of growth regards colour, quality of flower, and habit of growth	1 1 2 2 2 3	0 0 0 6 6 6 6
4 4 5 5 5 5 5	7 ", pyramidalis plumosa, Amarynth, an elegant and decorative plant, and recording plumos carmine-purple plumes 8 ", Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d, & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flower; candidissima integrifolia, this differs from the old variety in the leaf not being divided 12 Cineraria new dwarf compacta, 8 in 13 "Covent Garden Royal Blue; this is the most beautiful of all the Cinerarias, both as regards colour, quality of flower, and habit of growth	1 1 2 2 2 2	0 0 0 6 6 6 6
4 4 5 5 5 5 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, with the first carmine-purple plumes rich magenta, an exceedingly decorative conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d. & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flowers candidissima integrifolia, this differs from the old variety in the leaf not being divided cineraria new dwarf compacta, 8 in Cineraria new dwarf compacta, 8 in Covent Garden Royal Blue; this is the most beautiful of all the Cinerarias, both as regards colour, quality of flower, and habit of growth 2s. 6d. & Cirsium ferox, a plant well suited for wild gardens and shrubberies, the large ample foliage being covered with reddish thorns and small white flowers (These are compared by the raiser to the	1 1 2 2 2 2	0 0 0 6 6 6 6
4 4 5 5 5 5 5 5 5	pyramidalis plumosa, Amarynth, an elegant and decorative plant, with the first carmine-purple plumes rich magenta, an exceedingly decorative conservatory plant, 3 ft Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d. & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flowers candidissima integrifolia, this differs from the old variety in the leaf not being divided cineraria new dwarf compacta, 8 in nana kermesina dwarf crimson, 9 in covent Garden Royal Blue; this is the most beautiful of all the Cinerarias, both as regards colour, quality of flower, and habit of growth	1 1 2 2 2 2	0 0 0 6 6 6 6
4 4 5 5 5 5 5 5 5	7 ", pyramidalis plumosa, Amarynth, an elegant and decorative plant, and recording plumos carmine-purple plumes 8 ", Reid's Perfection; the gracefully pendant feathery plumes are charming, 6d, & Centaurea candicans, suitable for rockwork and dry situations, foliage white, and finely cut purple flower; candidissima integrifolia, this differs from the old variety in the leaf not being divided 12 Cineraria new dwarf compacta, 8 in 13 "Covent Garden Royal Blue; this is the most beautiful of all the Cinerarias, both as regards colour, quality of flower, and habit of growth	1 1 2 2 2 2	0 0 0 6 6 6 6

58	Clypeola cyclodontea, a good border plant of a rather characteristic appearance, both in its flowers	-s.	d	
59		I	c	5
60	Cobea hirsuta, a remarkable plant, with yellow flowers, having the ealyx covered with silvery white hair Cockscomb, Queen of Dwarf, a superb dwarf variety, with dazzling blood-red combs West of Scotland Prize, these executions.	S 2	6	5
61			C	
62			0	
63			6	
64 65			0	
66		ō	6	
	Cuphea Roezlii, a remarkably fine pot plant of pyramidal growth and good habit, flowers brilliant scarlet, and freely produced; a desirable plant for winter decoration			
67			6	
68			6	
₩ 69		2	6	
70		30		
71		I	C	,
72	Oxford dark blue	0	6	
73	Dianthus sinensis Heddewigii diadematus nanus flore pleno, dwarf and compact flowers, very	0	6	5
	double, and of many brilliant combinations of colours		_	
74	1) in that the piene, oritiant rose (New double flowered drugge com.)	Ť	0	,
75 76	" scarlet pact-growing varieties of this white magnificent Section of Dianthus.	ī	o	
77	" lacinatus atro violecce for plante (magnificent Section of Dianthus.)	I	C)
78	Diplopappus filtfolius, an elegant plant of a eunciform growth, with light violet flowers resembling	I	C)
	the Cineraria	_		
79	Echeveria glauca, a fine plant for edgings and rockwork Emmenanthe penduliflora, a neat hardy annual from Southern California, freely producing pale	I	0	
80	Emmenanthe penduliflora, a neat hardy annual from Southern California, freely producing pale	•	·	
81		1	0	,
01	Eryngium Leavenworthil, a very characteristic plant with rich violet-tinted flower heads, on terminal stems and branches, foliage palmately divided and very ornamental			
82			0	
83		0	6	
№ 84		0	0	
85	family, for pot culture it is a gem	I	0	
00	most beautiful Godetie ever offered.			
▶ 86	ALGUVERTURE MERCHENIA CONTINUE TO THE ACCUPANT THE CONTINUE OF THE PROPERTY OF	1	6	
	salums, the nowers are produced in long raccines and are of a most dumble colour decision			
87	June and July	I	0	,
01	Autumn of the Autumn of the Border plant, producing abundance of deep yellow flowers in			
88	Humea elegans alba, a sterling novelty of this graceful plant	0	6	
89	Iberis linifolia pulcherrima, a charming pink variety of percanial Candytuft. Iris Kæmnferi the Japanese Flag Iris the post distinction of the control of t	I	6	
90		1	O	
91		2	6	
92		I	0	
93	Leptosiphon carmineus, rose-carmine, a charming dwarf plant for small beds and edgings Liatris pycnostachya, Kansas Gay-Feather, rosy purple, a beautiful hardy herbaceous perennial;	I	0	
	nonci spike about a loot long	Y	^	
94	The Littles anoted are rare species. The raising of such halls from	1	0	
95 96	Downstand a reference	I	0	
97	Humboldt (10 p. 08, where the finest Collection of Lilies in Europe will be found,	I	0	
98	numbolati and all quoted at extremely moderate prices, and the bulbs are of the very best quality. There will also be found with the list valuable	I	0	
99	tenuifolium directions as to culture	I	0	
100	Littonia modesta, a lovely elimber, resembling the Glorioga in habit and general approximate the	•	U	
	HOWERS die large Dilphi Vettow and Dendillons and from the ends of the leaves come tendrils byLiel			
	the plant chief to suffounding objects. The elimite is the come as Clarices but when coming			
_ 101	Into flower it may be removed to the greenhouse or conservatory	2	6	
102		2	6	
103	and state the property of a first Almicha-like herbaceous nevential border plant flowering in June and	-		
104		I	0	
104	Mentzella ornata, described thus:—"A robust Bartonia-like plant, with large creamy white flowers,			
105	4 or 5 inches in diameter, densely tufted and very ornamental." Mimulus variegatus, the flowers are very large and beautifully spotted, an exquisite plant15. &	I	0	
106	" Viapuam's superb varieties, nowers large rich and beautifully coloured	2	6	
-107	Herota depressa, a charming little plant covered with small coval and horrise (Newtown and	1	U	
	Wiening I clubbull Giorallarica were used during the last enominer in Ternal Redding and Avaduced			
	quite a sensation. Francis of Mentina Petingium Gibraltarica, 6s. per dozen. Nertera depressa,			
108	Ononis Natrix, flowers striped vellage a pretty appual suitable for dry situations	I	0	
109	Tamby Caliban, orange-rea, a distinct beautiful bedding variety	2	6	
110	, othero, hen grossy otack, very beautiful	2	6	
111		2	6	
112	77 A January Put pre, field plan eolour, very deautiful	2	6	
113	Papaver umbrosum, interest crimson, each petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; and the petal marked with a conspicuous black spot; an exceedingly effective covered set of the petal marked with a conspicuous black spot; and the petal marked with a conspicuous black spot; and the petal marked with a conspicuous black spot spot set of the petal marked with a conspicuous black spot spot spot set of the petal marked with a conspicuous black spot spot spot spot spot spot spot spot			
	cooungry enective annual, is it.	I	0	
114	Petunia grandifiora fimbriata flore pleno, large flowered, beautifully fringed double Petunia.			
115	Packets containing as seeds	I	6	
110	Pentstemon Coboa, a rare and very handsome species from Texas, with large white flowers variously shaded with purple, the throat tinged yellow, and the lower lips streaked red, a handsome species from Texas, with large white flowers variously shaded with purple, the throat tinged yellow, and the lower lips streaked red, a			
	handsome hardy perennial	I	0	

Pentstemon lætus, allied to P. azureus and P. heterophyllus, of a fine dwarf branching habit, producing its beautiful flowers in terminal raceme-like panicles, hardy herbaccous perennial from California, 1½ ft	
117 Phlox Drummondii large flowered varieties in mixture, a race beautiful alike for their bright colours and large fine flowers 118 ,, ,, compacta Leopoldii, deep rase, clear white centre, a profuse blooming beautiful variety	
118 ,, ,, compacta Leopoldii, deep rase, clear white centre, a profuse blooming beautiful variety	
variety 2 6	
120 rosea alba oculata, bright rose, clear white centre, flowers large	
and very abundant	
growth 2 6	
122 ,, Snowball, pure white, a striking contrast to Carminea, both fine pot plants 2 6 123 Pink, double white Garden, very floriferous and very beautiful	
124 Poinciana Regia, this is one of the most remarkable of the Madagascar flora	
126 Portules grandifions flore pleno, a beautiful large flowcred double variety	
127 Primrose, Dean's New Hybrids; these are all extremely beautiful and valuable spring flowering plants	
128 , Lee's crimson, a beautiful large flowered variety	
130 Pyrethrum aureum laciniatum, a beautifully cut-leaved form of Golden Feather, was certificated	
by the Royal Horticultural Society in May, 1876	
132 glaucus albidus, a gigantic species with light green to liage and silvery stems	
133 Rhomneya Coulteri; this beautiful biennial produces large pure white saucer-shaped flowers freely 1 0 134 Rudbeckia bicolor, the ray petals bright yellow, disc blackish purple, dwarf branching habit, a	
desirable and effective half hardy annual, 13ft.	
floriferous, I ft I O	
 Silene pubescens, a graceful border plant, producing purple flowers throughout the summer, 1½ ft. 0 Solanum melonocarpum, a Peruvian species, height 1½ ft., of a fine bushy habit, foliage and stem 	
tinted blackish burble with white violet-starred flowers, and meton-shaped fruit	
138 Stellaria graminea aurea, the Golden-leaved Chickweed which has been extensively used in the London Parks for earpet bedding	
5 Streptocarpus Rexil, a very old fashioned dwarf Stove plant, not grown so much as it ought. The flowers are of a lovely blue purple, borne on graceful stems rising from the midst of flat leaves I o	
140 Torenia Fourneiri, large sky blue flowers, spotted indigo and stained yellow, a charming annual for	
pot culture	
142 , Crown Jewel, pale yellow, a beautiful distinct variety variety 15. & 2.6	
144 lutea Greevii, one of the finest bedding vellow Violas	
145 ,, Munbyana, in the way of viola cornuta, but with nowers as dark as viola, the Czur, and in flower from February 26	
146 Royal Rine rich light hlue, a very distinct and beautiful bedding variety	
146 , Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
146 , Royal Blue, rich light blue, a very distinct and beautiful bedding variety. IS. & 2 6 147 , Yellow Boy, a beautiful yellow bedding variety. IS. & 2 6 148 , in mixed colours for bedding. IS. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. I 6 180 in 18 varieties. 2 0	
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety. 15, & 2 0 147 Yellow Boy, a beautiful yellow bedding variety. 15, & 2 6 148 in mixed colours for bedding. 15, & 2 6 149 Wild flowers of Great Britain, in 12 varieties. 1 6 150 1 18 varieties. 2 0 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico 1 0	
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety 15, & 2 6 147 Yellow Boy, a beautiful yellow bedding variety 15 & 2 6 148 in mixed colours for bedding 15 & 2 6 149 Wild flowers of Great Britain, in 12 varieties 1 6 150 in 18 varieties 2 0 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico 1 1 0 152 , californica 1 0 153 Whipplei, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876 1 0	
146 "Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety. Yellow Boy, a beautiful yellow bedding variety. Is & 2 6 148 in mixed colours for bedding. 150 in 18 varieties. Yucca baccata, a magnificent berry-bearing Yucca from New Mexico. Yucca baccata, a magnificent berry-bearing Yucca from New Mexico. Whipplel, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876. Whipplel, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876. Whipplel, fully described and figured in the Gardeners in various shades 1 0 Zinnia Darwinii, a splendid new race, with beautifully imbricated flowers in various shades 1s. & 2 6 Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit 1 0 COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and deco-	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety	
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety. 15, & 2 6 147 Yellow Boy, a beautiful yellow bedding variety. 15, & 2 6 148 In mixed colours for bedding. 158 2 6 149 Wild flowers of Great Britain, in 12 varieties. 150 in 18 varieties. 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico. 152 (alifornica) 153 Whipplel, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876. 154 Zinnia Darwinii, a splendid new race, with beautifully imbricated flowers in various shades. 15. & 2 6 155 Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit 1 o COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning	
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety. I.S. & 2 6 147 "Yellow Boy, a beautiful pellow bedding variety. I.S. & 2 6 148 "In mixed colours for bedding. I.S. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. I.S. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. I.S. & 2 6 150 "In 18 varieties. I.S. & 2 6 150 "In 18 varieties. I.S. & 2 6 151 "Yucca baccata, a magnificent berry-bearing Yucca from New Mexico I.S. & 2 6 152 "Californica. I.S. & 2 6 153 "Whipple!, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876 I.S. & 2 6 154 "In Darwinii, a splendid new race, with beautifully imbricated flowers in various shades. I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.S. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat	
Royal Blue, rich light blue, a very distinct and beautiful bedding variety. "Yellow Boy, a beautiful yellow bedding variety. "Yellow Boy, a beautiful yellow bedding variety. "Is. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. "In 18 varieties. "Californica. "Californica. "Whipplel, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876. "Whipplel, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876. "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit in the Collier of the Collier of the Collier of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. Large-flowering German Dwarf Ten-Week Stock, height 1 ft.	
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety. I.S. & 2 6 147 Yellow Boy, a beautiful yellow bedding variety. I.S. & 2 6 148 In mixed colours for bedding. I.S. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. I 6 150 In 18 varieties. 2 0 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico I.S. & 2 6 152 Californica I.O. Californica I.O. Californica I.O. Californica I.O. Californica I.O. Californica I.O. Calina Darwinti, a splendid new race, with beautifully imbricated flowers in various shades I.S. & 2 6 155 Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit I.O. COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. Large-flowering German Dwarf Ten-Week Stock, height 1 ft. For medium or large-sized beds either of one colour, or assorted colours, this is the best variety; it is of compact, branching, robust growth, with large flowers produced in great profusion.	- e ? e
Royal Blue, rich light blue, a very distinct and beautiful bedding variety	1.6
146 "Royal Blue, rich light blue, a very distinct and beautiful bedding variety "Yellow Boy, a beautiful yellow bedding variety "15. & 2 6 148 "15 min mixed colours for bedding variety "15. & 2 6 149 Wild flowers of Great Britain, in 12 varieties "1 6 150 "151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico "1 0 152 "153 "155 "1 0 154 Zinnia Darwinii, a splendid new race, with beautifully imbricated flowers in various shades "15. & 2 6 155 "155 "155 "155 "155 "155 "155 "15	1.66
146 , Royal Blue, rich light blue, a very distinct and beautiful bedding variety. 15. & 2 6 147 , Yellow Boy, a beautiful yellow bedding variety. 15. & 2 6 148 , in mixed colours for bedding. 15. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. 16 150 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico 17 152 , californica 17 153 , Whipplet, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876 17 154 Zinnia Darwinii, a splendid new race, with beautifully imbricated flowers in various shades 17. & 2 6 155 , Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit 1 0 COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. Large-flowering German Dwarf Ten-Week Stock, height 1 ft. For medium or large-sized beds either of one colour, or assorted colours, this is the best variety; it is of compact, branching, robust growth, with large flowers produced in great profusion. 284 16 Splendid varieties 36 291 Splendid white, sufficient for a large bed 26 285 16 36 37 201 37 201 37 201 37 201 37 37 201 37 37 37 37 37 37 37 37 37 37 37 37 37	1.6666
146 , Royal Biue, rich light blue, a very distinct and beautiful bedding variety. 15. & 2 6 147 , Yellow Boy, a beautiful petlow bedding variety. 15. & 2 6 148 , in mixed colours for bedding. 15. & 2 6 149 Wild flowers of Great Britain, in 12 varieties. 16 150 , in 18 varieties. 20 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico 10 152 , californica 10 153 , Whipplet, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876 11 154 Zinnia Darwinti, a splendid new race, with beautifully imbricated flowers in various shades. 15. & 2 6 155 , Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit 1 o COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. Large-flowering German Dwarf Ten-Week Stock, height 1 ft. For medium or large-sized beds either of one colour, or assorted colours, this is the best variety; it is of compact, branching, robust growth, with large flowers produced in great profusion. 284 16 Splendid varieties. 20 292 intense crimson 226 285 12 Smaller packets 16 293 rose, very beautiful, 226 286 12 Smaller packets 16 294 brilliant crimson-rose 226 287 12 Smaller packets 16 294 brilliant crimson-rose 226 288 Splendid mixed, sufficient for a large bed 26 295 cooppery carmine 26 296 sulphur-yellow 27 289 sulphur-yellow 27 280	
146 , Royal Blue, rich light blue, a very distinct and beautiful bedding variety. 11. & 2 6 147 , Yellow Boy, a beautiful yellow bedding variety. 11. & 2 6 148	
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety 1.15. & 2 6 147 "Yellow Boy, a beautiful yellow bedding variety 1.15. & 2 6 148 "in mixed colours for bedding 1.15. & 2 6 149 Wild flowers of Great Britain, in 12 varieties 2 6 149 Wild flowers of Great Britain, in 12 varieties 2 0 150 Tucca baccata, a magnificent berry-bearing Yucca from New Mexico 1 0 152 "californica 1 0 153 "Whipplet, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876 1 1 0 154 Zinnia Darwinti, a splendid new race, with beautifully imbricated flowers in various shades 1.15. & 2 6 155 "Mexicana nova species, this differs from the Zinnia elegans by a somewhat drooping habit 1 0 COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various sheights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. Large-flowering German Dwarf Ten-Week Stock, height 1 ft. For medium or large-sized beds either of one colour, or assorted colours, this is the best variety; it is of compact, branching, robust growth, with large flowers produced in great profusion. 284 16 Splendid varieties 2 2 292 "intense crimson", 2 6 285 16 "smaller packets 1 6 294 "prilliant crimson-rose "2 26 285 "coppery carmine "2 2 6 296 "suiphn-yellow", 2 6 297 "mixed, from the colours specified 2 6 297 "mixed, from the colo	1.66666666
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety 1.15. & 2 6 148 in mixed colours for bedding variety 1.15. & 2 6 149 Wild flowers of Great Britain, in 12 varieties 1.15. & 2 6 149 Wild flowers of Great Britain, in 12 varieties 1.16 150 151 Yucca baccata, a magnificent berry-bearing Yucca from New Mexico 1.10 152 Californica 1.0 153 Whipplet, fully described and figured in the Gardeners' Chronicle, Aug. 12th, 1876 1.10 154 Zinnia Darwinti, a splendid new race, with beautifully imbricated flowers in various shades 1.15. & 2 6 155 Mexicana nova species, this differs from the Zinnia clegans by a somewhat drooping habit 1 o COLLECTIONS Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc. DOUBLE STOCKS. In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for vahich the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. Large-flowering German Dwarf Ten-Week Stock, height 1 ft. For medium or large-sized beds either of one colour, or assorted colours, this is the best variety; it is of compact, branching, robust growth, with large flowers produced in great profusion. 288 16 Splendid varieties 20 292 intense crimson 22 292 intense crimson 22 292 292 292 292 292 292 292 292 292	1.6666666
146 Royal Blue, rich light blue, a very distinct and beautiful bedding variety. 15. & 2 6 147 Yellow Boy, a beautiful pellow bedding variety. 15. & 2 6 148 in mixed colours for bedding	1 .6666666

```
Large-Flowering Globe Pyramidal Giant German Ten-Week Stock, height 2 ft.
  The massive pyramidal flower-spikes of this Stock, are generally 18 inches long, with blossoms 21 inches in diameter. It is remarkably effective in large beds, mixed flower borders, and shrubberies.
  307 Splendid crimson, sufficient for a large bed
                                                                Earliest Autumnal-Flowering German Stock, 13 ft.
 Large-Flowering Imperial or Perpetual German Biennial Stock, height 11 ft.
  This is a splendid branching Stock. Sown in March, it is most valuable for late autumn blooming; sown in June or July, it is matchless in its effect the following summer, continuing in flower throughout the season.

      316 10 Splendid varieties
      2 6

      317 10
      smaller packets
      1 6

      318 Splendid mixed, sufficient for a large bed
      2 6

                                                                                                                               320 Splendid violet, sufficient for a large bed ... 2
                                                                                                                               321
                                                                                                                                                            white
                                                                                                                                              2.3
                                                                                                                               322
                                                                                                                                                              dark blood-red, a new magnificent
  319
                             scarlet
                                                                                                                                                                 variety ......2s. 6d. &
                                                     Brompton, or Winter German Biennial Stock, height 2 ft.
 Covent Garden Intermediate Stock, height 1 ft.
 This is a fine Stock of dwarf habit. It is sown in July and August by the growers for Covent Garden Market, and is extensively used for furnishing jardinets, window boxes, flower-beds, etc., during "the London Season." If sown early in Spring it is a valuable plant for autumn flowering,
 extra finc, Foreign saved ...... 2
                                                                                      East Lothian Stock, height 1 ft.
 This greatly prized Stock is remarkable for its fine branching habit, profusion and duration of bloom. For summer flowering, sow in Juty or August; for autumn decoration, sow early in spring.

337 Splendid purple 15, & 2 6 340 Splendid rose-carmine 15, & 2 338 , white 15, & 2 6 341 , scarlet 15, & 2 341 , mixed 15, & 2 6 342 , mixed 15, & 2
                                                                                                                                                               mixed .....
                                                                                                          ASTERS.
 In our Experimental Grounds we have grown a complete collection of Asters to ascertain the merits of recent introductions, and have disearded the "Humboldt," the "Shakespeare," the "Bismarck," the Improved Rose, the "Schiller," and the "Grace" Asters, as possessing no distinctive character, and of less
 merit than those retained in our list.
merit than those retained in our list.

For large beds, the Hamburgh Prize Pæony Perfection, the Victoria, the Cockade, and the Hedgehog, are the most desirable. For medium-sized beds, ribbons, etc., the Dwarf Chrysanthemum, the Dwarf Victoria, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are the most exquisite flowers, ranging from the most miniature to the size of a Pompon Chrysanthemum.

The Aster, when in bloom, is frequently lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. Owing to the early rains in autumn, Aster seed suffered greatly, and our foreign grower reports that the growth in consequence will tropolity he under the guerner.
 probably be under the average.

Pæony Perfection Hamburgh Prize Aster, height 1 ft.
The varieties are of the highest type of the Poony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quatity and perfect form, their large size, and rich pure colours. For exhibition purposes they are indispensable, and were awarded the Prize for Poony Asters at the Hamburgh Exhibition.
                                                        343 16 Splendid varieties .....
 345 Splendid mixed, sufficient for a large bed ... 2 6 349 346 ,, white, ,, ,, ..... 2 6 350
                                                                                                                                                           purple
pure rose
                                                                                                                                                                                                                            ..... 2
                                                                                                                                                                                                                              .....
                                                                                                                                               ,,
                                                                                                                                                            mixed, from the four colours ..... 2
                                                      New Victoria large-flowered Imbrique Aster, height 11 ft.
It is impossible to speak too highly of this magnificent Aster, flowers large, imbricated and globular, growth that of an elegant pyramid, with from 10 to 20 flowers on a plant; indispensable for exhibition.

36 | 354 Splendid purple, sufficient for a large bed ... 2 6 | 355 ... crimson ... 2 6 | 355 Splendid mixed, sufficient for a large bed ... 2 6 | 356 ... white ... 3 6 | 356 ... white ... 3 6 | 356 ... white ... 3 6 | 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356 ... 356
                                                                       New Imbrique Pompon Aster, height 11 ft.
The flowers are small, and perfect in form, valuable to cut for bouquets and table decoration.

357 12 Splendid varieties ______ 2 6 | 360 Splendid violet, sufficient for a large bed ...

358 12 ,, smaller packets ...... 1 6 | 361 ,, crimson ,, ,, ...

359 Splendid mixed, sufficient for a large bed ... 2 6 | 362 ,, white ,, ,, ...
                                                                      New Cockade, or Crown Aster, height 2 ft.
New Perfection Pyramidal Hedgehog or Needle Aster, height 11/2 ft.
```

New Dwarf Chrysanthemum-flowered Aster, height 10 in. This Aster grows to the uniform height of 10 inches, with flowers 3 to 4 inches in diameter, and produced in such profusion as entirely to hide the foliage; it flowers later than the other Asters, and is a valuable succession for autumn-flowering in beds, ribbons, or in pots. New German Emperor Aster, height 1 ft.

This new Aster is of dwarf and robust compact growth, and is remarkable for very large perfectly formed flowers. DOUBLE GERMAN WALLFLOWERS. The early flowering of the German Wallhower, with its long handsome spikes of deliciously fragrant massive double flowers, make it a most desirable acquisition for spring gardens, and to cut for bouquets. EVERLASTING FLOWERS FOR CHURCH DECORATION. These are all fine showy border plants, the dried flowers being much prized for winter bouquets, and very greatly in demand for forming devices in church decoration; they are atsoesteemed for pot culture.

409 15 Splendid waiteties of Everlasting flowers, 3s. 6d.; 10 ditto, 2s. 6d.; 6 ditto, 1s. 6d. 410 Splendid mixed Helichrysum compositum maximumlarge packets, 15. & Rhodanthe, the most beautiful of Everlastings for bouquets......
Waitzia, a most beautiful Everlasting for bouquets.....
Xeranthemum, a fine Everlasting for bouquets 411 IS. & 6 ... IS. & 2 6 412 11 Is. & 413 6d. & 414 ZINNIA ELEGANS. 425 to BALSAMS. Magnificent, whether for conservatory or out-door decoration, producing, in gorgeous masses, flowers of the most brilliant and beautiful colours, spotted and blotched in the most striking manner. Camellia large-flowered Improved English Double Balsams, very choice. It is with the utmost confidence we recommend these English Balsams. They have been alt proven in our Experimental Grounds, and are of the highest type as regards the quality of the flowers, and the habit of the plant. 429 Barr's "Criterion," in 12 vars.... 430 435 12 Splendid varietics. Rose large-flowered Camellia German Double Balsams. COCKSCOMBS. Curiously shaped highly ornamental flowers, equally attractive in the conservatory and sitting-room.

439 6 Splendid Dwarf varieties _______ 2 6 441 6 Splendid Giant varieties _______

5 smaller packets r 6 442 6 ,, , smaller packets ... smaller packets ... r. 6

12, King Street, Covent Garden, 1877.]
IPOMŒA, OR THE MORNING GLORY.
This climber is unvivalled for the adornment of the conservatory, stove, and slower-garden, it is of rapid
growth, with rich dazzling colours, and large handsome flowers.
443 12 Splendid half-hardy varieties
443 12 Splendid half-hardy varieties
CONVOLVULUS MAJOR (THE MORNING GLORY).
The Convolvulus Major is perhaps one of the most attractive objects where climbers are cultivated. Whether
on the tretlis, the verandah, or rambling amought the branches of shrubs, or festioning the heagerows, alone, or
with other climbers, its beauty is conspicuous, and the effect of its fresh rich pteasing colours is most charming. 447 12 Splendid varieties
LARKSPURS.
These are universal favourites, and of considerable value in the flower garden. The dwarf varieties are very effective in beds and ribbons; the taller growing kinds are exceedingly decorative in mixed flower and shrubbery
harders and to cut for honauets and vases they are invaluable. On light soils, where plants get ournit up in summer,
The recommend that these he sown in autumn: so treated they will bloom throughout the whole summer in spite of
the severest drought, and cut flowers may be gathered freely from them the whote of the season.
New Dwarf Stock-flowered Rocket Larkspur, height 1 ft.
The finest type of the dwarf Rocket Larkspur. Well cultivated it produces large handsome spikes of bloom.
449 10 Splendid varieties
Dwarf Candelabrum-formed Larkspur, height 3 ft.
A new distinct race of dwarf branching Larkspurs, very floriferous, and valuable for beds, ribbons, etc.
451 6 Splendid varieties
New Tall Stock-flowered Larkspur, height 21/2 ft.
In mixed flower harders these are attractive, and in shrubbery borders most valuable; also to cut for bouquets.
453 6 Splendid varieties
HOLLYHOCKS.
The distinctive character and massive beauty of Hollyhocks render them unrivalled as a picturesque relief
to the dark back-ground of evergreen shrubs. For distant effect in large groups they are matchless; they also form
an effective outline in flower gardens and borders, and an admirable boundary line for extensive avenues in purk
scenery The seed offered has been saved from exhibition flowers, and cannot fail to produce prst-class varieties.
455 18 of the most beautiful named varieties 5 6 457 8 of the most beautiful named varieties 2 6
456 12 ,, ,, 3 6 408 Spiendid mixea
MARIGOLDS.
Effective and profuse-flowering summer and autumn annuals, with a fine branching habit, and elegant leaves
of the richest green, adapted in their varieties for diverse styles of gardening.
459 12 Splendid varieties, including the newest 3 6 460 6 Splendid varieties, including the newest 2 0
PENTSTEMONS.
All the Pentstemons are exceedingly decorative, the tatter kinds in mixed flower and shrubbery borders;
the dwarf English hybrids with their large flowers, rich colours, and fine spikes of bloom, are admirably adapted for filting flower beds, for lines in the borders, and to cut for vases and bouquets; they bloom throughout the season.
for filting flower beds, for lines in the borders, and to cut for vases and bouquets; they bloom throughout the season. 2 6 462 Splendid English mixed
PETUNIAS.
The Petunia in the flower garden, is one of the most effective of plants, blooming profusely till far on in the
autumn. When blanted in large beds it should be trained over a frame-work of boughs; and in the flower borders,
against twiggy faggots. But perhaps the plant is most telling in effect when trained against a rustic fence, on espaliers, or against a wall. In rustic baskets on the lawn, for rockwork, or elevated situations, where plants
are required to droop over, as in the fissures of rock formations, this plant is invaluable.
462 to Splendid verieties a 6 465 Splendid mixed English saved IS. & 2 6
464 8 ,, Continental saved 15. & 2 6
PHLOX DRUMMONDII.
This is deservedly a popular plant. Its rich brilliant colours, and profuse blooming make it valuable for flower
beds, borders, rockwork, fissures of rock formations, and in rustic baskets.
467 15 Splendid varieties 4 6 469 8 Splendid varieties 2 6
467 15 Splendid varieties 4 6 469 8 Splendid varieties 2 6 468 12 3 6 470 Splendid mixed, sufficient for a large bed 1 0
DOUBLE PÆONY POPPY.
Highly ornamental for large flower or shrubbery borders, woodland walks, and wilderness decoration.
471 10 Splendid varietiess. 6d. & 2 6 472 Splendid mixed, sufficient for a large bed 1
PORTULACAS.
These are remarkable for the dazzling brilliancy of their flowers; the colours range from white to rich rose, the
brightest crimson-purple, and golden yettow. The doubleness of the new varieties intensifies the brilliant eject.
On mounds, raised flower beds, sunny situations, and on gravelly soils, few plants are more effective.
473 12 Splendid varieties 3 6 476 6 Splendid new double varieties 3 9 474 6 Splendid new double varieties 3 9 477 6 Splendid n
473 12 Splendid varieties 3 6 476 6 Splendid new double varieties 3 6 474 12 smaller packets 2 0 477 6 smaller packets 2 0 475 Splendid mixed, sufficient for a large bed I 0 478 Splendid mixed, double varieties 2 6
TROPÆOLUMS.
Splendid elimbers for the conservatory and flower garden; also valuable bedding plants.
Splendid elimbers for the conservatory and flower garden; also valuable bedding plants. 479 12 Splendid varieties

COLLECTIONS OF CHOICE CARNATION AND PICOTEE SEEDS.

Saved from the following classes by "Our Sardinian Correspondent," From one of the finest collections in Europe, and yielding about 80 per cent. of double flowers.

Carnations and Picotees are prized for their delicious fragrance and exquisite beauty; as cut flowers, they are indispensable for furnishing flower-baskets and drawing-room bouquets, and for this purpose a reserve piece of ground should be devoted to their cultivation. Seedlings flower more profusely than propagated plants, therefore we recommend the following collections saved from the classes noted, although no reliance can be placed upon the specific colours being reproduced.

CARNATIONS, SECTION

481

482

483

This section consists of Four Collections, each forming a distinct feature,

Coll. A.—SELFS.—One-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers of these possess the delightful perfume of the old and highly-prized Clove.

Coll. B.—FLAKES.—Two-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers are either striped or flaked with a distinct and brilliant colour.

Coll. C.—BIZARRES.—Three-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers are either striped or flaked with two distinct and brilliant colours.

Coll. D.—FANCY.—Parti-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers are either shaded, spotted, or mottled, with rich and peculiar hues.

YELLOW CARNATIONS, SECTION

This Section comprises Three Collections which on account of the colour of the flowers, are universally admired.

485 Coll. E.—YELLOW FLAKES.—Two-coloured.—12 superb varieties of 10 seeds each, 4/6.

The flowers are either yellow or orange, striped or flaked with a distinct colour, as purple, scarlet, etc.

486 Coll. F.—YELLOW BIZARRES AND SELFS.—12 superb varieties of 10 seeds each, 4/6.

The flowers of the Bizarres are either yellow or orange, striped with two distinct colours,

487 Coll. G.—YELLOW FANCY.—Parti-coloured.—12 superb varieties of 10 seeds each, 4/6.

Vellow examisticly surjegated with cover tiet of the rainbown.

Yellow, exquisitely variegated with every tint of the rainbow.

PERPETUAL OR TREE CARNATIONS, SECTION III.

This Section, consisting of Four Collections, is much sought after for conservatory decoration. The plants can easily be had in bloom, under glass, from November till May.

488 Coll. H.—SELFS.—One-coloured.—12 fine varieties of 10 seeds each, 3/6.

490 Coll. J.—BIZARRES.—Three-coloured.—12 fine varieties of 10 seeds each, 3/6.

491 Coll. K.—FANCY.—Parti-coloured—12 fine varieties of 10 seeds each, 3/6.

PICOTEES, SECTION IV.

The Picotee is distinguished from the Carnation by the flowers being elegantly margined or fringed with scarlet, purple, rose, carmine, crimson, vermilion, etc. This Section includes Three Collections.

Coll. L.—WHITE GROUND, VARIOUSLY MARGINED.—Contains 12 superb varieties of 10 seeds each, 3/6. Coll. M.—YELLOW GROUND, VARIOUSLY MARGINED.—Contains 12 superb varieties of 10 493

seeds each, 4/6.

494 Coll N.—PERPETUAL OR TREE; WHITE VARIOUSLY MARGINED.—Contains 12 fine varieties of 10 seeds each, 3/6.

PELARGONIUM (GERANIUM) SEED.

Saved by our "SARDINIAN CORRESPONDENT" from the following classes, which include some of his newest varieties, and also the best English and French, carefully hybridized, to ensure the amateur against disappointment.

SEALED COLLECTIONS OF PELARGONIUM SEED.

495 COLLECTION O (5s. 6d.)

Contains 12 splendid new varieties, 10 seeds each, of Diadematum Pelargoniums.

496 COLLECTION P (4s. 6d.) Contains 12 splendid varieties, 10 seeds each, of fancy Pelargoniums.

497 COLLECTION Q (5s. 6d.)
Contains 12 splendid varieties, 10 seeds each, of large-flowered Pelargoniums.

498 COLLECTION R (5s. 6d.)
Contains 12 splendid varieties, 10 seeds each, of spotted Pelargoniums.

499 COLLECTION S (3s. 6d.)
Contains 12 splendid varieties of Zonale and Nosegay Pelargoniums.

500 COLLECTION T (3s. 6d.)

Contains 12 splendid varieties of French Zonale Pelargoniums.

ORNAMENTAL GOURDS.
CUCUMIS AND CUCURBITA, Nat. Ord. Cucurbita'cea. PICTURESQUE, CURIOUS, INTERESTING, AND BEAUTIFUL, ARE THE ORNAMENTAL GOURDS AND CUCUMBERS OF OUR INTERNATIONAL EXHIBITION FIRST PRIZE CONTINENTAL COLLECTION. The fruits when ripe make the most splendid and interesting autumnal and winter hall ornaments.

LARGE, MEDIUM, AND MINIATURE-FRUITED GOURDS.

These, in addition to being highly ornamental, are in demand for cattle food, the seed being planted early in May where intended to grow.

							5.	d.				per pkt	s.	d.
501	30	Packet,	30	beautiful	varieties	*** *** *** ***	7	6	505	Mixed	large-fruited varieties		2	6
502	20		20		1)		5	6	506	,,	medium-fruited	1/ 8	. 2	6
503			15		11	****	3	6	507	11	miniature-fruited			
504			IO	**	1+		2	6	508	11	large, medium and mir	niature ,, 1/ &	2	6
509	P	almated	-10	aved Melo	on, an ex	ceedingly har	ndsi	ome	folia	ge plan.	t for Sub-tropical garde	ningper pk	t. r	0

ORNAMENTAL GRASSES,

For Winter Bouquets, Dinner-Table Decoration, Edgings, Ribbons, Centres of Beds, Sub-tropical Gardens, Islands, Select Plantations, Shrubberies, the Sides of Rivulets, Ravines, Lakes, etc.

It is scarcely possible to over-estimate the decorative qualities of Ornamental Grasses, some are curious-looking plants, others exceedingly graceful; some neat and compact, others stately and majestic. Agrostis elegans and other slender varieties cultivated in pots, and interplanted in beds with flowering plants, the effect

elegans and other stender.

All the grasses may be gathered and dried for winter decoration; but as some are better adapted for that purpose than others, therefore we recommend the collection quoted for "Winter Bouquets."

In some establishments a special piece of ground is devoted to Ornamental Grasses, and these GRASS In some establishments a special piece of ground is devoted to Ornamental Grasses, and these GRASS GARDENS are frequently of greater interest to visitors than the flower garden with all its embellishments.

510 Collections suitable for Flower Borders, 30 varieties, 7/6; 20 ditto, 5/6; 15 ditto, 3/6; 10 ditto, 2/6.

511 ", for Edgings, 10 varieties, 2/6; 6 ditto, 1/6.

512 ", for Shrubberles, etc., 30 varieties, 7/6; 20 ditto, 5/6; 15 ditto, 3/6; 10 ditto, 2/6.

513 ", for Winter Bouquets, 30 varieties, 7/6; 20 ditto, 5/6; 15 ditto, 3/6; 10 ditto, 2/6.

514 ", for Sub-tropical Gardens, 15 varieties, 4/6; 10 ditto, 3/6; 10 ditto, 2/6.

515 All the grasses are decorative the first season, and may either be sown where intended to remain, or in pots, and transplanted when about two inches high.

FIRST SECTION.—Most of those enumerated are useful for bouquets, and all are elegant in the flower border.

The price is 3d. per packet, except those marked *, which are 6d.:—

Agrostis. All fine graceful bouquet grasses.

Eragrostis, elegant for borders and bouquets, 1, cylindriflora, most graceful, 2 ft.

Eragrostis, elegant for borders and bouquets.
cylindriflora, most graceful, 2 ft.

Agrostis. All fine graceful bouquet grasses.

" argentea, silvery, 1½ ft.
" elegans, exquisitely graceful, 1 ft.
" laxiflora, very graceful, 1½ ft.
" nebulosa, the perfection of grace, 1½ ft.
" *Steventi, graceful, 1 ft.
" verticillata, elegant, 1 ft.
Andropogon Ischæmum, slender growing, 1 ft.
Anthoxanthum ovatum, very distinct, ½ ft.
" gracile, elegant, ½ ft.
Avena sterilis, the Animated Oat, 2½ ft.
Brachypodium platystachyum, graceful, 2 ft. elegans (Love Grass), fine, 1 ft. Namaquensis, dwarf spreading. Purshii, very elegant, 13 ft. ** Purshli, very elegant, 1½ ft.

Festuca. Dwarf, compact-growing grasses.

pectinella, for bouquets & edgings, ½ ft

rigida, elegant for bouquets, 1 ft.

viridis, fine edging plant, ½ ft.

Grangea Maderaspatana, elegant & eurious, 1½ ft.

*Isolepis gracilis, elegant for bouquets, 1½ ft.

*Isolepis gracilis, elegant for bouquets, 1½ ft.

Lapurus ovatus, Harés-tail, very elegant, 1 ft.

Lappago racemosa, eurious-looking grass, 1 ft.

Lapiagrostis splendens, beautiful, ¼ ft.

Leptochloa gracilis, pretty, 1½ ft.

Melica ciliata, graceful for bouquets, 1½ ft.

Panicum. Suitable for bouquets and borders.

" capillare, most elegant, 2 ft. Brachypodium platystachyum, graceful, 2 ft.
Briza. Charming varieties of Quaking Grass.
, compacta, very charming, 1 ft,
, major, large Quaking Grass, 1 ft.
, geniculata, spreading, 1 ft.
, gracilis, small Quaking Grass, 1 ft.
Brizonymy Steulum for advisors & house, 1 36 Brizopyrum Siculum, for edgings & bouquets, Aft. Bromus brizæformis, elegant Briza-like, 1 ft. capillare, most elegant, 2 ft. colonum, pretty, 1\frac{1}{2} ft. crus-galli, effective, 1\frac{1}{2} ft. macrostachys, fine border grass, 13 ft. 533 Ceratochioa pendula, graceful, 1 ft. 534 *Chascolytrum erectum fine Briza-like spikes, 2 ft. Paspalum elegans, pretty for borders, 2 ft. Pennisetum. The most distinct and beautiful of Chloris. Singularly radiated, and very effective in bouquets and borders. barbata, bearded, I ft. ornamental grasses. cenchroides, i ft. cucullata, for edgings and bouquets, \(\frac{1}{2}\) ft. elegans, slender and elegant, \(\frac{1}{2}\) ft. compressum, 1 ft. ,, distylum, ½ ft. ,, , polystachya, many-spiked, i ft.
, radiata, radiating, i ft.
, submutica, spreading,
, truncata, elegant for bouquets, i ft.
Chrysurus aureus, golden-spiked, i ft.
Coix chinensis, fine border grass, i ft.
, lachryma, Yob's tears, i ft.
Cynosurus echinatus, spiked, i ft.
Diplachne fascicularis, elegant border grass, 2
Diplachne fascicularis, elegant border grass, 2 fimbriatum, 1 ft. longistylum, 1½ ft. setosum, covered with silky hairs, brilliant as rubies, 11 ft. Piptatherum Thomasii, a very graceful grass, 1ft. *Spergula pilifera, for rock-work, \(\frac{1}{2}\) ft.

*Spergula pilifera, for rock-work, \(\frac{1}{2}\) ft.

*Stipa. Of all grasses the most elegant in the flower border, and fine for bonquets.

*elegantissima, extremely elegant, 2 ft.

intricata, very elegant, 2 ft.

pennata (Feather-grass), 2 ft.

tortilis very bretty 2 ft. Diplachne fascicularis, elegant border grass, 2 ft. Eleusine. Pretty. All euriously horned grasses, effective in bouquets and borders.

", coracana, spreading, 1 ft.
", Fortunel, beautiful, \(\frac{3}{4} \) ft.
", Indica, spreading and graceful, 1 ft.
", oligostachya, three horns, 1 ft.

Elymus Caput-Medusæ, graceful \(\frac{5}{4} \) distinct, 1 ft. 549 ", Indica, spreading and graceful, 1 ft.
550 ", oligostachya, three horns, 1 ft.
551 Elymus Caput-Medusæ, graceful & distinct, 1 ft.
552 SECOND SECTION.—The Grasses composing this section are well adapted for imparting variety in flower and shrubbery borders, and many of them, from their majeste growth, rank as first-elass Sub-tropical plants.

Andropogon. Thoseenumerated are of large growth | 600

Andropogon. Those enumerated are of large growth and fine Sub-tropical subjects.

" argentous, 5 ft.

bombycinus, silvery spikes, 6 ft. Sorghum, 7 ft. strictus, graceful silky violet tinted plumes, 5 ft. *Arundo conspleua, a gigantic grass, 8 ft. Chloris myriostachys, silky planes, 4 ft. Chloropsis Blanchardiana, bottle-brush-like-

flowers of a bright rose colour, 4 ft.
Erianthus Ravennee, a noble grass, 7 ft.
" strictus, majestic, 7 ft.
" volascens, violet tinted, 7 ft.

Gymnothrix latifolia, very graceful, 3 ft. Gynerium argenteum (Pampas Grass), 7 ft. *kermesina, 7 ft.
roseum, rose tinted, 7 ft.
*variegatum, foliage ve
riegated, 7 ft.

Gynerium argenteum violaceum, violet tinted, 7ft. mixed varieties, 7 ft. Milium nigricans, 3 ft. Panicum violaceum, 3 ft.

virgatum, 4 ft.
Penicillaria spicata, leaves like the maize, 5 ft. *Saccharum cylindricum, silky panicles, 3 ft.

"Maddenii, resembles Erianthus, 5 ft. Sorghum. Majestic sub-tropical plants. *halepense, elegant, 5 ft. nankinense, bronzed plumes, 5 ft.

nankinense, bronzed plumes, 5 ft.

Tripsacum monostachyum, drooping leaves and eylindrical spikes of inflorescence, 5 ft.

Zea (Maize or Indian Corn). Valuable snb-tropical plants, Japonica is prized for its beautifully variegated foliage, Cuzko and Caragua for their majestic growth.

" japonica variegata, striped Maize, 3 ft.

" Caragua, Giant Maize, 10 ft.

" gracillima, Miniature Maize, 2 ft.

A FEW SPECIALITIES IN PLANTS.

NEW DOUBLE-FLOWERED PYRETHRUMS IN POTS.

NEW DOUBLE-FLOWERED PYRETHRUMS IN POTS.	
These are the most beautiful of hardy herbaceous plants, the flowers ranging from the purest white to the intensest crimson, and as perfect in form as the Aster or the Chrysanthemum. The foliage is graceful, and the babit of the plant excellent; the time of flowering, May and June, and again in September and October. To	
cut for table bouquets the flower is all that could be desired.	
616 50 in 50 varieties	
HERBACEOUS OR PERENNIAL PHLOXES IN POTS.	
These grand border plants are exceedingly decorative, the flowers beautifully formed, and borne in large clusters, varying in colour from the purest white to the richest purple, brilliant salmon and crimson; and many of the flowers are beautifully margined, while others have conspicuously coloured centres. Cultivated like the Chrysanthemum, in pots, the Phlox makes beautiful specimens for conservatory decoration. s. d.	
619 to in to beautiful varieties	
620 25 in 25 ,, ,, , ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
621 12 in 12 ,, 9/2, 12/2, 13/2, and 10 0	
PÆONIAS, SINENSIS VARIETIES, Etc.	
These take first rank among herbaceous and decorative plants; they are free and stately in growth, and produce in great profusion large elegantly formed flowers of the most delicate and beautiful shades of colour, many of which are very fragrant; they are perfectly hardy, and will flourish in any ordinary garden soil, enriched with manure.	
623 30 in 30 splendid varieties	
625 12 in 12 , , , ,	
DELPHINIUMS.	
A valuable class of hardy perennial Larkspurs, varying in height from 2 to 6 feet. Amongst the colours are bright scarlet, pure white, pale lavender, and every shade of blue, from azure to deep indigo, and some almost black, and these again have frequently white, brown, or black centres; the flowers differ considerably in form and size, there are singles, semi-doubles, and others perfectly double with beautifully imbricated flowers, the spikes of bloom varying from 1 to 3 feet in length. The plants may be cultivated in any ordinary garden soil. 5. d. 626 50 in 50 varieties	
627 25 in 25 ,	
628 12 in 12 ,,	
These universal favourites cannot be dispensed with even in the smallest garden; their delicious and gratefully fragrant flowers are freely produced, and may be gathered almost daily throughout the winter and spring months. If required, plants of the following established in pots can be supplied at is, each.	
each-s. d. each-s. d. 629 Arborea (Tree Violet), double blue o 9 639 Rubra plena, pale red, double 0 9	
630 double white	
631 Blandyana, dark purple, striped white 0 9 641 Russian, double othe	
632 Devoniensis, dark purple, large flowers o 9 642 ,, single blue 0 9 633 King of Violets, dark indigo-blue, double o 9 643 Scotch, dark purple, large double flowers o 9	
633 King of Violets, dark indigo-blue, double o 9 643 Scotch, dark purple, large double flowers o 9 634 Marie Louise, lavender-blue, white centre o 9 644 Striata obliqua, purple and white 0 9	
635 Neapolitan, lavender-blue, double 0 9 645 The Czar, dark purple, very large flowers 0 9	
636 Odorata pendula, azure blue, double o 9 646 ,, white (new), large flowers I O	
637 Parmaensis plena white striped rose double o o 647 Victoria Regina, (new), beautiful I 6	
Queen of violes, white, shaute viasi, double of y i ozo vi inte, single interest of the control	
649 One each of the collection	
HELLEBORUS (Christmas Rose). Charming winter and spring flowering plants; the varieties of Niger are now extensively used for Church	
descention cache d	
decoration.	
651 Colchicus	
652 Lividus 1 6 656 Olympicus 1 6 653 Niger 1 5 6d., 2s. 6d., 2s. 6d. & 3 6 657 Viridis 1 0	,
653 Niger	
Well known and much prized spring flowering plants which succeed best in shady situations, and should be grown in masses, therefore we recommend clumps in preference to plants.	
658 single blue, plantsper doz., 6s. and 9s. 0 9 662 double red, clumps	
659 , elumps 15. 6d., 25. 6d., to 3 6 663 single red, plantsper doz., 95. and 125. 1 660 dayle blue plants 1 6d. to 2 6 664 single white plants	
to the state of th	
FUNKIAS.	
Fine hardy ornamental border plants, pushing their leaves early in spring, and in summer throwing up a profusion of beautiful Lily-like spikes of bell-shaped flowers.	
666 Ovata, leaves dark green, flowers purple I o 675 Ovata sinensis, large green foliage I	
667 ,, fol. variegatis	
668 argentea marginata, silver edged I 6 677 spathulata, small green lollage 0	
cro monulate foliage gold and cro undulate argentes vittate 2 6	5
green	
671 , maculata elegantissima, foliage 681 ,, univitatis, foliage green,	6
beautifully variegated 1 6 with white line in centre 1	6
112 1, in undirata variegata, gosta and	
673 lanceolata. purple flowers 684 subcordata, large light green foliage,	
per doz., 5/6 o 6 and large pure white flowers 2	6
674 ,, plantanifolia, rich purple, ,, 9s. 1 0 685 ,, grandiflora, resembles No. 684 1	6

PAXTONIAN ASSORTMENTS OF FLOWER SEEDS.

SENT POST-PAID.

These collections are composed of the most beautiful and effective varieties. Amateurs have therefore only to select from the undermentioned, quoting the numbers, and they will be supplied with the sorts best calculated to maintain throughout the summer and autumn months a rich and gay floral display.

(The best uncoloured illustrated work on popular plants is Vilmorin's "Atlas of Flowers." See p. 14.)

	TARDY AN	TATE C
687	HARDY AN 100 Packets of the most beautiful and	692 100 Packets, including the best of recent
001	effective varieties	introductions 30/0
688	50 Ditto ditto ditto 10/6	693 50 Ditto ditto ditto 15/0
689	-5 =	694 30 Ditto ditto ditto
690 691		695 18 Ditto ditto ditto
031		5,
697	HALF-HARDY 100 Pkts. of the most beautiful varietics 30/0	700 21 Pkts. of the most beautiful varieties 7/6
698		701 15 Ditto ditto ditto
699	30 Ditto ditto ditto 10/6	
	HARDY PER	
	(The best work on Hardy Perennials is Is	
703	100 Pkts. of the most beautiful varieties 30/0	705 21 Pkts. of the most beautiful varieties 5/6
704	50 Ditto ditto ditto 15/0	
	HALF-HARDY I	
707	25 Pkts. of the most beautiful varietics 7/6	708 15 Pkts, of the most beautiful varieties 4/6
F00	BEST ANNUALS AND PEREN	NNIALS FOR ROCK-WORK. */
709 710		711 15 Pkts. of the most beautiful varieties 3/6 712 10 Ditto ditto ditto 2/6
.10	BEST ANNUALS FO	
713	30 Pkts, of the most effective varieties 7/6	
, 20	BEST PERENNIALS	
17	The best work on Rock and Alpine plants is Robinson's	s "Alpine Flowers for English Gardens," price 12/-).
715	30 Packets of the most useful varieties 7/6	716 · 15 Packets of the most useful varieties 3/6
	DWARF ANNUALS BEST ADAPTED FOR	
717	30 Pkts. of the most beautiful varieties 7/6	719 15 Pkts. of the most beautiful varieties 3/6
718	21 Ditto ditto ditto 5/6	720 10 Ditto ditto ditto 2/6
	SWEET-SCENTE	ED ANNUALS.
721	12 Packets of the best	
	EVERLASTING FLOWERS FOR WINTER BO	OUQUETS AND CHURCH DECORATION.
723	15 Packets of the best sorts 3/6	724 10 Packets of the best sorts
	ANNUALS BEST ADAPTED	TO CUT FOR BOUQUETS.
725	50 Packets of the most desirable 12/6	727 21 Packets of the most desirable 5/6
726	30 Ditto ditto ditto 7/6	
	SUB-TROPICAL	I. PLANTS.
C	I have interested in Sub-tradical gardening should read	
	Wistonia and Huda Dawh	Robinson's Work on the subject, and visit Battersea,
720	Victoria, and Hyde Park	es from 'fuly to October.)
729 730	Victoria, and Hyde Park 50 Packets of the most effective	731 21 Packets of the most effective
729 730	Victoria, and Hyde Park 50 Packets of the most effective	7/6 732 12 Ditto ditto ditto
730	Victoria, and Hyde Park 50 Packets of the most effective	21 Packets of the most effective
	So Packets of the most effective	23 From fully to October.) 731 21 Packets of the most effective
730 733	So Packets of the most effective	rs from 'fully to October.') 731 21 Packets of the most effective
730 733	Victoria, and Hyde Park	### ### ### ### ### ### ### ### ### ##
730 733 734	So Packets of the most effective	## From fully to October. 731 21 Packets of the most effective
730 733 734 737 739	Victoria, and Hyde Park 50 Packets of the most effective	## From July to October. 731 21 Packets of the most effective
730 733 734 737	Victoria, and Hyde Park 50 Packets of the most effective	## From July to October. 731 21 Packets of the most effective
730 733 734 737 739 740	Victoria, and Hyde Park So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6	### 121 Packets of the most effective
730 733 734 737 739 740	Victoria, and Hyde Park 50 Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 0RNAMENTAL-FOL 21 Ditto ditto ditto 7/6 21 Ditto ditto ditto 3/6 0RNAMENTAL-FRI 12 Packets of the most beautiful 3/6 0RNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 0RNAMENTAL PRI 12/6 30 Ditto ditto ditto 0RNAMENTAL 12/6 30 Ditto ditto ditto 0RNAMENTAL PRI 12/6 3/6 0RNAMENTAL PRI 12/6 0RNAMENTA	21 Packets of the most effective 7/6
730 733 734 737 739 740	So Packets of the most effective	rs from fully to October.) 731 21 Packets of the most effective
730 733 734 737 739 740 our a Fi	Victoria, and Hyde Park 30 Packets of the most effective	raft of the most effective
730 733 734 737 739 740 our a Fi our 743	So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 ORNAMENTAL-FOL 30 Packets of the most effective 10/6 21 Ditto ditto ditto 7/6 ORNAMENTAL-FRI 12 Packets of the most beautiful 3/6 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto T/6 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto T/6 ORNAMENTAL PRI Collections; and the First Prize was also awarded irst-class Certificate was given by the Royal Horticul Experimental Grounds from seed planted by us out of 100 Packets of the most ornamental 30/0 Packets	raft of Cotober.) 731 21 Packets of the most effective
730 733 734 737 739 740 our a Fi our	So Packets of the most effective	rs from fully to October.) 731 21 Packets of the most effective
730 733 734 737 739 740 <i>our</i> <i>a Fi</i> <i>our</i> 743 744	So Packets of the most effective	rs from fully to October.) 731 21 Packets of the most effective
730 733 734 737 739 740 our a Fi our 743 744 747	So Packets of the most effective	raft of Cotober.) 731 21 Packets of the most effective
730 733 734 737 739 740 <i>our</i> <i>a Fi</i> <i>our</i> 743 744	So Packets of the most effective	rate from fully to October.) 731 21 Packets of the most effective
730 733 734 737 739 740 <i>our</i> <i>a Fi</i> <i>our</i> 743 744 747	So Packets of the most effective	raft 21 Packets of the most effective
730 733 734 737 739 740 our a Fi our 743 744 747 748	So Packets of the most effective	raft 21 Packets of the most effective
730 733 734 737 739 740 <i>our</i> <i>a Fi</i> <i>our</i> 743 744 747	So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 30 Packets of the most effective 10/6 30 Packets of the most effective 10/6 30 Packets of the most effective 10/6 21 Ditto ditto ditto 7/6 30 Packets of the most beautiful 12/6 30 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 12/6 4 CRNAMENTAL GRAS 50 Packets of the most ornamental 30/0 50 Ditto ditto ditto 12/6 50 Ditto ditto ditto 12/6 4 ORNAMENTAL CLIMBERS FOR THE FLOWER-GRAS 30 Packets of the most beautiful varieties 12/6 21 Ditto ditto ditto 17/6 30 Packets of the best varieties 10/6 21 Ditto ditto ditto 7/6	rational Gourd Show, awarded three principal Prizes to at the Birmingham International Gourd Show; and altural Society to our Collection of Gourds, ripened in doors in May.) 745 12 Packets of the most beautiful \$\frac{5}{6}\$ CIAGED PLANTS. 736 12 Packets of the most effective 4/6 7378 6 Packets of the most beautiful 2/6 CISES. See page 11. 741 21 Packets tall and dwarf varieties 5/6 742 12 Ditto ditto ditto 2/6 CRIZE GOURDS. 24 at the Birmingham International Gourd Show; and altural Society to our Collection of Gourds, ripened in doors in May.) 745 21 Packets of the most ornamental 5/6 746 12 Ditto ditto ditto 3/6 ARDEN, CONSERVATORY, AND GREENHOUSE. 749 10 Packets of the most beautiful varieties 3/6 GREENHOUSE DECORATION. 753 15 Packets of the best varieties 5/6 754 10 Ditto ditto ditto 3/6
730 733 734 737 739 740 <i>our a Fi our a Fi</i> 743 744 747 748	So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 ORNAMENTAL-FOL 30 Packets of the most effective 10/6 21 Ditto ditto ditto 7/6 ORNAMENTAL-FOL 30 Packets of the most beautiful 12/6 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 ORNAMENTAL GRAS 50 Packets of the most ornamental 30/0 100 Packets of the most ornamental 30/0 50 Ditto ditto ditto 12/6 ORNAMENTAL GLIMBERS FOR THE FLOWER-GRASO Packets of the most beautiful varieties 12/6 21 Ditto ditto ditto 7/6 PERENNIALS AND BIENNIALS FOR 30 Packets of the best varieties 10/6 21 Ditto ditto ditto 7/6 PERENNIALS AND ANNUALS FOR SOWING	rs from fully to October.) 731 21 Packets of the most effective
730 733 734 737 739 740 <i>our a Fi our a Fi</i> 743 744 747 748	So Packets of the most effective	raft of the most effective
730 733 734 737 739 740 <i>our a Fi our a Fi</i> 743 744 747 748	So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 30 Packets of the most effective 10/6 30 Packets of the most effective 10/6 30 Packets of the most effective 10/6 21 Ditto ditto ditto 7/6 30 Packets of the most beautiful 10/8 30 Packets of the most beautiful 11/2 30 Ditto ditto ditto 7/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL PRIVATE 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL PRIVATE 12/6 4 CRNAMENTAL PRIVATE 12/6 4 CRNAMENTAL PRIVATE 12/6 50 Ditto ditto ditto 12/6 50 Ditto ditto ditto 12/6 6 CRNAMENTAL CLIMBERS FOR THE FLOWER-GRASO Packets of the most ornamental 12/6 30 Packets of the most beautiful varieties 12/6 21 Ditto ditto ditto 12/6 21 Ditto ditto ditto 7/6 4 PERENNIALS AND BIENNIALS FOR 30 Packets of the best varieties 10/6 21 Ditto ditto ditto 7/6 4 PERENNIALS AND ANNUALS FOR SOWING 15 Packets of suitable sorts 3/6 FERENNIALS AND ANNUALS AND ANNUALS 12/6 FERENNIALS AND ANNUALS 14/6 FERENNIALS AND AN	rs from fully to October.) 731 21 Packets of the most effective
730 733 734 737 739 740 <i>our a Fi our a Fi</i> 743 744 747 748	So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 30 Packets of the most effective 10/6 30 Packets of the most effective 10/6 30 Packets of the most effective 10/6 21 Ditto ditto ditto 7/6 30 Packets of the most beautiful 10/8 30 Packets of the most beautiful 11/2 30 Ditto ditto ditto 7/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL PRIVATE 12/6 30 Ditto ditto ditto 7/6 4 CRNAMENTAL PRIVATE 12/6 4 CRNAMENTAL PRIVATE 12/6 4 CRNAMENTAL PRIVATE 12/6 50 Ditto ditto ditto 12/6 50 Ditto ditto ditto 12/6 6 CRNAMENTAL CLIMBERS FOR THE FLOWER-GRASO Packets of the most ornamental 12/6 30 Packets of the most beautiful varieties 12/6 21 Ditto ditto ditto 12/6 21 Ditto ditto ditto 7/6 4 PERENNIALS AND BIENNIALS FOR 30 Packets of the best varieties 10/6 21 Ditto ditto ditto 7/6 4 PERENNIALS AND ANNUALS FOR SOWING 15 Packets of suitable sorts 3/6 FERENNIALS AND ANNUALS AND ANNUALS 12/6 FERENNIALS AND ANNUALS 14/6 FERENNIALS AND AN	rs from fully to October.) 731 21 Packets of the most effective
733 734 737 739 740 <i>our</i> 743 744 747 751 752	So Packets of the most effective 21/0 30 Ditto ditto ditto 12/6 ORNAMENTAL-FOL 30 Packets of the most effective 10/6 21 Ditto ditto ditto 7/6 ORNAMENTAL-FRI 12 Packets of the most beautiful 10/8 ORNAMENTAL GRAS 50 Packets tall and dwarf varieties 12/6 30 Ditto ditto ditto 7/6 (The Royal Horticultural Society, at the Great Intern Collections; and the First Prize was also awarded irst-class Certificate was given by the Royal Horticul Experimental Grounds from seed planted by us out of 100 Packets of the most ornamental 30/0 ORNAMENTAL CLIMBERS FOR THE FLOWER-GRAS OPACKETS of the most beautiful varieties 12/6 ORNAMENTAL CLIMBERS FOR THE FLOWER-GRAS OPACKETS of the best varieties 10/6 PERENNIALS AND ANNUALS FOR SOWING 15 Packets of suitable sorts 3/6 PERENNIALS AND ANNUALS (The only work on the formation of "Wild Garas OPACKETS of tall and dwarf varieties 15/0 Packets of tall and dwarf varieties 15/0	rs from fully to October.) 731 21 Packets of the most effective

THE ATLAS OF FLOWERS.

Price 8s.; by Post, 8s. 6d.

This work has about 1,200 uncoloured Woodcuts of Popular Plants, illustrating their habit and style of growth.

"BARR'S AMATEUR'S HEATED FRAME" for raising seeds, striking cuttings, or preserving plants in winter.

See itsustration on Page 76.

To prevent disappointment, B. and S. test the growth of Flower Seeds immediately they are received.

A SELECT

DESCRIPTIVE LIST OF FLOWER SEEDS,

AND SEEDS OF

TREES, SHRUBS, ORNAMENTAL FRUIT, AND FOLIAGE PLANTS.

Climbers and Twiners are arranged in a separate List, p. 45.

For a Special List of Novelties, including many rare and beautiful Introductions, see p. 4.

	1	
DIR	ECTIONS FOR SOWING & AFTER-MANAGEMENT PRINTED ON EACH PACKET OF SEI	ED.
	All Packets of Flower Seeds sent post-paid,	
	* In ordering, it will be sufficient to quote the Marginal Numbers and Date of Catalogue.	
	ADDONITA NI O 1 NI C 1 N C 1 NO 1 Per	pkt.
761	Abro'nia arena'ria dure vellou	d.
762		6
763	,, grandiflo'ra, rose-lilac rock-work, rustic stumps, etc., in sunny situations.	6
	ABU'TILON, Nat. Ord. Malva'ceæ. Greenhouse shrubs.	
	These produce handsome, pendent, bell-shaped, wax-like flowers, beautifully veined and striped.	
77.0.4		
104	Abu'tilon choice mixed, including Darwinii and other beautiful varieties, fine plant for conservatory and flower garden decoration	6
	AOA'OIA, Nat. Ord. Legumino'sæ. Magnificent greenhouse shrubs.	
	Valuable winter and spring-flowering plants, remarkable for graceful flowers and foliage.	
765	Aca'cia acanthocar'pa, pale red, a superb species, 6 ft.	
766	,, albiflo'rus, white, very ornamental, 5 ft	0
767	,, arma/ta, yellow, a handsome free-flowering compact-growing species, 3 ft	6
768 769	,, COCCIN CO., 705C, VCTY IIIC, O. II.	6
770	don'the the affinis william a handaman manistry of	
771	,, Drummon'dii, yetlow, very free-flowering, 6 ft.	
772	Farnesia'na Dellorii, pale vellow fragrant flowers, foliage large and handsome, 10 ft	0
773	floribun'da latifo'lia, vellow, a very distinct plant, 6 ft.	6
774	gran'dig <i>dolden veltoen</i> a beautiful species 6 ft	6
775	hor'rida, golden vellow, a picturesque species, with long white spings, 5 ft	6
776 777	,, ixiophyl'îa, golden yellow, a fine graceful species, 6 ft. ,, Julibris'sin specio'sa, white, a very pretty species, 5 ft.	6
778		6
779	,, longifo'lia, yettow, foliage long and slender, 6 ft.	6
780	,, longifio'ra magnifica, bright yellow clusters of flowers, a noble species, 8 ft	6
781	longis'sima el'egans, <i>vellow</i> , very graceful species, 4 ft.	6
782	,, Lophan'tha, yellow, a most beautiful species, 6 ft.	6 6
783 784	", specio'sa, yellow, a very elegant variety, 6 ft. ", Meisne'ri, yellow, graceful, silky foliage, 5 ft. ", meisne'ri, yellow, graceful, silky foliage, 5 ft. ", meisne'ri, yellow, graceful, silky foliage, 5 ft.	5 6
785	,, nematophylla, bright yellow, elegant foliage and fine habit, 5 ft.	6
786	oleifo'lia, deep golden yellow, a fine winter-blooming plant, 5 ft.	6
787	,, xylophyllot des, rich golden yellow, very handsome species, 6 ft.	6
788	,, mixed, including many choice species	
789	, nemacophyria, origit yettou, etcant tonage and the nath, 5 ft. , oleifo'lia, deep golden yellow, a fine winter-blooming plant, 5 ft. xylophyllo'des, rich golden yellow, very handsome species, 6 ft. , mixed, including many choice species. , including many fine species. 6d. & filliance of the species	0
	AOAN'THUS, Nat. Ord. Acantha'ceæ, Handsome hardy perennials.	
	Picturesque ornamental foliage plants, effective on lawns, in sub-tropical gardens, and flower borders.	
790	Acanthus candela brum, pink, leaves bright glossy green, a ft.	
791	,, latifolius, (lusitanicus) white, foliage large and handsome, growth stately, 5 ft	0 6
792 793	mollis, white, the elegant Acanthus leaf of Architecture, 3 ft.	3 6
794	,, spino'sus, white, beautiful and curious spiny foliage, 3 ft	0 6
795	,, choice mixed from the above species	1 0
	AOHIME'NES, Nat. Ord. Gesnera'ceæ. Splendid warm greenhouse bulbs.	
796	Achime'nes mixed, from the choicest varieties (Roots preferable, sent by post, 4/6 to 9/ per dozen)	2 6
130		
	AOROOLIN'IUM, Nat. Ord. Compos'itæ. Charming hardy annuals.	
797		0 6
798	in the bound of the first are business for which are business for which are	0 0
	AOTINELLA, Nat. Ord. Compos'itæ. Hardy perennial.	
	A charming dwarf, compact-growing, free-flowering, silvery-grey foliaged plant, valuable for rockwork. Actinella scapo'sa, yellow, flowering throughout the summer, 4 ft.	- 6
L-799	Actiner is scape'sa, yellow, flowering throughout the summer, # it.	0

12,	King Street, Covent Garden, 1877.] 15		
	ADENOOAR'PUS, Nat. Ord. Faba'ceæ. Handsome hardy shrub.	er pl	kt.
800	Adenocar'pus telonen'sis, yellow, a beautiful species of Cytisus, 3 ft.	8.	d.
		0	6
0.03	ADO'NIS, Nat. Ord. Ranuncula'ceæ. Beautiful hardy annuals, etc.		
801 802	Ado'nis autumna'lis flam'mea, dark red, I ft. , cupania'na, blood-red, I ft	0	3
803	Vernal'ils, vellow, I ft. h. perennial in ummer and Flammes in actions	0	3
	TTHIONE'MA Not One Consider The Allert Consideration and Consideration C	0	3
, 004	ETHIONE'MA, Nat. Ord. Crucif'eræ. Hardy Alpine perennials.		
<u>←804</u> 805	Ethione'ma cordifolia, delicate pink, 1 ft Charming dwarf plants which enliven the rock-	0	6
806	garden in June with their pretty fresh-coloured flowers.	0	6
	ACADA MUDITIC (Action Till No. 10.1 Till No. 1	0	6
	AGAPAN'THUS (African Lily), Nat. Ord. Hemerocallida'ceæ.		
807	Agapan'thus umbella'tus, blue, a handsome plant for vases, etc., half-hardy perennial, 2 ft	0	6
808	,, Moorea'nus (new), blue, an elegant pot plant, half-hardy perennial, I ft.	I	0
	AGERA'TUM, Nat. Ord. Compos'ita. Very showy half-hardy annuals.		
809	Agera'tum Mexica'num, blue, 1 ft	0	3
810	,, al'bum, white, Ift. The Ageratums are splendid bedding plants, blooming con-	0	3
811	Tom Thumb, blue, \frac{1}{2} ft sinuously till destroyed by frost. To tut for furnishing wases the flowers are most valuable, the blue changing to a rich manuse	0	6
812 813	Tom Thumb, blue, \(\frac{1}{2}\) ft. al'bum, white, \(\frac{1}{2}\) ft. Imperial dwarf, azure blue, \(\frac{1}{2}\) ft. by candle light of the The Tom Thumb and Imperial dwarf varieties are most valuable, the blue changing to a rich mauve by candle light of the The Tom Thumb and Imperial dwarf varieties are most valuable, didition to now bedding algorithms.	0	6
814	are mon valuable additions to our beading plants, Cultivated	0	6
815	,, white, ½ it in pots all the varieties are useful under glass, Lasseau'xii (new), rose, 1 ft	0	6
		•	0
910	AGROSTEM'MA, Nat. Ord. Caryophylla'cea. All beautiful and showy.		
816 817	Agrostem'ma coli-ro'sa, bright rose, 1\frac{1}{2} ft	0	3
818	na'na lilaci'na, lilac, I ft. pretty free-flowering hardy annuals.	0	3
819	corona'ria roce burble 11ft	0	3 3 3 3
820	ol'ho subita mas sentes -1 ft 2 hest are very showy haray peren-	o	3
821	nials, and are the popularly known nials, and are the popularly known atrosangul near the popularly known the control of th	0	3
822	1) II wordstand me me me ment with four houseste	0	3
823	The state of the detail of the state of the	0	3
	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals.		
	Charming free-flowering plants, effective in the flower parden, and a decorative pot plant		
824	Alonso'a Muti'sii, (new) blush, scarlet-centre, 1 ft.	0	6
825	" warbcewiczn, oright crimson-scarlet, 1 ft.	0	3
	ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perennials.		
826	Alstræme'ria choicest mixed, including many fine species, 11/2 ft.	0	6
		_	Ŭ
	ALYS'SUM, Nat. Ord. Crucifera. Attractive hardy perennials, etc.		
827	Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden.	_	_
828	Alya'sum argen'teum, yellow, with gracefully divided silvery-grey foliage, 1 ft.	0	6
829	,, saxat'lle, yellow, 1 ft. \[Important for the spring flower-garden; the golden \ 3d. & ,, compac'tum, yellow, \(\frac{1}{2} \) ft. \[hue contrasts effectively with white Arabis, etc. \ 3d. &	0	6
830	odora'tum (Sweet Alys'sum), white, a charming summer bedding annual, \frac{1}{2} ft 3d. &	ō	6
	AMARAN'THUS, Nat. Ord. Amaranta'ceæ. Handsome half-hardy annuals.		
	Beautiful ornamental foliage plants, very striking in beds, masses, and for conservatory decoration.		
831	Amaran'thus bi'color olbien'sis, leaves dark purple, terminal ones blood red, 2 ft.	_	6
832	" ru'ber, leaves bright carminate scarlet, base of leaves and branchtets green	0	6
	striped and shaded purple-red, and sometimes pointed yellow, 1 ft3d. &	0	6
833	,, elegantissimus, leaves intense scarlet shaded bronzy purple, 2 ft	0	6
834	Hen'derl, leaves orilliantly coloured and varied, 3 ft	I	0
835	melancho'licus ru'ber, rich resplendent carmine foliage, beautiful, 1 ft3d. &	0	6
836 837	,, versi'color, foliage beautifully variegated, 1 ft	0	6
838	,, salicifolius, graceful leaves, shading to a bright orange red, &e., 3 ft3d. &	I	6
839	tricolor, leaves scarlet vellow and green, beautiful, I ft.	0	6
840	,, amabi'lis, leaves variegated brilliant rose, scarlet and yellow, 1\forall ft. ,, glgan'teus, lcaves purple, red, green, and yellow, 5 ft3d. &	I	0
841	,, gigan'teus, leaves purple, red, green, and yellow, 5 ft3d. &	0	6
	AMARYL'LIS, Nat. Ord. Amaryllida'ceæ. Magnificent greenhouse bulbs.		
842	Amaryl'lis, from choice hybrid varieties	2	6
	AMBLYOLE'PIS, Nat. Ord. Compos'itæ. Very fragrant hardy annual.		
843	Amblyole'pis setig'era, bright yellow, fine showy border plant, 1 ft.		
923		0	3
044	AMBRO'SIA, Nat. Ord. Compos'itæ. A very fragrant hardy annual.		
844	Ambro'sla Mexica'na, valued for its sweet-scented foliage, 2 ft.	0	3
	AMMO'BIUM, Nat. Ord. Compos'itæ. A fine hardy annual.		
845	Ammo'bium ala'tum, white, a very remarkable looking plant, with everlasting flowers, 2 ft	0	3
	AMPHIO'OME, Nat. Ord. Bignonia'ceæ. Elegant greenhouse perennials.		
846	Amphic'ome choice mixed, fine plants, with beautiful Pentstemon-like flowers, 1 ft.	0	6
	ANAGAL'LIS, Nat. Ord. Primula'ceæ. Beautiful half-hardy annuals.		
0.47	Lovely dwarf plants, effective on rock-work, as edgings for small beds, and as pot plants.		-
847 848	Anagal'lis grandifio'ra Brewe'rii, rich intense blue flowers, 1 ft.	0	6
849	,, frutico'sa (coccinea), rich vermilion, ½ ft. ,, Imper'atrice Euge'nie, light blue, edged white, ½ ft.	0	6
850	,, imperatrice Eugenie, light blue, eaged white, \(\frac{1}{2}\) it. ,, linifolia, fine blue flowers, very dwarf, \(\frac{1}{4}\) ft.	0	6
851	", Napoleon the Third, maroon, \(\frac{1}{2}\) ft.	0	6
852		0	6
	,, ,, sangul'nea, bright ruby, beautiful, \frac{1}{2} ft.		
853	,, sangui nea, oright ruoy, beautiful, § it. ,, choice mixed from the above	I	0

```
ANOHU'SA, Nat. Ord., Boragina'cea. Hardy perennials.
        These are remarkably effective border plants, valuable for wild gardening and intermingling with shrubs.
854 Anchu'sa incarna/ta, flesh colour, 2 ft. ...... o
                           ital'ica, intense blue, 4 ft. ..... 0 3
                          ANEMO'NE, Nat. Ord. Ranuncula'ceæ. Splendid hardy perennials.
          Anemo'ne corona'ria choice mixed, \frac{1}{2} ft.

Semi-plena, mixed, \frac{1}{2} ft.

Anemo'ne corona'ria choice mixed, \frac{1}{2} ft.

Semi-plena, mixed, \frac{1}{2} ft.

Semi-plena, mixed, \frac{1}{2} ft.

Fulgens, light scarlet, \frac{1}{2} ft.

Matchless autumn-flowering plants for lines, mixed \frac{1}{2} ft.

H. Jobert, white, \frac{1}{2} ft.

Matchless autumn-flowering plants for lines, mixed \frac{1}{2} ft.

Semi-plena are extremely handsome.

In the property of the Poppy Anemone. The varieties of Semi-plena are extremely handsome.

In the property of the Poppy Anemone. The varieties of Semi-plena are extremely handsome.

In the property of the Poppy Anemone. The varieties of Semi-plena are extremely handsome.

In the property of the Poppy Anemone. The varieties of Semi-plena are extremely handsome.

In the property of the Poppy Anemone. The varieties of Semi-plena are extremely handsome.

In the property of Semi-plena are
857
858
859
860
861
862
863
864
      ANGELO'NIA, Nat. Ord. Scrophularia'ceæ. Handsomo warm greenhouse perennial.
         Angelo'nia grandifio'ra, purple-blue, centre spotted white, dwarf and compact, I ft. ...... I
                          ANOMATHE'OA, Nat. Ord. Irida'ceæ. Charming dwarf hardy bulb.
          Anomathe'ca cruen'ta, orange, spotted with crimson, very pretty, ½ ft. ...... o
ANTIRRHI'NUM (Snapdragon), Nat. Ord. Scrophularia'ceæ. Hardy perennials.

Handsome free-flowering border plants, which are decorative the first season. The Tom Thumb varieties are dwarf, compact, very floriferous, and make superb bedding plants.

867 Antirrhi'num mixed, from the choicest named Scotch and English varieties, 2 ft. ......6d. & 1 0 868
                                                       867
868
869
870
871
872
873
874
                                            ,,
875
                                            11
876
                                            ,,
877
                        11
                                            ,,
878
                                            ,,
879
880
881
883
                                            ,,
884
                                      Asari'na, yellow, valuable for rock-work, hanging baskets, and pots, ½ ft.

assur'gens, flowers white tinted yellow, a fine rock-plant, ½ ft.

rupes'tris, purple and yellow, a charming dwarf rock-plant, ½ ft.
885
 886
 887
           APLOPAP'PUS, Nat. Ord. Compos'itæ. Showy half-hardy annuals.

Aplopap'pus rubigino'sus, golden yellow, a very effective profuse autumn-flowering plant, 2½ ft......

spinulo'sus, bright yellow, branched, compact, and profuse flowering, 1½ ft......
                                                                                                                                                                                                                             6
888
 889
       AQUILE'GIA (Columbine), Nat. Ord. Ranuncula'cea. Handsome hardy perennials.
           890
 891
 892
 893
 894
 895
 896
 897
 898
 899
  901
  902
  903
 904
  905
               A'RABIS, Nat. Ord. Crucif'era. Valuable spring-flowering hardy perennials.
            A'rabis albi'da, pure white, $ ft. ..... } Indispensable and exceedingly effective plants for spring {3d. & areno'sa, rose, $ ft. .... } gardening, and very decorative on rock-work .......
 906
  907
  908
                              aubrietoides, bellidifolia, cœrulea, and in mixture ......
 909
                                                                                                         Highly ornamental half-hardy shrubs.
                        ARA'LIA, Nat. Ord. Aralia'ceæ.
            Ara'llalongipeduncula'ta | Amongst plants used for sub-tropical effect in the flower garden or conservatory, Aralias take high rank. Their large handsome papyri'fera, 5 ft. | and distinctive foliage commands attention and excites admiration especially when seen grouped, or as single specimens, at such places as Hyde Park, Battersea Park and Victoria Park, the langur Grounds Atom etc. where whitmosted gardening is
  910
  911
  912
                             913
                                                                                                                                                                                                                             0
  914
                                                                          Lower Grounds, Aston, etc., where sub-tropical gardening is
  915
                             choice mixed .....
                                                                          made a feature.
  916
```

```
ARCTO'TIS, Nat. Ord. Compos'itae. Beautiful half-hardy bedding-out perennials.
        Arcto'tis brevisca'pa, deep orange, crimson centre, \frac{1}{2} ft.

grandiflo'ra argen'tea, large yellow flowers, centre crimson, foliage silvery, \frac{1}{2} ft.
         ARDIS'IA, Nat. Ord. Myrsina'cea. Handsome fruit-bearing greenhouse shrubs.
         Ardis'la crenula'ta, a decorative plant, with bright searlet berries in winter, 2 ft. I ,, excel'sa, the laurel-leaved Ardisia, 3 ft. I
  919
  920
         921
  922
                                                                                                                                         3
                   ARME'RIA, Nat. Ord. Plumbagina'ceæ. Beautiful hardy perennials.
         924
  925
            ARTEMIS'IA, Nat. Ord. Compos'itee.
                                                                     Ornamental sub-tropical foliage plants.
         Artemis'ia an'nua, 5 ft. armenia'ca
  926
                                                                                                                                         6
   927
                                                                  A. gracilis is an elegant plant for the slower borders.
A. judaica, has beautifully cut silvery foliage,
                         928
               ,,
   929
                                                                     and is exceedingly attractive.
               ,,
                         juda'ica, 3 ft. .....
   930
                   ASOLE'PIAS, Nat. Ord. Asclepiada'cew. Beautiful hardy perennials.
         Ascle'plas curassav'ica, bright scarlet, 3 ft., in winter and spring; under glass, Curassavica blooms profusely in winter and spring; out of doors Incurnata is raised for its deliciously fragrant flowers, and Tuberosa for its showy orange. 2 ft. .....
   931
   932
   933
                                ASPE'RULA, Nat. Ord. Rubia'cca. Hardy annual.
          Aspe'rula azu'rea seto'sa, light blue, a charming species of the Woodruff family, 1 ft. ......3d. & o 6
                       AS'TER, Nat. Ord. Compos'itæ. Beautiful half-hardy annuals.
   The Aster, when well cultivated, is the most beautiful flower in its season: the Hamburgh Prize Paony Perfection
     has massive tasselled flowers; the Victoria, large perfectly formed imbricated blossoms; the Dwarf Chrysan-
themum-flowered, covers the foliage with its large beautiful flowers; the Pompone is a charming flower for
bouquets; and the Dwarf Bouquet Elegantissima has exquisite flowers, which range from the size of a florin to
that of a five shilling piece, with strikingly pretty colours, which impart to the plant a fairy-like aspect. The
German Emperor Aster is remarkable for its dwarf growth and large flowers, and the Dwarf Victoria for its
symmetrical blossoms. See also by a for collection
     symmetrical blossoms See also p. 7. for collections.
   935 As'ter, Pæony Perfection Hamburgh Prize mixed, the most perfect type of the Pæony variety, 11/2 ft.
                                                                erimson, for beds or ribbons 11/2 ft. violet, ,, ,, 12/2 ft.
                                                                                                                                         0
   937
                                                                white,
   938
                                                                                            ,,
                   939
   940
                                      white, for beds or ribbons, 1\frac{1}{2} ft. violet, 1 \frac{1}{2} ft. erimson, 1, \frac{1}{2} ft.
   941
   942
   943
                   rimson, right.

Imbrique Pompone mixed, exquisitely formed small flowers for bouquets, right.

Cockade mixed, white centres, bordered scarlet, carmine, violet, etc., right.

Hedgehog improved mixed, a grand variety with large massive flowers, right.

Dwarf Chrysanthemum-flowered mixed, uniform height to inches, flowers very large ...
   944
   946
   947
   948
                                                                erimson, for beds or ribbons, to inches ,, ,, ...
             ,,
   949
                                                                violet,
                                                                                                 ro inches ,,
                                                                                     .,
   950
                    German Emperor mixed, a beautiful new dwarf variety, with large flowers of the finest Pæony-Perfection form, 1 ft.

Dwarf Bouquet Elegantissima mixed, the flowers are exquisitely neat, \( \frac{1}{2} \) ft.
   951
   952
   953
                    New Dwarf Victoria mixed, flowers large and exquisitely formed, 10 inches ......
   954
                    ,,
                    alpi'nus, the blue daisy of the Alps, hardy perennial, ½ ft.

Amel'lus, purple, hardy perennial, 2 ft. Crop failed
                  ASTRA'GALUS, Nat. Ord. Legumino'sæ. Beautiful hardy perennials.
          ATHANA'SIA, Nat. Ord. Compos'itæ. Fine hardy annual for bouquets.
        Athana'sia an'nua, the clusters of ball-like golden flowers are very effective, 1 ft. .....3d. & o 6
       AUBERGINE (Egg-plant), Nat. Ord. Solana'cea.
                                                                                     Handsome fruit-bearing annuals.
           Unique for table decoration, and sub-tropical effect; the fruit makes a pleasing variety amongst dessert.
          Aubergine, fruit orange, scarlet, large violet, and white, half-hardy, 1½ ft. each o ,, fine mixed, 1½ ft. ...3d. & o
   960
   961
                        New Glant black, from Pekin, a picturesque variety, with black fruit, 1½ ft.

striped, from Guadaloupe, very large fruit, and handsome, 1½ ft.

choice mixed, new Giant varieties, 1½ ft.
    962
    963
           AUBRIE'TIA, Nat. Ord. Crucif'eræ.
                                                                   Pretty spring-flowering hardy perennials.
           Aubrie'tia Ca'mphelli, rose-purple ...... deltoi'dea, rose-lilac
1_ 964
                                                                These charming plants (called Blue Alyssum) are indispensable for beds, edgings, ribbons, and for working into all kinds of fancy designs in spring gardening; associated with daisies, they impart a subdued manue ground to lapestry beds; height & ft.
    965
                        gurpu'rea, purple
Græ'ca, purple
olympica, (New)
    966
                13
    967
                                                                                                                                          6
                ..
    968
    969
```

```
Per pkt.
                                AU'OUBA JAPON'IOA, Nat. Ord. Corna'ceæ. Handsomo shrub.
             Au'cuba Japon'ica (a large proportion of Aucuba plants raised from seed are males) .....
                 AURIO'ULA, Nat. Ord. Primula'ceæ. Handsome favourite hardy perennials.
              Auric'ula finest named flowers, green edged, &c. \( \frac{1}{2} \) ft. \( \frac{1}{2} \)
   973
                AZALEA, Nat. Ord. Rhodord'cew. Beautiful greenhouse and hardy shrubs.
             Aza/lea saved from the choicest greenhouse varieties, 4 ft.
                            saved from fine greenhouse varieties, 4 ft.
saved from the finest hardy varieties, 4 ft.
   977
  978
            BALSAM, Nat. Ord. Balsamina'ceæ. Magnificent half-hardy annuals.

Splendid conservatory plants, and in sheltered situations matchless for flower beds and borders.

Balsam, "Barr's Criterion," these are of the highest type; the flowers are perfect in form, and uniformly double, while the habit of the plant is all that could be desired, 2 ft. 2s. 6d. & saved from the best and most double Covent Garden varieties, 2 ft.

Smith's splendid mixed camellia-flowered, 2 ft. 1s. & Dean's Camellia-flowered, various colours, very fine, 2 ft. 1s. & Gamellia-flowered, fine continental double varieties, 2 ft. 6d. & Rose-flowered fine continental double varieties, 2 ft. 6d. & 6d. & 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties, 2 ft. 6d. & Gamellia-flowered fine continental double varieties ft. 6d. & Gamellia-flowered fine continental double varieties ft. 6d. & Gamellia-flowered fine continental double varieties ft. 6d. & Gamellia-flowered fine continental ft. 6d. & Gamellia-flowered 
  979
   980
   981
   982
   983
                             984
   986
   987
                  11
                                                                               ......
                             fine mixed, I to 2 ft.
  988
                             common mixed, 1 to 2 ft.
  989
                                         BAPTI'SIA, Nat. Ord. Legumino'sæ. Hardy perennial.
             Bapti'sia Austra'lis, blue, a fine herbaceous plant for woodland walks and shrubberies, 2 ft. .....
  990
           BARTO'NIA, Nat. Ord. Loasa'cea. Very showy hardy annual.

Barto'nia au'rea, golden yellow, a very effective plant for borders and in masses, 1½ ft. ......3d. & o 6
                     BEGO'NIA, Nat. Ord. Begonia'cea. Beautiful greenhouse and stove plants.
The unsurpassed elegance of habit, profusion of bloom, and brilliancy of colour of the new hybrid tuberous rooted Begonias cannot be spoken of too highly. For indoor decoration they are unequalled, and during the last few summers they have been successfully employed as bedding plants. Sow the seed in spring, and the plants will
 be ready to bed out in summer.
  fine mixed, including many varieties

Pear'cei, a new species with remarkably beautiful foliage, r ft.

semperflo'rens, white flowers, produced in great profusion, r\frac{1}{2} ft.
   994
   995
              BE'TA, Nat. Ord. Chenopodia'ceæ. Ornamental foliage plants.
Be'ta vulga'ris fol. kermesi'na, r ft. ......
                                                                                                       It would be impossible to speak too highly of the crimson-leaved Beet, No. 996. Its dwarf growth, intense crimson foliage, and fine habit, adapt it for any style of gardening, while the varieties of Cicla and Chilensis, grown as single specimens in shrubbery borders and semi-wild places, are objects of great attraction.
                      ci'cla Brasilien'sis, scarlet rib, 2\frac{1}{2} ft.

yellow rib, 2\frac{1}{2} ft.

white rib, 2\frac{1}{2} ft.
   997
                                                                                                                                                                                                                          o
   998
   999
                           a
 1000
 1001
                    BI'DENS, Nat. Ord. Compos'ita.
                                                                                                       Very effective and showy hardy annual.
              Bi'dens atrosanguin'ea, blood crimson, a very decorative border plant, 11/2 ft.....
1002
                B0000'NIA, Nat. Ord. Papavera'cea. Highly ornamental hardy perennials.
              Bocco'nia corda'ta .....
 1003
                                                                             In sub-tropical gardens, or as single specimens on lawns, and in shower-borders and semi-wild situations, these statety plants, with their beautifully divided soliage, are exceedingly effective.
 1004
                                   frutes'cens ......
                                   Japon'iea.....
 1005
                                                                                                                                                                                                                          0
                                  1006
                                                                                                                                                                                                         15 & 2
 1007
                                          BOLTONIA, Nat. Ord. Composita. Hardy Perennials.
                                Fine ornamental border plants with a profusion of Aster-like flowers in Autumn.
              Boltonia asteroides, white, 4 ft.
-1008
 1009
                                latisquama, rose, 3 ft.....
                                                          alba, white, 3 ft.
 1010
                                      BOUVAR'DIA, Nat. Ord. Cinchona'cea. Greenhouse shrubs.
                 The flowers of these charming winter and summer-flowering plants are greatly prized for bouquets.
 BRACHY'00ME (Swan River Daisy), Nat. Ord. Compos'ita. Pretty h.-h. annuals.
             1013
  1014
  1015
                  BROWAL'LIA, Nat. Ord. Scrophularia'ceæ. Beautiful greenhouse biennials.
               1016
  1018
  1019
```

```
BRUGMAN'SIA, Nat. Ord. Solana'ceæ. Magnificent conservatory shrubs.
     1021
   OAO'TUS, Nat. Ord. Cacta'cea. Singular and beautiful greenhouse perennials, etc.
1022 Cac'tus, Ce'reus, Echinocac'tus, Mammilla'ria and Opun'tia, in mixture
         OALANDRIN'IA, Nat. Ord. Portulaca'cea. Beautiful hardy annuals, etc.
      1023
1024
1025
1026
                 umbella'ta major, glowing magenta-crimson, a charming hardy perennial, \frac{1}{4} ft. .......
1029
                 saved from very fine flowers, 2 ft.
"hybrida pu'mila compac'ta, mixed, these are German selections, 1 ft...
"grandiflo'ra tigri'na nana, dwarf and tiger-spotted, 1½ ft.
shrubby, saved in Germany from choice dwarf bedding varieties, 1 ft.
                            saved from very fine flowers, 2 ft.
1030
1031
1032
          ,,
                 1033
1034
      CALEN'DULA, Nat. Ord. Compos'itæ. Very useful hardy annuals.
Calen'dula pluvia'lis, pure white, large flowers, 1 st. } Profuse blooming Cape Marigolds, very , Ponge'ti st. pl., double white, 1 st. } effective in beds, masses, and lines.

— officina'lis st. pl. Anro'ra, apricot, § st. } For mixed flower borders, shrubberles, and semi-wild {

super'ba, rich orange, 1 st. } places, these are exceedingly attractive.
1035
1036
1037
1038
      OAL'LA (Richardia), Nat. Ord. Orontia'cea. A handsome greenhouse plant.
      Calla Ethio'pica, the white Lily of the Nile, a fine summer aquatic, and is uninjured in winter,
1039
                        when the roots are 2 ft. under water (plants in pots 1s. and 1s. 6d. each), 2 ft,
   When the roots are 2 it. under water (plants in pots is, and is, ba. eacul, 2 it, o

OALLIOAR'PA, Nat. Ord. Verbena'ceee. Beautiful fruit-bearing greenhouse shrubs.

O Callicar'papurpu'rea

The long graceful racemes of berries on steuder branches admirably o

adapt these for table decoration. Seedlings fruit the first season,

and make finer plants than if struck from cuttings; height 2 ft.
1040
1041
                                                                                            6
1042
  OALLIOP'SIS or OOREOP'SIS, Nat. Ord. Compos'ita. Very useful hardy annuals, etc.
     These are all profuse and continuous bloomers, and are among the most elegant and effective of annuals.
      1043
1044
1045
1046
1047
1048
              1049
         ,,
1050
1051
1052
1053
1054
1056
       OALLIRHOE, Nat. Ord. Malva'cea. Handsome hardy border annuals, etc.
     1057
1058
1059
     OALYOAN'THUS (Allspice), Nat. Ord. Calycantha'cee. Fragrant hardy shrubs.
     Calycan'thus fine mixed varieties, with delightfully cinnamon-seented flowers, 5 ft. .....
1060
         OAMEL'LIA, Nat. Ord. Ternströmia'ccæ. Favourite greenhouse shrubs.
     1061
           OAMPAN'ULA, Nat. Ord. Campanula'ceæ. Annuals and perennials.
     1062
                                                                                           3
1063
1064
                                                                                           3
1065
1066
1067
1068
1069
1070
                                                                                           6
1071
                                                                                           6
1072
               ,,
1074
         ,,
               1075
         ,,
1076
         ,,
1077
1078
1079
1080
1081
```

```
1082
1083
1084
1085
                                  persicuo na ai na, pure winte, very sectada natoj personale.

corrulea, blue,

primulæfio'ra, purple, a fine species, hardy perennial, 2 ft.

pyramida'lis, blue, h. p., 3 ft.

sarmat'ica, blue, 2 ft.

eax'fraga, blue, a fine rock plant, hardy perennial, ½ ft.

turbina'ta, blue, very beautiful, ½ ft.

hy'brida mixed, very beautiful, ½ ft.

Yidall'ii, white, very elegant greenhouse plant, half-hardy perennial, 1½ ft.

Choice mixed perennial varieties

Papartiful hardy appunis
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
            Candytuft Dunnet'til, rich crimson, Ift.

Normandy, Illac, I ft.

rocket-flowered, white, I ft.

sweet-scented, white, I ft.

sweet-scented, white, I ft.

sweet-scented, white, I ft.

sweet-scented, white, I ft.
1096
 1097
1098
 1099
                             ,, Vandael (new)

Madame Schmidt (new)

Majestieux (new)

Marshal Vaillant (new)

metal'lica (new), foliage rich bronzy red, flowers dark red
pictura'ta fastuo'sa (new), flowers yellow, tipped red
plantie'rii (new), flowers dark vermilion-red
purpu'rea hy'brida (new), beautiful rich dark foliage
ru'bra superbis'sima (new)

Van Houttel (new)

Van Houttel (new)

Lis &
Ane mixed, from many varieties.

1.5 &
Ane mixed, from many varieties.

6d. &
  1120
  1121
  1122
  1123
   1124
   1125
   1126
   1127
   1128
   1129
                             1130
  OAN'NABIS, Nat. Ord. Urti'ceæ. Majestic hardy annual.

1131 Can'nabis giga'ntea, a most elegant sub-tropical plant, of imposing aspect on lawns, &c., 5 ft......
           OANTERBURY-BELLS, Nat. Ord. Campanula'ceæ. Very showy hardy biennials. As single specimens these are unrivalled border plants, and also very effective when grown in large pots.
              Canterbury-Bells double mixed, 2\frac{1}{2} ft.

""", lilac, blue, or white, 2\frac{1}{2} ft.

""", new rose, pure pink, very beautiful, 2\frac{1}{2} ft.

""", blue or white, 2\frac{1}{2} ft.

""", new rose, pure pink, very beautiful, 2\frac{1}{2} ft.

""", blue or white, 2\frac{1}{2} ft.

""", new rose, pure pink, very beautiful, 2\frac{1}{2} ft.

""", new rose, pure pink, very beautiful, 2\frac{1}{2} ft.

"""

OAP'SIOUM, Nat. Ord. Solana'ccæ. Ornamental half-hardy annuals.
   1132
   1133
   1134
   1135
   1136
   1137
   333336
```

Per pkt. OARDUUS (Thistle), Nat. Ord. Compositive. Hardy or half-hardy biennials. These Thistles are all of a highly ornamental character, and exceedingly effective in shrubbery borders. acanthol des (Scoten Fristle), sivery ionage, a noble plact, of the Blessed Thistle), 3 ft.

obur'neus (Ivory Thistle), 6 ft.

Globe Thistle (Echinops bannaticus), purple balls, 2 ft.

(Echinops sphærocephalus), light blue balls, 5 ft.

Maria'nus, foliage beautifully variegated, green and white, 3 ft. Taur'icus, a majestic plant, 10 ft.... OARNATION, Nat. Ord. Caryophylla'cea. Indispensable fragrant hardy perennials. perpetual, saved from the choicest double flowers, $1\frac{1}{2}$ ft. dwarf double early flowering, mixed, charming compact bushy varieties, I ft. ... 6d. & I o saved from very good border double flowers, 2 ft. ... 6d. & 0 6 OAS'SIA, Nat. Ord. Legumino'sa. Beautiful ornamental greenhouse shrubs. OATOHFLY, Nat. Ord. Caryophylla'cea. Showy hardy annual. Catchfly, Lobel's, red, a showy early flowering plant, effective in beds and borders, 11 ft......3d. & o CEANO'THUS, Nat. Ord. Rhamna'cea. Beautiful half-hardy wall shrubs. These are highly decorative autumn and winter-blooming plants. As specimens for the conservatory they can be grown 3 ft. high and 3 ft. in diameter, a mass of bloom from the pot to the apex of the plant; or, in small pots, nice plants can be grown for the drawing-room, sitting-room, or dinner-table. To cut for furnishing vases, the value of the flowers of Celosia pyramidalis cannot be over-estimated.

1165 Colo'sia argen'tea, silvery white, shaded rose, in elegant flower spikes, 3 ft.

1166 , Hut'toni, leaves deep claret and bright crimson, terminal flower spikes erimson, a fine subtropical plant, and valuable for pateulure. Hut'toni, leaves deep claret and bright crimson, terminal flower spikes erimson, a fine subtropical plant, and valuable for pot culture.

pyramida'lis al'ba, white, gracefu sitvery plumes, 2 ft.

,, atroviola'cea, brilliant rich purple plumes, 2 ft.

,, au'rea, orange, most beautiful plumes, 2 ft.

, coccin'ea, scarlet plumes, 2 ft.

,, kermesi'na, rich crimson, 2 ft.

,, na'na auranti'aca, soft brilliant yellow plumes, lively green foliage, 1½ ft..

Prince Imperial, foliage beautiful carmine and maroon, 3 ft.

Beid's Perfection feathery plumes, rich magenta, 3 ft. .. Reid's Perfection, feathery plumes, rich magenta, 3 ft.... Reine des Oranges, brilliant orange, shaded brown leaves, 2 ft. .. ,, ,, robus'ta, very handsome, 2 ft. versic'olor, carmine, changing to red violet, with brownish foliage, 2 ft. ... choice mixed, embracing all colours OENTAU'REA, Nat. Ord. Compos'itæ. Showy hardy perennials, annuals, etc.

All are exceedingly desirable plants. Candidissima, Gymnocarpa, and Plunosa, with their beautiful silvery foliage, are not only the most popular but the most effective of our garden favourites. Clementei with its large silvery leaves is an exceedingly effective herbaceous plant. Babylonica, and Fenalia are fine sub-tropical subjects. Centau'rea America'na Hal'li, rich purple, a very ornamental plant, 3 ft.

Babylon'ica, a picturesque plant, with stately golden yellow flower spikes, 4 ft.

candidis'sima (ragusina), a most valuable and beautiful silver-leaved plant for beds, OENTRAN'THUS, Nat. Ord. Valeriana'cea. Showy hardy annuals. OERA'STIUM, Nat. Ord. Caryophylla'cea. Valuable edging hardy perennials. Cera'stium Bioberstel'nii, ft. These gems of silvery-foliaged dwarf plants are capable of being tomento'sum, ft. used in an endless variety of ways in spring & summer gardening, grandifio'rum, ft. the flowers are profuse and as white as snow.

```
OHAMÆPEU'OE, Nat. Ord. Compos'itæ. Handsome half-hardy biennials.
diacan'tha, a picturesque plant for centres of beds, mid-rib of leaf and spines
1199
                                                 ivory white, margined glossy green, and shaded with snowy white down, 13 ft., 6d. &
                         OHOROZE'MA, Nat. Ord. Legumino'sa. Splendid greenhouse shrubs.
             Choroze'ma mixed from choice varieties, 2 ft.
1200
 OHRYSAN'THEMUM, Nat. Ord. Compos'itæ. Valuable hardy annuals, etc.

The annual varieties of these are all execedingly showy. The tall ones are recommended for borders, the tricolors for beds and borders. The three first on the list are the well-known perennial Chrysanthemums.
            Chrysan'themum large-flowered, saved from finest double varieties, hardy perennial, 3 ft. ...... o Japon'teum, fl. pl., hybrids from Mr. Fortune's introductions, hardy p., 3 ft. ... I dwarf Pompone, saved from finest double varieties, hardy perennial, 2 ft. ... o frutes'cens, white (The French Daisy), largely used for bedding in Paris, 1½ ft. ... I Comtesse de Chambord, an elegant foliage variety, 1½ ft. ... I
 1201
 1202
 1203
 1204
                                                     grandiflor'um lu'teum, yellow, 1} ft.

corona'rium, double white, fine border plant, 2 ft.
 1205
 1206
                              1.3
                                                     corona rrum, double white, line border plant, 2 ft.

double yellow, fine border plant, 2 ft.

tri'color, white, with yellow band, a very useful plant, 1 ft.

"au'reum, golden yellow, a very showy, useful plant, 1 ft.

"Burridgea'num, white, with crimson band, beautiful, 1 ft.

"atrococcin'eum, fiery scarlet, producing a fine effect, 1 ft.

"purpu'reum, purple-crimson, very attractive, 1 ft.

"Dunnet'til, snow white, immense double flowers, 1\frac{1}{2} ft.

golden wellow, very large double flowers, 1\frac{1}{2} ft.
 1207
 1208
 1209
 1210
 1211
 1212
 1213
                               92
 1214
                                                                                                   golden yellow, very large double flowers, 13 ft. .....
                                                                         mixed varieties, including the new hybrids ...... 3d. &
  1215
                                                            92
  1216
 C. acanthifolia, asplenifolia, lastreafolia and maritima, are valuable silvery-foliaged plants for beds, edgings, rockwork, &c. Platanifolia is a large handsome foliage plant.
              Cinera'ria, Barr's Prize, saved from the newest named sorts, 1½ ft.

Standish's large-flowered magnificent new varieties, 1½ ft.

saved from very fine varieties, 1½ ft.

Covent Garden, blue, very choice, 1½ ft.

acanthifolia, silvery leaves, beautifully cut like the Acanthus, hardy perennial, 1 ft.

gigan'tea, silvery foliage, hardy perennial

asplentfolia, silvery foliage, hardy perennial
 1217
  1218
  1219
  1220
  1221
                                     asplenifo'lia, silvery foliage, hardy perennial
lastreœfo'lia, silvery foliage, hardy perennial
marit'ima, a handsome silvery-foliaged hardy perennial, 1\frac{1}{2} ft. ... 3d. & candidis'sima, silvery foliage, hardy perennial, 2\frac{1}{2} ft.

platanifo'lia, a grand sub-tropical plant, with large massive foliage
  1222
  1223
                        "
 1224
                        ,,
  1225
                        22
  1226
                1227
                                                                                                                                                                                                                                     3
  1228
  1229
  1230
                                1231
                                                                                                                                                                                                                                     6
  1232
                                       CLARK'IA, Nat. Ord. Onagra'ceæ. Beautiful hardy annuals.
                1233
                                                                                                                                                                      The Clarka is one of the brightest, the prelitest, and the most popular of our hardy annuals, combining a fine habit with great profusion of bloom. The Tom disard and compact in growth, are excellent for beds, and are effective in long marginal lines.
   1234
                                                                                                                                                                                                                                      6
   1235
   1236
                                                                                                                                                                                                                                      36
   1237
    1238
                                                                                                                                                                                                                                      6
                                                                                                                       al'ba, pure white. Ift.
                                                                                                     12
                                                                                                                                                                                                                    3d. & o
    1239
                                                                                                                      car'nea, flesh, I ft....
margina'ta, magenta,
    1240
    1241
                                                                                           33
                                                                                                                                                                                                                   3d. & o
                                                                                                                                                                                                                  (3d. &o
    1242
    1243
                                                                                                                                Magnificent flowering shrubs.
                            OLIAN'THUS, Nat. Ord. Legumino'sa.
      The culture of C. Dampieri is easier than was at first imagined, and, in consequence, is more generally cul-
                           From seed sown in May it has been flowered in Paris in sunny situations in the open ground
    6
                                CLINTO'NIA, Nat. Ord. Lobelia'cea. Charming half-hardy annuals.
                  Clinto'nia pulchel'la al'ba, white, with yellow centre, \(\frac{1}{4}\) ft. \(\frac{1}{4}\) ft. \(\frac{1}{4}\) ft. \(\frac{1}{4}\) succelly pretty dwarf Lobelia-like plants, for select situations as edg. \(\frac{1}{4}\) ings to small bads, if as pot-plants. \(\frac{1}{4}\)
     1247
                  COOKSOOMB (Celosia cristata), Nat. Ord. Amaranta'cew. Greenhouse annuals.
     1248
                   Remarkable and highly ornamental plants, for the conservatory and warm situations out of doors.

Cockscomb Dwarf, crimson, saved from fine selected combs, i ft. 6d. & 6
      1249
      1250
       1251
       1252
      1253
                                              variega'ta (new), crimson and yellow mottled flowers, 11/2 ft.....
      1254
```

CO'LEUS, Nat. Ord. Lamia'eeæ. Ornamental leaf plants.	Per pkt	
For the adornment of the greenhouse and sitting-room, the new hybrid Coleus are most deconflower garden, either alone or associated with other plants, they are extremely ornamental,	wating and in th	
table bouquels, few leaf-plants are so effective by gas tight.		
1255 Co'leue, saved from all the newest and most beautiful hybridized varieties, 2 ft		6
UULLIN'SIA, Nat. Ord. Serophularia'eeæ. Beautiful hardy annu 1256 Collin'eta bi'color, purple and while, 1 ft	raction on a	3
1257 ,, al'ba, pure white, 1 ft		3
1259 ,, multi color marmora'ta, white and rose, 1 st. play, the flowers are much lo	arger and o	3
1261 ,, lilact'na (new), lilac, 1 ft the spring-sown plants in sum 1262 ,, vlola'cea, white and blue, 1 ft effect of these fine annuals in s	imer. The o	3
1263 ,, fine mixed, from the varieties, 1 ft3d. & the autumn-sown seed is exqu		3 6 6
be sown immediately it is harvested, I ft.) are beautiful.		6
00MMELI'NA, Nat. Ord. Commelina'eeæ. Half-hardy perennia	ıls.	
1265 Commeli'na fine mixed, really effective border plants, 2 ft		6
The first six species are perennials, and very desirable for rock-work and hanging	baskets.	
1266 Convol'vulus althmol'des, rose-purple, dark eye, pretty dwarf twiner, hardy perennial 1267 au'reue super'bus, golden yellow, a pretty creeping species, half-hardy pe	erennial o	6
1268 ,, cantab'ricus, rose-purple, very pretty twincr, hardy perennial		4
1271 ,, oleifo'lius var. pilo'eus, white, with silvery foliage, hardy perennial	ly perennial o	6
1273 ,, cupania'nus, rich blue, spotted black, a fine, distinct, rock plant, hardy as	nnual o	3
1274 ,, tri'color monstro'sue, deep violet-purple, I ft	tricolor are 0	3
1274 tri'color monstro'sue, deep violet-purple, 1 ft	beds, flower k-work, their are seen to	3
1278 ,, subcœruleus, dove colour, 1 st. great advantage. R. 1279 ,, robus'tus uni'color, rich purplish-blue, 1 st. produces fouers of	obustus uni-	3
1280 ,, mixed, from the above, 1 ft3d. & C. cupanianus is annual for rock-world.	a unique o	3 6 6
OORDYLI'NE (Dracæ'na), Nat. Ord. Lilia'eeæ. Ornamental-foliaged green		
1282 Cordyline indivisa, australie, linia ta, Vei tchii, etc., in mixture		6
CORONIL'LA, Nat. Ord. Legumino'sæ. Beautiful hardy perennis 1283 Coronil'la, fine mixed varieties	ais. o 6	6
COS'MOS, Nat. Ord. Compos'ita. Very ornamental hardy annu 1284 Cos'mos bipinna'tue, purple and yellow, 2 ft The graceful effect of these fine foliage p	12 1	
1285 ,, purpu'reus, purple, 2 st \ when grown singly, is very striking.	\ o 3	
00WSLIP (Primula), Nat Ord. Primula'cece. Spring-flowering hardy 1 1286 Cowslip new glant, mixed, 1 ft. ? For beds in the spring flower garden, planting in a	perennials. woodland (o 6	6
1287 ,, the mixed, I it) walks, etc., these cannot be too extensively used	6d, & 1 o	
ORESS (Barbarea vulgaris), Nat. Ord. Crueiferæ. Hardy pere		
1289 Cress variegated; for the winter and spring flower garden this is a charming plan green, polished surface of the leaves is profusely blotched with golden variegation		5
ORUGIANEL'LA, Nat. Ord. Galia'ceæ. Hardy perennial for rock-y	work.	
1290 Crucianel'la stylo'sa, ρink, a very pretty rock plant, continues long in bloom, τ ft OU'PHEA, Nat. Ord. Lythra'eeæ. Beautiful half-hardy and greenhous		3
For the decoration of the conservatory, slower beds, and borders, these are favourit	'es.	
1291 Cu'phea em'inens, bright red and yellow, in long superb branches, splendid, 2 ft	ft o 6	5
1294 ,, platycen'tra, scarlet, white, and purple, beautiful, 1 ft.	o 6	
1295 , purpu'rea, rosy scarlet, purple calyx, very clegant hh. annual, 1 ft		1
	o 6	5
1297 ,, choice mixed annual varieties	o 6 o 6	5
1298 ', perennial varietiee	o 6 o 6 o 6 ulbs.	5
OY'OLAMEN, Nat. Ord. Primula'eeæ. Greenhouse and hardy by Charming plants, which are best propagated from seed, and they flower profusely the se 1299 Cy'clamen Per'sicum grandiflo'rum, to which so many prizes and certificates have bee		5
OY'OLAMEN, Nat. Ord. Primula'eeæ. Greenhouse and hardy be Charming plants, which are best propagated from seed, and they flower profusely the stages of Gy'clamen Per'steum grandiflo'rum, to which so many prizes and certificates have been by the Floral Committee of the Royal Horticultural Society; foliage, beautifully variegated; the flowers are crimson, magenta, searlet, white,	o 6 o 6 albs. ccond season. cen awarded the most lilac, rose,	5
OY'OLAMEN, Nat. Ord. Primula'eeæ. Greenhouse and hardy be Charming plants, which are best propagated from seed, and they flower profusely the set of the Society of the Floral Committee of the Royal Horticultural Society; foliage, beautifully variegated; the flowers are crimson, magenta, searlet, white, and spotted, and many of them fragrant. 1300 , Per'sicum saved from fine varieties.	o 6 o 6 o 6 o 6 o 6 o 6 o 6 o 6 o 6 o 6	5
OY'OLAMEN, Nat. Ord. Primula'eeæ. Greenhouse and hardy be Charming plants, which are best propagated from seed, and they flower profusely the states of Cy'clamen Per'steum grandiflo'rum, to which so many prizes and certificates have bee by the Floral Committee of the Royal Horticultural Society; foliage beautifully variegated; the flowers are crimson, magenta, scarlet, white, and spotted, and many of them fragrant. 1300	o 6 o 6 nlbs. econd season. en awarded , the most lilac, rose,	5
OY'OLAMEN, Nat. Ord. Primula'eeæ. Greenhouse and hardy be Charming plants, which are best propagated from seed, and they flower profusely the set 1299 Cy'clamen Per'steum grandiflo'rum, to which so many prizes and certificates have bee by the Floral Committee of the Royal Horticultural Society: foliage beautifully variegated; the flowers are crimson, magenta, scarlet, white, and spotted, and many of them fragrant. 1300 Per'steum saved from fine varieties. 1301 mixed, hardy varieties, including European, Hederæfolium, &c. These beaut autumn flowering Cyclamen are charming plants on rock-work, in se borders, and on dry banks, also valuable for pot culture; the foliage is variegated during winter and spring, while the flowers in some of the va	o 6 ulbs. econd season. en awarded ; the most lilac, rose,	5
OY'OLAMEN, Nat. Ord. Primula'eeæ. Greenhouso and hardy be Charming plants, which are best propagated from seed, and they flower profusely the set of the Floral Committee of the Royal Horticultural Society; foliage, beautifully variegated; the flowers are crimson, magenta, searlet, white, and spotted, and many of them fragrant. 1300 Per'sloum saved from fine varieties 1301 mixed, hardy varieties, including European, Hederæfolium, &c. These beautifully variegated; the flowers are charming plants on rock-work, in see borders, and on dry banks, also valuable for pot culture; the foliage is of the flowers.	o 6 o 6 albs. econd season. en awarded, the most lilac, rose, iful hardy elect flower esquisitely vrieties are y fragrant. Snowdrops	5

These hardy perennial varieties of Dianthus make charming permanent beds and edgings, and are fine border plants; they are also valuable for rock-work and to cut for bouquets. Deltoides is almost always in bloom, and Dentosus is a gem. 3d.& choice mixed, hardy perennial varieties DIGITA'LIS (Foxglove), Nat. Ord. Scrophularia'cea. Ornamental hardy perennials. Handsome plants of stately growth, specially adapted for shrubbery borders, woodland walks, etc.

O

.....

,,

,,

	2, 121, 2016, 2016, 2016, 10//.]	er nh	
136 136 136 136 136 136	Digita'lis gloxiniæflo'ra. al'ba, white, splendid large flowers, 4 ft. "ro'sea, pure rose, splendid large flowers, 4 ft. "purpu'rea, purple, splendid large flowers, 4 ft. "purpu'rea, purple, splendid large flowers, 4 ft. "grandiflo'ra, yellow, large handsome flowers, 3 ft. "very's superbly spotted exhibition varieties, 4 ft. "lana'ta, yellow, a very distinct species, 2 ft. "monstro'sum al'bum, white, 4 ft.	0 0 0 0 1 0 0	t. d. 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
137 137	,, ,, car neum, nesn, 4 H	0	6
13		0	6
133	73 ,, fine mixed, 4 ft	0	6
			J
	DRACE'NA (Dragon-tree), Nat. Ord. Lilia'ceæ. Ornamental greenhouse shrub	S.	
13	74 Dracæ'na choice mixed varieties, highly ornamental foliage plants	2	6
	DRACOCE'PHALUM, Nat. Ord. Labia'tæ. Fine perennials and annuals.		
137			
133	Canarien'se (Balm of Gilead), pale purple, hardy perennial, 2 ft.	0	3
137	in molax vicum (Moldavian Balm), h/ue, sweet-scented foliage, hardy annual, a ft	0	3
137	,, album, white 2 it	0	3
131	Kuyschia'num, dark blue, fine for rock-work, hardy perennial, 1 ft.	0	3
	ECHINA'CEA, Nat. Ord. Compos'itæ. Fino hardy perennials.		
138		0	6
138	,, inverting that, large rea showy handsome howers, a fine border plant, 2 it.	0	6
	EGG-PLANT. (See Aubcrgine.)		
	EPA'ORIS, Nat. Ord. Epacrida'ccæ. Splendid greenhouse shrubs.		
138	2 Epa/crls mixed, saved from finest varietics, 3 ft.	2	6
		~	
1 20	ERI'OA, Nat. Ord. Erica'cca. Beautiful greenhouse and hardy shrubs.		
138 138		0	6
138	5 ,, fine hardy varieties, 2 ft	I	0
		•	-
138	ERIGERON, Nat. Ord. Compos'itæ. Beautiful hardy perennials.		-
138	7 caucas'icum purble & ft These are norm beautiful free florowing		3
138)) Brancis vint, o it., F heroaceous viants for rock varaens.	0	3
138	9 ,, semperflo'rens, 1 ft. mixed flower and shrubbery borders. nine mixed	0	3
139		0	6
	ERINUS, Nat. Ord. Scrophularia'ceæ. Charming hardy perennials.		
139: 139:	2 ,, al'bus, white, \(\frac{1}{2}\) ft\\ densely flowering, and of a pleasing colour.		6
139: 139			3
	ERO'DIUM, Nat. Ord. Gerania'cca. Beautiful hardy perennial.		3
139			c
		0	6
100	ERY'NGIUM, Nat. Ord. Umbellif'eræ. Very ornamental hardy perennials.		
1390 1397			6
1398	ohum/noum of	0	3 6
1399	gigan'teum, blue, 4 ft	0	36
1400	, anappowers, 5 tt		
1401	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0	6
	ERYS'IMUM, Nat. Ord. Crucif'era. Exceedingly showy hardy annuals.		
1402	Erys'imum Arkansa'num, sulphur-yellow, 11 ft. \ Beautiful profuse-flowering plants for \ 3d. &	0	6
1403			6
-	ERYTHRI'NA (Coral-plant), Nat. Ord. Legumino'sce. Splendid half-hardy shrubs Superb sub-tropical plants, with magnificent bunches of crimson-scarlet coral-like flowers.		
1404	Erythri'na cris'ta-gal'li, laurifo'lia, Henderso'nii, atropurpu'rea, and insig'nis, 3 ft cach	r	0
1405	,, mixed, 3 ft	I (o
	ESOHSOHOLT'ZIA, Nat. Ord. Papavera'eea. Remarkably showy hardy annuals.		
1406	Frongoholt/glo anglese assembliese with all with a survey of the state	0 3	3
1407 1408	,, , al'ba, creamy white, I ft continuous blooming of these, admirably adapt them for beds, ribbons,		3
1409	", rosea, white, shaded rose, I ft edgings, and borders. The new carrette, striata, orange and sulphur striped, I ft. rottes." Dentata, are distinguished	0 3	
1410	denta'ta au'rea, orange, I ft. by their resemblance to a Maltese cross, "Striata" by its beautiful stripes,	0 3	
1411 1412	sulphur'ea, sulphur, I ft "Athu rosea" by its rose-purple shade, and "Aurantiaca" by its deep	0 3	
1413	11 July 110111 the above, 2 201111111 3a. te) Fich glowing orange coloured powers.	0 6	
	protest of focus and formation of the formation of the focus of the fo		
	EUCALYP'TUS (Australian Gum Tree), Nat. Ord. Myrta'ceæ. Greenhouse trees.		
vate	E. globulus, the blue Gum Tree of Australia, is a very handsome sub-tropical plant. It is now being of	ulti-	
1414	d extensively for its anti-malarious properties, Eucalvo'tus glob'ulus foliaga hluich green used as an ornamental foliaga plant in the London Parks	· ·	
1414	Eucalyp'tus glob'ulus, foliage bluish green, used as an ornamental foliage plant in the London Parks mixed, several varieties, including Globulus	I (0
	- January Managary State Managary State Control of the Control of		

```
Perpkt.
             EUOHARID'IUM, Nat. Ord. Onagra'ccæ. Desirable hardy annuals.
                                                                                                       s. d.
      3
1416
1417
             EUPATO'RIUM, Nat. Ord. Compos'itæ. Beautiful hardy perennials.
      1419
1420
                EU'TOOA, Nat. Ord. Hydrophylla'cca. Showy hardy annuals.
      Eu'toca vis'cida, bright blue, very showy, I ft. Very showy border plants; Wrangelia'na, lilac, pretty, carly, 1 ft. Vinida is prized for its intense blue flowers.
                                                                                                          3
1421
1422
               FENZ'LIA, Nat. Ord. Polemonia'cew. Charming hardy annual.
      Fenz'lia dianthifio'ra, rosy lilac, few dwarf plants are more gracefully beautiful, in pots, \frac{1}{2} ft. 6d. &
11423
          FERDINAN'DIA, Nat. Ord. Compos'ita. Ornamental greenhouse shrub.
      Ferdinan'dia em'inens, a majestic picturesque large-leaved sub-tropical plant, 5 to 10 ft.....
                   FERNS, Nat. Ord. Polypodia'cea. Graceful foliage plants.
      1425
                                                                  Ornamental hardy perennials.
     FER'ULA (Giant Fennel), Nat. Ord. Umbelli'feræ.
      Fer'ula commu'nis, 6ft \ As a sub-tropical plant, the Ferula stands first in order of the graceful
1427
                                section, the leaves are very large and elegantly divided; as a single specimen on the lawn, in the flower-border, amongst a group of subtropical plants, or near to water, its bold and massive aspect is exceedingly attractive. The plant is decorative summer and winter.
               ferula'go, 6 ft.
1428
                                                                                                           6
              gigan'tea, 6 ft..
1429
                                                                                                           6
              glau'ca, 6 ft. ...
1430
                                                                                                           6
1431
              mixed, 6 ft. ...
      FRAXINELLA (Dietam'nus), Nat. Ord. Ruta'cea. Beautiful hardy perennials.
      1432
                   white, 2 ft.....grandifio'ra, 2 ft....
1433
                                                       their beautiful flowers and fragrant leaves.
1434
             FUCH'SIA, Nat. Ord. Onagra'ceæ. Beautiful half-hardy perennials.
                                                                                                           6
      Fuch'sia, saved from the newest double and single white and red varieties, 3 ft......s. &
1435
            GAILLAR'DIA, Nat. Ord. Compos'itæ. Splendid hardy perennials, etc.
                                                                    These perennial Gaillardias are unrivalled,
their large handsome blossoms expanding
till the cold weather sets in. For fur-
                                                                                                           6
       Gaillar'dia grandifio'ra, rich crimson and yellow, 1\frac{1}{2} ft......

Bossela'rii, large red, 1\frac{1}{2} ft......
1436
                                                                                                           6
1437
                  Penel'ope, crimson and yellow, 1\frac{1}{2} ft.

Lœse'lli, crimson and yellow, 1\frac{1}{2} ft.
                                                                                                           6
 1438
                                                                      nishing wases and table bouquett, the
flowers are most desirable for their beauty
and durability. Seedlings flower the
                                                                                                           6
 1439
            ,,
                                                                                                           6
                                                                                                        0
                   trimes'tris super'ba, 12ft.
 1440
                  choice mixed, perennial varieties, 13 ft. .....
                                                                                                        0
                                                                                                           6
                                                                      first season.
 1441
                  Drummon'dii na'na, crimson and yellow, I ft.

,, au'rea, rich yellow, I ft.

,, salmon rose (new), I ft.

,, salmon rose (new), I ft.

,, of focusering
                                                                                                           3336
 1442
                                                                                                        0
 1443
            1)
                                                                                                        0
 1444
            ,,
                                                                                                        0
                   Amblyo'don, sanguineus red, I ft.....
 1445
                                                                 duration of flowering.
                   choice mixed, annual varieties, 1 ft. ......
 1446
               GALE'GA, Nat. Ord. Legumino'sæ. Fine border hardy perennials.
       1447
 1448
                  GAU'RA, Nat. Ord. Onagra'ceæ. Handsome hardy perennial.
       Gau'ra Lindheime'ri, white with pink calyx, an elegant continuous-blooming border plant, 2 ft. ...
 1449
                  GAZA'NIA, Nat. Ord. Compositæ. Half-hardy bedding plant.
       Gaza'nia ri'gens, rich orange, a charming plant for beds or edgings in sunny situations, 1 ft. ..... 1
 1450
          GENIS'TA, Nat. Ord. Legumino'sa. Beautiful hardy or greenhouse shrubs.
 GENTIA'NA, Nat. Ord. Gentiana'ccæ. Beautiful dwarf hardy perennials.
       Gentia'na acau'lis, intense deep blue, \frac{1}{2} ft....\
wer'na, intense deep blue, \frac{1}{2} ft....\
fine mixed, several varieties .....\
plants.
 1453
 1454
    GERA'NIUM (PELARGONIUM), Nat. Ord. Gerania'cea. Half-lardy bedding plant.
 The greatest attention has been, and is still being given to the improvement of the Scarlet Geranium (Zonale and Nosegay Pelargonium). To the amateur purchasing seed it is of the first importance to make sure what his chances are of having really fine flowers. To place him in this position we have had seed collected from the very best named kinds. Plants raised from seed sown early in spring are decorative in summer.
  1455 Gera/nium Zona/le, choicest varieties, George's and others ...... 25. 6d. &
                   0
  1456
  1457
  1458
  1459
                    Zonale, choicest hybridized variegated varieties, tricolors, bronzes, &c. ......2s. 6d. &
  1460
                            fine hybridized variegated varieties.....
  1461
                   ivy-leaved varieties ......
  1462
```

```
GESNE'RA, Nat. Ord. Gesnera'cea. Splendid stove perennial bulbs.
   GEUM, Nat. Ord. Rosa'ceæ. Hardy perennials, for rock-work and borders.
          Ge'um atrosanguin'eum, dark red, large flowers, t ft. ... \ These are handsome, and continuous-
   1464
                  coccin'eum macroceph'alum, scarlet, I ft......
   1465
                                                                                 blooming border plants.
                  Janon'ieum
   1466
                         GIL'IA, Nat. Ord. Polemonia'cea. Pretty hardy annuals.
          Very fine annuals, when grown in masses, and are much prized for their earliness and for rock-work.
          Gil'la lacinia'ta, deep lavender blue, finc bedding plant, ½ ft.

| linifio'ra, white, a very beautiful variety, ¾ ft.
| min'ima, blue, a pretty miniature rock plant, ctc., ¼ ft.
| tri'color, white, lilac, and purple, ¾ ft.
| n al'ba, white and purple, ¾ ft.
| n ro'sea, rose and white, ¾ ft.
| flowering annuals.
   1467
   1468
   1469
   1470
                                                                                                                      0
    1471
   1472
                                                                      Magnificent hardy bulbs.
                       GLADI'OLUS, Nat. Ord. Irida'cea.
    In our Experimental Grounds we grow the Gladiolus extensively, and at page 67 will be found a very select assortment of bulbs, including the best of the new varieties and of the older kinds.
    fine mixed ......6d. &
    1474
                    GLAU'CIUM, Nat. Ord. Papavera'eca. Showy hardy perennials.
          1475
    1476
                                                                       and are green dew-bespangted elegantly cut foliage, makes them attractive objects at all seasons.
    1477
   1478
                        ru'brum, red, I ft.....
                                                                                                                           3
    1479
                        mixed, I ft. ......
    GLOBE AMARAN'THUS (Gomphrena), Nat. Ord. Amaranta'cew. Greenhouse annuals.
           Globe Amaran'thus, flesh colour, 2 ft...... Exceedingly beautiful plants for the
                                                                          execeantly beautiful plants for the adornment of the conservatory, and when well grown in small pots most valuable for room decoration; out of doors in sheltered situations they are effective. The dried flowers are prized
                                  golden, 2 ft.....
    1481
                                                                                                                       0
    1482
                                  red, 2 ft, .....
                                                                                                                           3
                                                                                                                       o
    1483
                                  white, 2 ft. .....
                                  palc yellow, 2 ft.....variegated, 2 ft.....
                                                                                                                       0
                                                                                                                           3
    1484
    1485
                                  mixed, 2 ft .....
                                                                          for winter bouquets.
    1486
                   GLOXINTA, Nat. Ord. Gesnera'cea. Superb stove perennial bulbs.
           Gloxin'la, saved from magnificent erect, horizontal, and pendulous flowering varieties: sown in
                             GNAPHA'LIUM, Nat. Ord. Compos'itæ. Half-hardy perennial Everlastings.
           0/4/1488
    1489
                      GODE'TIA, Nat. Ord. Onagra'ceæ. Attractive hardy annuals.
           Exceedingly beautiful, and very effective when grown in beds, masses, and mixed borders.

Gode'tia al'ba, pure white, fine graceful habit, 1½ ft.

Lindleya'na ft. pl., rich rosy purple, 1½ ft.

ro'sea alba Tom Thumb, pure white, rich carmine centre, very beautiful, 1 ft.

tenella, manue, a very dwarf variety, for small beds, edgings, etc., ½ ft.

"The Bride," white, rich carmine centre, 1½ ft.

"Whit'neyl con'color, flowers glossy pearly satin white, beautiful, 1½ ft.

"striata, centre of each petal blotched with flaming crimson, 1 ft.

"and wind from the above varieties.
    1490
    1491
    1492
    1493
    1494
    1495
    1496
                     fine mixed, from the above varieties......
    1497
                     rep'tans al'ba, pure white, blotched vermilion ... These are all useful for rock-work, purpu'rea, purple or wherever flowering plants of a versi color grandiflo'ra, various .... trailing habit are required.
               . .
    1498
                                purpu'rea, purple .......versi'color grandiflo'ra, various .....
    1499
    1500
                                      GOURDS, ORNAMENTAL. See page 10.
        GRAMMAN'THES, Nat. Ord. Crassula'ceæ. Charming miniature half-hardy annual.
              Nice dwarf plants for pots, vases, baskets, edgings, and rock-work, delighting in sunny situations.
           1501
                 GRASSES, ORNAMENTAL, for Bouquets and Borders. See page 11.
                   GREVIL'LEA, Nat. Ord. Proteacea. Elegant greenhouse shrubs.
                                  The foliage of these plants is most graceful, and when fram 2 ft. to 8 ft. high, they are greatly prized for table decoration. In the conservatory and in the sub-tropical garden they rank foremost as fine foliage plants.
    1502
           Grevil'lea robus'ta, 10 ft....
    1503
              GYPSOPH'ILA, Nat. Ord. Caryophylla'ceae. Hardy annuals and perennials.
           Gypsoph'lla el'egans, rose, 2 ft. \ Plants of graceful slender growth. Elegans is valuable for table mura'lis, pink, \ ft. \ bouquets, and Muralis is charming for rock-work and edgings. \ panicula'ta, white, 1\ ft. \ These are hardy perennials. Paniculata, a very graceful \ saxi'fraga, pink, \ \ ft. \ \ plant, and Saxifraga, valuable for rock-work and edgings. \
                                                                                                                           3
    1504
    1505
    1506
    1507
              HABROTHAM'NUS, Nat. Ord. Solana'eeæ. Handsome greenhouse shrubs.
           Habrotham'nus mixed, splendid winter-blooming plants, with wax-like flowers, in profusion, 3 ft.
    1508
                 HAWKWEED (Cre'pis), Nat. Ord. Compositæ. Useful hardy annuals.
           1509
    1510
                                                              See Viola, page 43.
                                       HEARTSEASE.
```

	HELE'NIUM, Nat. Ord. Compos'ita. Handsome hardy perennials.	ег р	kŧ.
1511	Hele'nium Bolande'ri, vellow, 1 ft	5.	d.
1512 1513	Hele'nium Bolande'ri, vellow, 1 ft. """ """ """ """ """ """ """	0	6
	,, Hope Sil, orange-yettow, 2 it) and semi-wild places.		6
1	IBLIAN IBUS (Sun-flower), Nat. Ord. Compositor Shows hards assessed		
1014	Henan thus argophyllus, yellow, silvery foliage, oft	0	_
1515 1516	Stratinorus fi. pl., yellow, 4 ft and fine bold outline, admirable for	0	3
1010	your double of the fit, yettow, sub-tropical effect, and interming-	•	3
1517	fol aureo wariogathia - 6	0	3
1518	globo'sus fistulo'sus, fi. pl., yellow, and very leaves; Argophyllus beautiful	0	6
1510	large, a line robust plant, e ft	0	6
1519 1520	macronhylling rimon't our large and very	0	6
1521	unisolving video betts, yettow, on double flowers; Unisforus is the	0	3
1522		0	3
		0	0
	HELIOHRY'SUM, Nat. Ord. Compos'ita. Beautiful Everlasting hardy annuals. Fine border plants, the dried flowers of which are much used for winter bouquets, and church decoration.		
1523	Helichry'sum Borus'sorum rex, white, large very handsome double flowers, 2 ft		
1524		0	3
1525		0	0
1526 1527		0	3
1528		0	3
1529	macran'thum na'num atro-coccin'eum cognit el 6	0	3
1530		0	4
1531 1532	" I The state of t	0	6
1533	" " " " " " " " " " " " " " " " " " "	0	3
1534	lu'teum fi ni pallore lorge flowers, 2 it.	0	3
1535		0	3
1536 1537		0	
1538	" Pi thoice mixeu, large nowers 14 if	0	36
1539	", ", ", "	0	4
1540	" " " " " " " " " " " " " " " " " " "	0	4
1541 1542	17 11 In veum II, Di., Vellow, Jarge Howers 11 ft	0	4
1543		0	4
1544	The state of the s	0	
1545	Tom Thumb varieties, in mixture	0	6
1546	apicula'tum, bright vellow v ft These charming Everlastings, with their elegant (0	
1547	capita'tum, vellow t ft silvery grey foliage, and ball-like tufts of flowers	0	6
1548 1549	,, elegans, vellow, I ft { resemble the yellow Immortelles: they make?		3
	" Suit count, yettow, i it	0	6
1550	1) HIACU, HORE DESIRERS Greenhouse varieties	0	6
	HELIOTRO'PIUM, Nat. Ord. Boragina'ceæ. Pretty half-hardy perennials.		
1551			,
1552	2 Pandino Tim Anna Turrol giolo	0	6
1553 1554	Rol des noirs fine dark you and down and and design	0	6
1555		0	6
1556	Voltain'a num, dark purple seed bloom the first season. Under glass they can be had in flower the		6
1557	mixed, from best varieties	0	6
	TIPI TANTIDITA AT	_	Ĭ
1558	HEIL'TEROM, Nat. Ord. Compos'itæ. Everlasting half-hardy annual. Hell'pterum Sanfor'dil, golden yellow, fine to cut for bouquets, and for winter decoration, 1 ft		-
	HELLER'ORUS (Christman and National National August) National August (Christman and National	0	D
1559	HELLEB'ORUS (Christmas-rose), Nat. Ord. Ranuncula'ceæ. Hardy perennials.		
1560	atro-mi/hene rich durate anim winter-nowering plant, 1 ft.		0
1561	,, mixed. (For Plants, see page 12.)	I	0
HE	RACIFUM (Communication) No. 10 1 To 1 West	•	Ů
Maies	RACLE'UM (Cow-parsnip), Nat. Ord. Umbellif'eræ. Ornamental hardy perennia	ds.	
2124/63	ambrageous plants of communating aspect, admirable for sub-tropical gardens, woodland walks, band	ks o	of
1562	Heracle'um absinthifo'lium, 6 ft		_
1563	,, gigan'teum, a gigantic plant, with large umbrageous foliage, 10 ft.	2	3
1564 1565	cauca'sicum, 6 ft.)	3
1566	" om mons, a nighty offiamental ionage plant to it	`	
1567	pubes'cens, 6 ft.	_	6
1568	,, mixed from above varieties.	0	3
	TITDIO/OTTO 37 . O 3 TT .		
7	The hardy herbaceous Hibisons are heartiful decerning blands and hardy plants.		
	The hardy herbaceous Hibiscus are beautiful flowering plants and should be largely cultivated in shrubbe ower borders, and the tender varieties are amongst the most ornamental of conservatory plants, and de in the sub-trabical wards.	rie	5
1569 1570	Hibis'cus Africa'nus, cream colour, rich brown centre, hardy annual, 1½ ft.)	3
1571	", choice mixed greenhouse and half-hardy varieties fine mixed hardy varieties		0
	,		0

```
6
                   LASTHE'NIA, Nat. Ord. Compos'ita. A spring flowering hardy annual.
1623 Lasthe'nia Califor'nica, sown in autumn, in spring it is a sheet of golden yellow, 3 ft. ......3d. &
LATH'YRUS (Everlasting Pea), Nat. Ord. Legumino'sw. Useful hardy porcnnials.
           1624
1625
1626
1627
                             choice mixed ......
                                                                                                                protection to more tender plants.
                            LAVATE'RA, Nat. Ord. Malva'cca. Showy hardy annuals, etc.
           Lavate'ra trimes'tris, rose, pink striped, 3 st. ..... Exceedingly valuable annuals for distant effect in masses, and for large borders.
1628
1629
                               arbo'rea, rose-purple, a stately plant for shrubbery borders, hardy perennial, 5 ft.

Thuringia'ea, pale purple, handsome border hardy perennial, 5 ft.
1630
1631
                     LEPTOSITHON, Nat. Ord. Polemonia'ccæ. Charming hardy annuals.
           1633
1634
1635
1636
1637
           LEPTOSY'NE, Nat. Ord. Compos'itæ. Half-hardy annual. Leptosy'ne marit'ima, golden yellow, flowers in large heads elevated on long foot stalks, the
1638
                                                          foliage elegantly cut, and of a lively green, a plant of fine aspect, 3 ft. ...
                              LIA'TRIS, Nat. Ord. Compos'itw. Handsomo hardy perennial.
LIL'IUM, Nat. Ord. Lilia'cea. Magnificent hardy bulbs.
 Seedlings seldom appear above ground till the second season; care should on this account be taken to sow either in pans or pits where they will not be disturbed. The raising of these bulbs from seed is a very slow process; bulbs should therefore be purchased in preference. For a fine collection, correctly numed in accordance with the Monograph of J. G. Baker, Esq., and embracing the most recent introductions, see page 68.

1640 Lil'ium mixed, including Auratum, Speciosum, Giganteum, Humboldti, Callosum, Albanieum, &e, 1s. & 2 6
   LILY OF THE VALLEY (Convallaria majalis), Nat. Ord. Lilia'cew. Hardy porennial.
Those who are desirous of cultivating the Lily of the Valley in pots should purchase clumps, specially prepared for the purpose, 1/6 and 2/6 each, or flowering crowns at 10/6 per 100, 1/6 per dozen. Crowns for planting in woods, or forming groups in flower and shrubbery borders, 3/6 and 5/6 per 100, 25/ and 40/ per 1000.
           Lily of the Valley, Seed for export
                                                                                                                                                                     ......6d. & I o
                            LIMNAN'THES, Nat. Ord. Tropwola'ccw. Pretty hardy annuals.
                  Very effective plants for spring and summer gardens, may be sown in shady or damp situations.
            Limnan'thes Douglas'ii al'pa, white, \frac{1}{2} ft. 3d. & 3d. & grandiflo'ra, bright yellow, bordered white, \frac{1}{2} ft. 3d. & 3d. &
1643
                         LINA'RIA, Nat. Ord. Scrophularia'ccæ. Useful hardy annuals, etc.
               Very pretty small Snapdragon-like flowers, remarkable for the beauty and variety of their colours.
            Lina'ria alpi'na, bine and orange, hardy perennial, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) for reck-work, stumps of trees, and vasis, these three are charming. Tristis and Alpina make neat compact bedding plants.
 1645
 1646
                                                                                                                                                                                           0
                                                                                                                                                                                                 3
                            biparti'ta al'ba, pure while, I ft.

"" strla'ta, while, striped purple, I tt.

"" splen'dida, rich deep purple, I ft.

New yellow, yellow, I ft.

"" ad. & garden.

triornithoph'ora, reddish violet, 2 ft. ... } Fine border plants, the flowers resembling three {

birds perched on a spur.
 1647
                                                                                                                                                                                                 3
                  **
 1648
                  ..
 1649
                                                                                                                                                                                           o
 1650
                                                                                                                                                                                           O
                                                                                                                                                                                                 36
 1651
                                                                                                                                                                                           0
 1652
                                                                                                                                                                                           O
 1653
                          LINUM, Nat. Ord. Lina'cca. All beautiful perennials or annuals.
           Distinguished garden favourites; grandiflorum coccincum is a perfect gem for ocas, riosons, and containing a perfect gem for ocas, riosons, and compared a perfect gem for ocas, riosons, and containing a perfect gem for ocas, riosons, and containing a perfect gem for oca
        Distinguished garden favourites; grandistorum coccineum is a perfect gem for beds, ribbons, and borders.
 1654
                                                                                                                                                                                                6
 1655
                                                                                                                                                                                                 6
 1656
 1657
  1658
  1659
                                                                                                                                                                                           0
  1660
                                                                                                                                                                                           0
                                                                                                                                                                                                 36
  1661
                                                                                                                                                                                           0
  1662
  1663
  1664
                   LISIAN'THUS, Nat. Ord. Gentiana'ccæ. Splendid greenhouse perennial.
  1665
```

```
Per pkt.
                        LOBE'LIA, Nat. Ord. Lobelia'cea. Beautiful half-hardy annuals, etc.
Gems of the slower garden; the Erinus varieties are indispensable for beds and ribbons; Gracilis and
Pumila are attractive for their compact tufts; and Ramosa is distinguished for its large slowers and
branching habit. No plant in the slower garden is more useful than the blue Lobelia speciosa, or required
            1666
1667
1668
1669
1670
                                 1671
                                                                                                                                                                                                                                    0
                                                                                                                                                                                                                        6d. & I
                                                                                                                                                            The Erium section of Lobelia is universally cultivated, and by far the most surful for bedding. It is easily monaged, and may be had in the greatest abundance from seed; the warrieles come quite true. The seed may be soon tate in autumnor in opinig, and the plants pricked off a few weeks before they after beiny noted off a fly may and plunged in a gentle bottom-head, make nice plants. Speciosa siran important acquisition; the colourity per the finest in habit and colour. The new white Speciosa is mimportant acquisition; the colourity pure which, the habit free flowering, and continuous blooming, the tame as in the blue variety, so that the plant forms a side contrast. The different sorts of Gracilis compacts and Pamila make executingly pretty by left eliging, and also look well un pots.
1672
1673
                                                                                                                                                                                                                        11. & 2
                                                   Gordo'nii, intense blue, white centre, \(\frac{1}{2}\) ft.

Paxtonia'na, bright blue, centre pure white, \(\frac{1}{2}\) ft.
1674
                                                                                                                                                                                                                        ..... 0
                     22
1675
                                                                                                                                                                                                                        ..... 0
                     22
                                        "
                                                    Prince Albert, bright azure blue, white centre, 1st.
1676
                                                                                                                                                                                                                        ..... 0
                     11
                                        11
                                                   White Queen, pure white, & ft. .....
1677
                     ,,
                                        99
                                                                                                                                                                                                                                   I
                                                   specio'sa Crystal Palace var. true, decpblue, ½ ft.
" Cobalt blue, fine clear blue, beautiful
                                                                                                                                                                                                                        6d. & 1
1678
1679
                                                                           eompact growing variety, ½ ft. super ba, rich blue, beautiful, ½ ft....
1680
                                                                                                                                                                                                                        Is. & 2
                                                                           White Perfection, pure white, ½ ft... kermesi'na, light rosy crimson, ½ ft.
1681
                                                                                                                                                                                                                        ..... I
                     9.9
1682
                                                                                                                                                                                                                        ..... 0
                                        33
                     ,,
                                                    mixed, all colours of Erinus varieties, 1 ft. .....
1683
                                                                                                                                                                                                                        ..... 0
                     22
                                  1684
                                                                                                                                                                                                                        ..... 0
                     22
1685
                     22
                                                                                                                                                                                                                        ..... 0
                                                                                           celesti'na, clear light blue, ift
 1686
                                                             33
                                                                                                                                                                                                                        ..... 0
                                                                                                                                                                                                                                          6
                                 1687
                                                                                                                                                                                                                        ..... 0
 1688
 1689
                     99
1690
                     ,,
1691
                                                                                                                                                                                                                                    0
                     ,,
1692
                                                                                                                                                                                                                                           6
                     99
1693
                     9.9
                                     LO'TUS, Nat. Ord. Legumino'sæ. Pretty half-hardy perennials.
              Lo'tus, fine mixed varieties .....
                                                                                                                                                                                                                                           6
                                                       1695
                               Jacobæ'us, dark brown, 2 ft.
                                                                                                                                                                                                                                           6
 1696
                                                                                                                                                                                                                                           6
 1697
                  LOVE-LIES-BLEEDING, Nat. Ord. Amaranta'ceæ. Graceful hardy annuals.
              1698
 1699
1700
                   LUNA'RIA (Honesty), Nat. Ord. Crucif'eræ. Very showy hardy biennials.
              1701
 1702
                               LUPINUS, Nat. Ord. Legumino'sæ. Splendid hardy annuals, etc.
The Lupines are all handsome and graceful; the tall are exceedingly effective in borders, the dwarf in beds.

1703 Lupi'nus arbo'reus, the yellow tree Lupine, a handsome free-flowering shrub, 5 ft.

1704 , the lilac tree Lupine, a handsome free-flowering shrub, 5 ft.
                                    1705
 1706
 1707
 1708
                        11
 1709
                        2.0
 1710
                        9.9
 1711
 1712
                        ,,
 1713
                                    lu'teus, the common dwarf yellow lupine, very pretty, 1 ft.
magnificus, violet and white, hardy perennial, 2½ ft.

Menzie'sii, sulphur yellow, 1½ ft.
mutab'ilis versie'olor, colours various, 3 ft.
na'nus, blue and white, beautiful, ½ ft.
 1714
 1715
 1716
  1717
                         ,,
  1718
                         9.9
                                     na fits, othe and white, Deathfull, $\frac{1}{2}\text{ ft.}\]

Nootkaten'sis, blue, rose and yellow, fine hardy perennial, 2 ft.

polyphyl'lus, blue, hardy perennial, 2\frac{1}{2}\text{ ft.}\]

, albifo'rus, white, hardy perennial, 2\frac{1}{2}\text{ ft.}\]

pubes'cens albo-coccin'eus, scarlet and white, most beautiful, 1\frac{1}{2}\text{ ft.}\]

subcarno'sus, blue and white, the most charming of all for beds, 1 ft. 3d. & mixed hardy perennial varieties

3d. & 3d.
  1719
                         11
  1720
                         "
  1721
                         22
  1722
                         99
  1723
                         11
  1724
  1725
                                      mixed hardy perennial varieties .....
                LYOH'NIS, Nat. Ord. Caryophylla'ceæ. Handsome hardy perennials.

Lych'nis Chalcedon'ica, scarlet, 3 ft. ...... These are fine bold plants; 1726 with its large {
,, al'ba, white, 3 ft. } heads of scarlet, is splendid for distant effect.
  1726
  1727
```

	Pe	r pk	t. d,
1728	Lych'nis ful'gens, brilliant scarlet, 1 ft		6
1729	Haagea'na, bright scarlet, I ft Truly charming hardy percn-		6
1730	" glgan'tea, orange scarlet, I ft nials, indispensable wherever	0	6
1731	grandiflo'ra strla'ta, scarlet and white, 1tt. herbaceous plants are culti-		0
1732	al'ba, white, I ft		0
1733 1734	Stabolidi Auga subita y ft		6
1735	1)		6
1736	II		6
	MAGNO'LIA, Nat. Ord. Magnolia'cew. Magnificent hardy tree.		
1737		0	6
2101			
	MAGYDA'RIS, Nat. Ord. Umbellif'eræ. Ornamental hardy perennial.		6
-1738		0	6
	MAL'OPE, Nat. Ord. Malva'cca. Showy hardy annuals.		
1739	The property of the property o	0	3
1740	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	0 ;	3
	MALVA (Mallow), Nat. Ord. Malva'ceæ. All exceedingly effective plants.		
1741	Mal'va Califor'nica, rose, a fine hold plant of sub-tropical aspect, half-hardy perennial, 4 ft	0	6
1742	crenula/ta, rose, beautiful hardy percanial, 3 ft		3
1743		0	3
	MARIGOLD, Nat. Ord. Compositæ. Indispensable half-hardy annuals.		_
1744	2001-2001-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		6
1745	Don's grange very fine a ft I some flowers Those we offer have been saved 1 ad. &		6
1746 1747	avilled grange 2 ft from finest selected double flowers; still 3 d. &		6
1748	Dean's dwarf, very fine, 12 ft. a few will come single, and these should 3d. &		6
1749	,, mixed from above		6
1750	"French dwarf, new gold striped, I ft. Splendid continuous blooming plants for beds and company golden vallow I ft. borders; inferior and single varieties should be		6
1751	pulled up. When used for bedding, plant rather		6
1752 1753	au'reo-floribun'da, yellow, I ft.) inferior and single varieties.		Ğ
1754	" ranunculæflo'ra, rich chestnut, laced gold, i ft		6
1755	dwarf miniature, brown, & ft. \ These compact profuse flowering varieties \ 3d. &		6
1756			6
1757 1758			6
1759	,, orange, 1½ ft		
	magnificent marigold: flowers 2 to 2 inches in diameter, with the ray petals		
	developed to the centre, a grand Exhibition variety, many come single; these should be at once destroyed, 3ft	2	6
1760	gold striped single, golden, striped crimson, a very attractive variety, x ft. 3d. &	0	
	MARTYNIA, Nat. Ord. Pedalia'cea. Beautiful fragrant half-hardy annuals.		
1761	Martyn'la fragrans, crimson-purple, 14 ft.) These are really fine plants when well grown; flow- (3d. &	0	6
1762	Martyn'ia fragrans, crimson-purple, 1½ ft., probosci'dea ro'sea, rose, 1½ ft are as large and handsome as Gloxinias, succeeded by fruit curiously double-horned and hooked.	0	6
1763	,, lu'tea, yellow, 11 ft.) by fruit curiously double-horned and hooked. (0	6
M	ARVEL-OF-PERU (Mirabilis), Nat. Ord. Nyctagina'cea. Beautiful hardy annual	s	
Hand	dsome border plants, remarkable for their compact growth, rich glossy leaves, profusion of bloom, and dive	rsit	y
1764	of colour in flower and foliage; fine plants for single specimens and sub-tropical gardens. Wire bills, langelfora, altha odoratta a fit	0	2
1765	Mirabilis longiflo'ra al'ba odora'ta, 2 ft	0	3
1766	101'118 Variega tis, leaves light yellowish green, striped dark green, exceedingly effective, 3 ii.	0	3
. 1767	,, carmine, crimson and white, chamois, yellow and red, bright red, lilac, bright yellow,	_	
1800	rose, rose and yellow, white, white and yellow, 3 ft.; collection, 2s. 6d., or each choice mixed, from the above beautiful rich coloured varieties, 3 ft.	0	6
1768 1769	,, fine mixed, 3 ft.	0	3
1103	MATHI'OLA, Nat. Ord. Crucif'eræ. Hardy annual night-scented Stock.		Ī
1770	Mathi'ola bicor'nis, the delicious rich perfume emitted by the flowers of this plant in the afternoon,		
1110	evening, morning, and after a shower, is truly delightful, and perceptible some		
	distance off: it should be scattered about the garden like Mignonette, 1 st6d. &	I	0
	MELIAN'THUS, Nat. Ord. Zygophylla'cea. Sub-tropical perennial.		
1771	Melian'thus ma'ior an extremely handsome sub-tropical plant, with beautiful pinnate foliage.		
	See illustration in Mr. Robinson's "Parks and Promenades of Paris, 6116a. &	Ι (0
MES	SEMBRYAN'THEMUM, Nat. Ord. Mesembrya'ceæ. Charming half-hardy annuals,	etc	20
1772	Mesembryan'themum, Cape perennial species, in mixture, for greenhouse decoration	1	0
1773	capita'tum, pale yellow, \(\frac{3}{4} \) ft. capita'tum, pink, \(\frac{3}{4} \) ft. variega'tum, leaves green \(\frac{3}{4} \) ft. pomeridia'num, brilliant yellow, \(\frac{3}{4} \) ft. pomeridia'num, brilliant yellow, \(\frac{3}{4} \) ft.	0	3
1774	variega/tum leaves green for white 3 ft. disclum variegalum is a	ı	3
1775 1776	nomeridia'num. brilliant vellow. If the many baskets.	0	
1777	tricolor rose purple centre. \$11 Beautiful awarf plants on 13a. &	0	36
1778	" al'bum, white, purple centre, 4st. \ southborders, rock-work, &c. (3d. &	0	6
	MICHAUXIA, Nat. Ord. Campanula'cee. Handsome hardy biennial.		
1779	Michaux'la campanuloi'des, large white Passion-flower-like blossoms in profusion	0	6
	MIGNONETTE (Rescda odorata), Nat. Ord. Reseda'ceæ. Hardy annuals.		
,	Seed of this universal favourite should be scattered liberally in flower and shrubbery borders, also on	dr	y

Seed of this universal favourite should be scattered liberally in slower and shrubbery borders, also on dry banks, old walls, and any sunny situation, such for instance as the margins of gravel paths close under the windows. The varieties enumerated are all delightfully fragrant, but differ in shade of colour or habit of growth. The finest for pot-culture are the new varieties, Pyramidalis gigantea, bouquet, and multislora compacta.

```
Per pkt
               1780
  1781
  1782
  1783
                                                                                glgan'tea, the tallest, large-flowered, and the best for pyramids ...6d. &
  1784
                                                                                1785
  1786
           MTMO'SA (Sensitive Plant), Nat. Ord. Legumino'sæ. Curious greenhouse annual.

Mimo'sa pudi'ca, so sensitive is this plant, that the leaves when touched, instantly fold up; it grows
                                freely in the conservatory or sitting-room, and out doors from June, 2 ft.
 cu'preus, orange crimson, fine bedder, r ft.

"Brilliant, scarlet, effective in beds, r ft.

"du'plex, calyx and corolla orange crimson, fine bedder, r ft.

"quinquevul'naris ma'ximus du'plex, calyx and corolla heavily blotched, r ft. 6d. &
                           29
                           1.0
                           ••
  1794
                           ..
                                          Roezlii, bright yellow, spotted crimson, a valuable new bedoing species, rft.

Tillingi, rich golden yellow, a fine bedding plant, not soon affected by drought, rft....

choice mixed, including the foregoing varieties, rft.

15. & fine mixed, including the older varieties, rft.
  1795
  1796
                           ,,
  1797
  1798
                        MUSK-PLANT, Nat. Ord. Scrophularia'cea. A favourite hardy perennial.
                 sylvatica, blue, \(\frac{1}{2}\) fit. \(\frac{1}{2}\) These are the true Cliveden Forget-me-nots, which have attained so much celebrity through the extensive use made of them by Mr. Fleming, at Cliveden.

dissitifio'ra, clear blue, the earliest of the Forget-me-nots; flowering in Foruary, when the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) fit. \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable, and continuing throughout the spring, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) the season is favourable.
  1803
                                                                                                                                                                                                                                                          0
   1804
                           11
                                                                                                                                                                                                                                                          0
                                                                                                                                                                                                                                                                 6
  1805
                                                                                                                                                                                                                                                                 6
   1806
  1807
                                          oblonga'ta, bright blue, a robust growing continental variety, \(\frac{3}{4}\) ft.

palus'tris, blue, a valuable summer flowering variety for moist situations, \(\frac{1}{2}\) ft.
  1808
  1809
                                          MYR'TUS (Myrtle), Nat. Ord. Myrta'cea. Half-hardy shrubs.
                 Myr'tus commu'nis mixed, fine plants for the sitting-room, conservatory, and terrace ....... 6d. & 1 0
  1810
                                NÆGE'LIA, Nat. Ord Gesnera'ceae. Beautiful stove perennial bulbs.
  1811 Nægelia, saved from the choicest varieties ...... 2 6
NASTUR'TIUM (Tropæ'olum), Nat. Ord. Tropæola'ceæ. Beautiful hardy annuals.

Unrivalled for beauty, effect, and utility. In dry soils, or soils made poor with lime-rubbish, they will surpass the Geranium and Calceolaria in brilliancy and in profusion of bloom. To amateurs who have no glass they are a boon, and a valuable supplementary plant in cases of deficiency or failure of "bedding stuff."

1812 Nastur'tlum scarlet King of Tom Thumb, intense scarlet, i ft.
1813 "golden King of Tom Thumb, golden yellow, i ft.
1814 "ruby King of Tom Thumb, roby rose, i ft. and unquestionably the finet and soil who fine the varieties of the var
            NASTUR'TIUM (Tropæ'olum), Nat. Ord. Tropæola'ceæ. Beautiful hardy annuals.
                                            1826
   1827
   1828
   1829
   1830
   1831
   1832
                                 ,,
   1833
  1834
                                                                             Vestivitis, deep lustrous crinison, \(\frac{1}{2}\) ft... and later into to Vulcan, maroon-crinison, \(\frac{1}{2}\) ft... antumn than any of to mixed, \(\frac{1}{3}\) ft.... other dwarf varieties.
   1835
                                                                                                                                                                               antumn than any of the
                                                                                                                                                                                                                                        15.&
   1836
```

```
Pretty compact growing half-hardy annuals.
    NEME'SIA, Nat. Ord. Scrophularia'ceæ.
            1837
1838
1839
1840
NEMOPH'ILA, Nat. Ord. Hydrophylla'ceæ. Charming hardy annuals, etc.

All exceedingly beautiful. Their height being nearly uniform, and their colours presenting strong contrasts, they are admirably adapted for sowing in circles or ribbons, especially in autumn for spring flowering.
             Nemoph'ila atoma'ria cœles'tis ocula'ta, celestial blue, blotched with black, \(\frac{1}{2}\) it.

"" el'egans, pure white, with dark chocolate centre, very fine, \(\frac{1}{2}\) ft. .....3d. &
                                    a atoma'ria celes'tis ocula'ta, celestial blue, blotched with black, \( \frac{1}{2} \) it.

"el'egans, pure white, with dark chocolate centre, very fine, \( \frac{1}{2} \) it.

"fo'liis variega'tis, a silvery variegated foliage variety of atomaria, \( \frac{1}{2} \) ft.

discoida'lis auricula'ta, rich crimson-brown, with white cye, \( \frac{1}{2} \) ft.

"argen'tea, silvery white, spotted chocolate, charming variety, \( \frac{1}{2} \) ft.

"argen'tea, silvery white, spotted chocolate, charming variety, \( \frac{1}{2} \) ft.

"ad. &

"n'igra, jet black when the flowers first open, very distinct, \( \frac{1}{2} \) ft.

"ad. &

"puncta'ta, white, spotted black, very pretty, \( \frac{1}{2} \) ft.

"ad. &

"vitta'ta, velvety black, margined pure white, \( \frac{1}{2} \) ft.

"ad. &

"insig'nis grandifio'ra, clear bright blue, white centre, \( \frac{1}{2} \) ft.

"ad. &

"al'ba, pure white, \( \frac{1}{2} \) ft.

"al'ba, pure white, \( \frac{1}{2} \) ft.

"hlaci'na, beautiful lilae, new and distinct, \( \frac{1}{2} \) ft.

"purpu'rea ru'bra, puce-purple, a new colour in this family, fine, \( \frac{1}{2} \) ft. 3d. &

"stra'ta, blue and white, \( \frac{1}{2} \) ft.

"fine mixed varieties of insignis, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, with white centre, very distinct, \( \frac{1}{2} \) ft.

"purpu'rea, purple, blotched violet, Fine hardy perennials
1842
1843
1844
1845
                        2.7
1846
                        ,,
1847
                        12
1848
1849
1850
1851
                                                                                                                                                                                                                       3 3 6
1852
1853
1854
                        ,,
1855
                        ,,
1856
                                                                                                                                                                                                                        6
1857
1858
1859
1860
1861
1862
                                           NEP'ETA, Nat. Ord. Labia'tæ. Fine hardy perennials.
             Nep'eta Mey'eri, clear azurc blue, fine dwarf variety, 1 ft.
1863
         NICOTIA'NA (Tobacco Plant), Nat. Ord. Solana'ceæ. Ornamental foliage plants.
fine mixed varieties ......3d. &
1870
                              NIEREMBER'GIA, Nat. Ord. Solana'cea. Half-hardy perennials.
                                         Nierember'gia frutes'cens, white, veined lilac, I ft. gra'cilis, white, veined lilac, I ft. pic'ta, a beautiful large-
                                                                                                                                                                                                                         6
1871
1872
 1873
                                                                                                                                                                                                                        6
                                                                                                                                                                                                                  0
 1874
       NIGEL'LA (Love-in-a-Mist), Nat. Ord. Ranuncula'cew. Effective hardy annuals.
              1875
 1876
 1877
 1878
                                         NOLA'NA, Nat. Ord. Nolana'ceæ. Pretty hardy annuals.
              Nola'na atriplicifo'lia, blue-violet and white

"al'ba, pure white ...

"subcœru'lea, mauve

"fine mixed...

"al'ba, pure white ...

"subcœru'lea, mauve

"resemble Convolvulus tricolor.

"3d. &
  1880
                                                                                                                                                                                                                  0
  1881
       NYCTERINIA, Nat. Ord. Scrophularia'ccæ. Pretty miniature half-hardy annuals.
              Nycterin'ia capen'sis, brown, \(\frac{1}{4}\) ft.

"selaginoi'des, \(\rho int, \) yellow centre, \(\frac{1}{3}\) ft.

"al'ba, \(white, \frac{1}{3}\) ft.

"selaginoy'des, \(\rho int, \) yellow centre, \(\frac{1}{3}\) ft.

"for edgings, \(\rho int, \) work, small beds, and pot-culture.
                                                                                                                                                                                                                        6
  1883
  1884
  1885
  ENOE'THERA (Evening Primrose), Nat. Ord. Onagra'cca. Perennials and annuals.

E. bistorta Veitchii, a gem for small beds and rock-work; Rosea Mexicana, a pretty dwarf plant; Drummondii, a fine, bold bedding plant; the others are valuable for borders, and prized either for their majestic growth, or large handsome flowers. In shrubberies and semi-wild places the tall varieties should be largely cultivated.
              1886
  1887
  1888
   1889
  1890
   1891
   1892
   1893
  1894
   1895
   1896
   1897
```

	OD/ODITO M. O. I. T	
▶1898 1899		or pkt. o g o g
	OX'ALIS, Nat. Ord. Oxalida'ceæ. Hardy perennials, etc.	• 3
1900 1901	Ox'alls floribun'da, mixed, ½ ft	0 6
1902	,, ro'sea, bright rose-purple, hh. annual, 1 ft. awary, command, orom foliage, is valuable for edgings and front lines in ribbons. Valdinings of 6d. &	I O
1903 1904	", delica'ta, delicate pale rose, \(\frac{1}{2}\) ft and Rosea are fine bodding plants, the bright yellow, \(\frac{1}{2}\) ft the rich rose-purple of the other.	0 6
1905	,, choice mixed, \frac{1}{2} ft. \tag{\text{the rich rose-purple of the other.}}	0 3
	OXYU'RA, Nat. Ord. Compos'itw. Beautiful showy hardy annual.	
1906	Oxyu'ra chrysanthemoi'des, golden yellow, edged white, effective in beds and borders, 1 ft3d. &	0 6
3.007	PALAFOX'IA, Nat. Ord. Compositæ. Fine half-hardy annual.	
1907	Palafox'ia Hooker'i, rose-pink, a fine border plant useful to cut for bouquets, 13 ft	0 6
1908	PALA'VIA, Nat. Ord. Malva'ccæ. Half-hardy annual. Pala'via flexuo'sa, rose-pink, an elegant plant, profusely covered with small saucer-shaped flowers, very suitable for small beds, rock-work, and for pot culture, 1 ft	0 6
	PANSY, see VIOLA, page 43.	
	PAPAVER, Nat. Ord. Papavera'cea. Exceedingly showy hardy perennials.	
1909	Papa'ver involucra'tum max'imum, brilliant orange-scarlet, a grand border plant, a ft.	0 3
1910 1911	nudicau'le, bright yellow, fine plant for rock-work, 1 ft. , orientale, deep scarlet with black blotches, a grand border plant, 2½ ft.	0 3
1912	,, splen'didum, bright scarlet, 2½ it	0 6
	EAS, SWEET (Lath'yrus odora'tus), Nat. Ord. Legumino'sæ. Fragrant h. annual	ls.
1913 1914	Peas, Sweet invincible, rich crimson-scarlet, 6 ft	0 6
1915 1916	", black, very dark, 6 ft out unsignity objects, or to form 3d. &	0 6
1917	painted lady, 6 ft for protecting more tender plants, 3d &	0 6
1918 1919	" new hybrid, blue edged, 6 ft	0 6
1920	", purple, 6 ft. ders pyramids of these supported 3d, &	0 6
1921 1922	ive. Grown in pots they can be	0 6
1923	", striped, 6 ft	0 6
192 4 1925	,, white, 6 ft. December, and again in spring.	0 6
	PELARGO'NIUM (Geranium), Nat. Ord. Gerania'ceæ. Greenhouse plants.	
I	For the decoration of the greenhouse, no plant is more popular than this, and when well grown its eff	ect is
snatch.	tless. At our summer flower shows it is a conspicuous object; the large bold flowers of the English iful spotting of the French, and the elegant and delicate colours of the Fancy, make them deservedly po	the
plant.	s. The seeds we offer have been saved from first-class show varieties, and will yield flowers of the	most.
1926	reed types. The raising of seedlings is very simple. Pelargo'nium fancy, saved from the choicest varieties, 2 ft	
1927	English and French large-flowered, saved from the choicest varieties, 2 fts. &	2 6
1928 1929	,, Odier's spotted varieties, 2 ft	2 6
	For Zonale, Nosegay and Tricolor Pelargoniums, Sec Geranium, page 26.	2 0
	PENTAPE'TES, Nat. Ord. Byttneria'cew. Beautiful greenhouse perennials.	
1930 1931	Pentape'tes phœni'cea, bright scarlet, a very fine pot plant, \(\frac{3}{4} \) ft.	0 6
200	PENTSTE'MON, Nat. Ord. Scrophularia'ceæ. Splendid hardy perennials.	0
F	For brilliant effect and continuous blooming in the flower garden, it is hardly possible to over-estima	te the
Engli	ish hybrid Pentstemons. The flowers are large, the markings beantiful, and the colours rich and va the habit of the plant is good and its culture simple. Of late years bedding plants have somewhat p.	ried,
the Pe	entstemon into the background, but the splendid hybrids exhibited at the meetings of the Royal Hortical	tural
	y, and the fine collection grown at Chiswick have tended considerably to reinstate the Pentstemon as a pop n favourite. To cut for vases and table bouquets few plants are more suitable.	bular
1932	Pentste'mon, splendid mixed, saved from the finest large-flowered English hybrids	2 6
1933 1934	,, choice mixed, including the newest species of English and Foreign varieties	0 6
1935 1936	acumina/tus, blue-purple, fine racemes of flowers, 1½ ft	0 6
1937		0 6
1938 1939	, barba'tus coccin'eus, bright scarlet, also known as Chelone barbata, 3 ft	o 6
1940	,, Clevelan'di, dark red, flowers large and very handsome, 3 ft	0 6
1941 1942	,, cordifo'lius, red, 1½ ft.	o 6
1943	,, heterophyllus, fine blue, habit dwarf and bushy, 1 ft.	r o
1944 1945		0 6
1946 1947	" Murraya'nus, splendid scarlet, 2 ft.	0 6
1948		0 6
	^	

PERIL'LA, Nat. Ord. Labia'tæ. Valuable ornamental foliaged half-hardy annuals. S. d. These are useful plants for back lines and ribbons, or as single specimens in mixed borders; the new variety, atro-purpurea foliis luciniatis is a really fine acquisition.

1949 Peril'la Nankinen'sis, deep mulberry foliage, a most useful plant in ribbons, 1½ ft.3d. & o 6

1950 , atro-purpu'rea fo'liis lacinia'tis, foliage elegantly serrated, 1½ ft....3d. & o 6

PETU'NIA, Nat. Ord. Solana'ceæ. Splendid half-hardy perenniuls.

Most valuable plants, succeeding almost anywhere. When grown in large beds hooped over, and the plants trained to the hoops, the effect produced is splendid. Trained on trelliess, or against rustic fences, the effect is grand. Planted on old walls, in old stumps of trees, vases, rustic baskets, or fissures in rock formations, and allowed to droop over, they are matchless. On rock-work and amongst old roots and ruins the effect is beautiful. As a pot plant and for hanging baskets they are valuable, continuing in beauty till very late in the autumn. Sown in March and Abril they commence howeving in Tune and Ynly.

6 6 6 double, saved from finest fertilized flowers, $1\frac{1}{2}$ ft.

double, saved from the finest fertilized striped flowers, $1\frac{1}{2}$ ft. 1957 2.3 23 6 1959 " ** al'ba, white, 1½ ft.

crimson, very fine, 1½ ft.

Countess of Ellesmere, rose with white throat, very pretty, 1½ ft.

limitable, rose-purple, spotted white, splendid, 1½ ft.

kermesi'na splen'dens, rich crimson, 1½ ft. 1959 " 33 1960 ,, 1961 23 6 1962 1963 red.purple, splendid self-coloured large flowers, 13 ft.
crimson-purple, splendid self-coloured large flowers, 13 ft. 1964 ,, 1965 32 12 striped, splendid large flowers, beautifully striped, 1½ ft.

red edged illac, a fine variety, 1½ ft. 1966 ,, " 1967 1968 " 22 1969 " 1970

PHLOX, Nat. Ord. Polemonia cew. Half-hardy annuals, etc.

Superb plants, prized for their profusion of richly-coloured flowers of many hues, and for their exceedingly fine effect in beds, pots, and rock-work, also in rustic baskets, and as drooping plants.

For new and very handsome varieties of Phlox Drummondii. See page 5.

..6d. & I O

6

1971 Phlox Drummond'il mixed saved from choice varieties. I ft.

1911	PILIOX	Drummonu n	mixed, saved from endice varieties, 1 ic.		-
1972	"	12	fine mixed, r ft3d. &	•	6
1973	"	11	al'ba, pure white, I ft		6
1974	"	"	., ocula'ta, satin-white, crimson eye, I ft	0	4
1975	12	"	" stella'ta, white starred pink, I ft.	0	6
1976	"	"	atropurpu'rea stria'ta, dark purple, striped white (new), 1 ft	0	6
1977	"	,,	chamoise rose, very pretty distinct colour, 1 ft.	0	6
1978	"	"	Empress Eugenie, rose marbled, 1 ft	0	6
1979	"		Graf Gero, purple-lilac, white centre, new and fine, I ft.	I	0
1980		"	Heynho'ldi, brilliant vermilion-scarlet, the richest coloured, I ft	I	0
1981	2.2	**	cardina lis (new), intense scarlet, most beautiful, 1 ft	2	6
1982	23	"	Isabelli'na, primrose, I ft	0	6
1983	33		kermesi'na, most brilliant deep searlet, 1 ft	0	6
1984	"		King of Purple, splendid crimson-purple, 1 ft	0	6
1985	12		Leopoldia'na, pink, white eye, I ft	0	6
1986	22	13	marmora'ta viola'cea, violet marbled, I ft	0	6
1987	23	"	Queen Victoria, violet, white eye, I ft.		4
1988	11	**	Radowit'zkii, rose purple, striped white, I ft	0	4
1989	1)	**	Princess Royal, purple, white striped, I ft	0	6
1990	32	***	William I., crimson-scarlet, striped white, I ft		6
1991	2.2	***	ro'sea, bright rose, I ft.		4
1992	"	13	al'ba ocula'ta, bright rose with white eye, I ft		6
1993	33	11	variab'ilis, blue. marbled dark purple, I ft	0	6
1994	37	,,	viola'cea albo-ocula'ta, violet, with large white eye, I ft	0	6
1995	33	37	mixed from the above splendid named varieties, I ft		6
1996	23	Perennial say	red from choice named varieties, 2 ft	1	0
1997	"	Str.	ved from the newest of Lierval's magnificent varieties, 2 ft	2	6
Pavas	nnial P	blores it is and	re satisfactory to purchase plants of these. We have a fine collection in pots re	ady	to
Perer	intal F	niones, ii is mo.	plant out, 6s., 9s., and 12s. per dozen.		
			prant var, our, gr, and rate per donor.		

PICOTE'E, Nat. Ord. Caryophylla'ceæ. Most beautiful hardy perennials.

The elegantly fringed fragrant flowers of the Picotee are favouriles for hutton holes, laries' strenes, and bouquets. Seedlings are more floreferous than propagated plants, so for cut flowers they should be extensively grown; the best quality seed yields a large per centage of doubte flowers. Units 6s, 9s., and 12s. per dozen.

2007	PIMELE'A, Nat. Ord. Thymela'cee. Charming greenhouse shrubs.
2007	Pimele'a choice mixed, very beautiful greenhouse plants, 2 ft
	Charles to the configuration of the configuration o
2008	Charmingly beautiful fragrant flowers, esteemed above all others for decoration and bouquets.
2009	And mixed a fe
2010	Brown's mule, plumarius, and Pheasant's eye, mixed, 1 ft
2011	PLATYSTE'MON, Nat. Ord. Papavera'ceæ. A charming hardy annual.
2011	, , , , , , , , , , , , , , , , , , ,
	PLUMBA'GO, Nat. Ord. Plumbagina'ceæ. Beautiful greenhouse perennials.
2012	Flumba'go alba, white, 2 it These are fine greenhouse plants, blooming profusely and [I O
2013	
	POLEMO'NIUM, Nat. Ord. Polemonia'ceæ. Hardy herbaceous perennials.
2014	Polemo'nium cœruleum, blue, 2 ft
2015	
2010	POLYAN'THUS, Nat. Ord. Primula'ceae. Spring-flowering hardy perennials.
2016	Polyan'thus saved from best varieties, \frac{1}{2} ft. \ In the spring flower garden the Polyanthus is \(\frac{15}{6} \& \ 2 6 \)
2018	Wehh's new crient 1 ft. a very effective and almost indispensable plant. Od. & 1 o
2019	new Fancy, § ft The new Fancy varieties include the Hose in 6d.& 1 0 6d.& 1
2020	giant white, of ft
2021	", yellow, ½ ft
2023	POLYG'ALA, Nat. Ord. Polygala'ceæ. Splendid greenhouse shrubs. Polyg'ala choice mixed, from the finest varieties, 3 ft
2020	
0000	POLYG'ONUM, Nat. Ord. Polygona'ceæ. Hardy annuals.
202 4 2025	Polyg'onum orientale, red,
2026	pu'milum, red fower borders, sides of ranning large as specimens in shrubberies, large 3d. & 0 6
2027	
	POLYM'NIA, Nat. Ord. Compos'itæ. Hardy perennial.
2028	Polym'nia ed'ulis, a plant for sub-tropical gardens, the foliage is large and ornamental, while the
	roots form a desirable esculent
	POPPY (Papa'ver), Nat. Ord. Papaverdceæ. Remarkably showy hardy annuals.
	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc.
2029	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc.
2029 2030	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc.
2029	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc.
2029 2030 2031	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft. 3d. & 0 6 Marseilles splendens, white and red, double, 2 ft. 3d. & 0 6 Pæony-flowered, double, 2 ft. 3d. & 0 6 mixed from the above 3d. & 0 6 PORTULA'OA, Nat. Ord. Portulaca'ceæ. Splendid half-hardy annuals. Portula'ca al'ha stria'ta, white, striped crimson, \(\frac{1}{2} \) ft\ In brilliancy, delicacy, and beauty of \(\) 3d. & 0 6
2029 2030 2031 2032 2033 2034 2035	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2036 2037 2038 2039 2040 2041 2042 2043 2044	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2048 2049 2041 2042 2043 2044 2045 2046	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2046 2047	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2048 2049 2041 2042 2043 2044 2045 2046	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2055 2052 2053 2054 2055 2056 2057	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ramunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2036 2037 2038 2040 2041 2042 2043 2044 2045 2049 2050 2051 2052 2053 2056 2056 2057 2058	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2055 2052 2053 2054 2055 2056 2057	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft. 3d. & 0 6 "Rarsellies splendens, white and red, double, 2 ft. 3d. & 0 6 "Pæony-flowered, double, 2 ft. 3d. & 0 6 "Portula'ca al'ba stria'ta, white, striped crimson, ½ ft. 3d. & 0 6 "Blenso'nii, light scarlet, ½ ft. 5d. 5d. 5d. 5d. 5d. 5d. 5d. 5d. 5d. 5d
2029 2030 2031 2032 2033 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2049 2050 2051 2052 2053 2056 2056 2056 2056 2056 2056 2056 2056	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft
2029 2030 2031 2032 2033 2034 2036 2037 2038 2049 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2056 2057 2057 2057 2057 2057 2057 2057 2057	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft. 3d. & 0 6 "Pacony-flowered, double, 2 ft. 3d. & 0 6 "Pacony-flowered, double, 2 ft. 3d. & 0 6 "Portula'Ca Al'ba stria'ta, white, striped crimson, \(\frac{1}{2}\) ft. au'rea, golden yellow, \(\frac{1}{2}\) ft. bu'tea stria'ta, white, striped crimson, \(\frac{1}{2}\) ft. our door plants, through a plant age of the same in the splen'dens, rich crimson, \(\frac{1}{2}\) ft. splen'dens ft, pl., white, \(\frac{1}{2}\) ft. splen'dens ft, pl., voite,
2029 2030 2031 2032 2033 2034 2035 2036 2037 2040 2041 2042 2043 2044 2045 2049 2050 2051 2052 2053 2056 2056 2056 2056 2056 2056 2056 2056	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft

```
PRINCE'S FEATHER, Nat. Ord. Amaranta'cew. Ornamental hardy annuals.
              Prince's Feather, large flowered, crimson, 3 ft. ....

new crimson foliage, 3 ft. ....

new golden flowered, 3 ft. ....

new purple, 3 ft. ....

purple variety is a valuable acquisition.
 2063
 2064
 2065
 2066
                     PRIM'ULA, Nat. Ord. Primula'ceæ. Charming greenhouse perennials, etc.
For winter decoration Primulas are amongst the most important of greenhouse plants, and it is of the first moment that the seed should be from the finest types of flowers. It is well known that several of the growers for Covent Garden Market are noted for their Primulas, the flowers being large, rich in colour, and of great substance, while the habit of the plant is robust and the flowers standing well above the foliage. It is from this style of plant the seed we offer has been saved, and it is unsurpassed. We mention this simply on account of the pretensions put forth by some houses, intended to make believe that they and they only possessed this Covent Garden quality of Primula. Primula Japonica is by far the most magnificent of the hardy varieties of this genus, and will be esteemed as much for in as for out-door decoration.
             Prim'ula Sinen'sis fimbria'ta mixed, Barr's select Covent Garden strain, the finest, \{ ft. .....2/6 &
 2067
                                                                                    fine mixed, \(\frac{3}{4}\) ft.

al'ba, Barr's select white Covent Garden strain, the finest, \(\frac{3}{4}\) ft.2/6 &
 2068
 2069
                                                                    **
                                                                                                  fine variety of white, \ ft.....
 2070
                                            ,,
                                                                                   "nibra, Barr's select red Covent Garden strain, the finest, \( \frac{3}{2} \) ft. 2/6 & ru'bra, Barr's select red Covent Garden strain, the finest, \( \frac{3}{2} \) ft. ru'bro-viola'cea, violet-rose, new and beautiful, \( \frac{3}{2} \) ft.

Alexandra, white, with conspicuous yellow centre, \( \frac{3}{2} \) ft. elegantis'sima puncta'ta, rich crimson, spotted white, beautiful, \( \frac{3}{2} \) ft.

Florence, a beautiful deep scarlet, shaded madder, \( \frac{3}{2} \) ft.

Grand Duchess Maria, lilae, with conspicuous yellow centre, \( \frac{3}{2} \) ft.

Willage Maid, white, speckled and striped carmine, \( \frac{3}{4} \) ft.

Village Swain, rose flowers and russetty foliage, \( \frac{3}{2} \) ft.

Village Swain, rose flowers and russetty foliage, \( \frac{3}{2} \) ft.

Illa'cea, \( \frac{3}{4} \) ft.

"lila'cea, \( \frac{3}{4} \) ft.

"mixed, \( \frac{3}{4} \) ft.

"stria'ta, striped (new), \( \frac{3}{4} \) ft.

"bandsome, flowers large and beautifully fombriated.

1s.& beautifully fombriated.

1s.& couble white, \( \frac{3}{4} \) ft.

These double Primulas

2/6 & couble village very

1s.& couble village very

2/6 & couble villag
                                                                                     ru'bra, Barr's select red Covent Garden strain, the finest, $ ft. 2/6 &
 2071
 2072
 2073
                         99
                                            99
 2074
                         ,,
                                            "
 2075
                         **
                                            **
                                                                     "
 2078
                         97
                                            ,,
                                                                     P 2
 2077
                         23
                                            9.2
                                                                     21
 2078
                                            ,,
                                                                     93
 2079
                                                                     ,,
 2080
 2081
                         ,,
                                            ,,
 2082
                         99
                                            "
                                                                                                                                                                                                                                                    666666
 2083
                         91
                                            "
                                                                     "
 2084
                         ,,
                                            39
                                                                     "
 2085
                                                                                                                                                                                                                                             2
                         .,
                                             99
                                                                     99
 2086
                          29
                                             ,,
 2087
                          99
                                                                                     double white, \( \frac{3}{4} \) ft. \( \text{ft.} \)
 2088
                                                                     ..
                                                                                                                                                                 These double Primulas
                                                                                                   rich magenta, $\frac{1}{2} ft.

rich mauve, $\frac{1}{2} ft.

Prince Arthur, carmine

crimson, $\frac{3}{4} ft.

fin pl., $\frac{3}{4} ft.

from the vector of the from they do not drop

their flowers like the

single varieties.
                                                                                                                                                                                                                            2/6 &
 2089
                                                                                                                                                                                                                            2/6 &
 2090
                          ,,
                                             ,,
                                                                                                                                                                                                                            2/6 &
                                                                                                                                                                                                                                                    6
 2091
                          ,,
                                             29
 2092
                         ,,
                                             29
                                                                     22
                                                                                                                                                                                                                            2/6 &
                                                                                                                                                                                                                                                    6
                                                                                    2093
                                                                                                                                                                                                                                                    6
 2094
                                             cortusoi'des, rose-lilac, hardy perennial. 3 ft. .......
 2095
                                            amœ'na, rose purple, exquisitely beautiful, \( \frac{3}{2} \) ft.

farino'sa, pink, a charming Alpine, \( \frac{1}{4} \) ft.

japon'ica, English saved seed, from most beautiful varieties, I ft.

15. &
 2096
 2097
 2098
                         ,,
                                             lute'ola, yellow ..
 2099
                                             verticilla'ta, var. Abyssiniensis, yellow (new), very beautiful, 1 ft. ......ss. &
 2100
        PYRE'THRUM (Golden Feather), Nat. Ord. Compositæ. Splendid hardy perennials.
              2101
 2102
                                                                                                                                                                                                                                                    6
                                                                                                                                                                                                                                             o
 2103
                                                                                                                                                                                                                                             o
                                                                                                                                                                                                                                                    666
 2104
                                                                                                                                                                                                                                             0
 2105
  2106
                                                                                                                                                                                                                                             ٥
  2107
                                                                                                                                                                                                                                             ٥
                                                                                                                                                                                                                                                    4
  2108
                                                                                                                                                                                                                                             ۵
                                                                                                                                                                                                                                                    6
  2109
 2110
  It would be impossible to speak too highly of the New Double Pyrethrums, their large Aster-like slowers are charm-
           ing in May and June, and again in autumn. It is more satisfactory to purchase these as plants, and we can
           at all times supply them in pots ready to plant out; 9s., 12s. and 18s. per dozen.
                                                                                                                                             Beautiful early summer flower.
                   RANUN'CULUS, Nat. Ord. Ranuncula'ceæ.
  2111 Ranun'culus Asiat'icus super'bus, large brilliant colours, flowers the first season, ½ ft. ..............
                                                                                                                                                                                                                                             1 0
                          RHODAN'THE, Nat. Ord. Compos'itæ.
                                                                                                                                     Half-hardy everlasting annuals.
               Rhodan'the Mangle'sii, bright rose, 1 ft......3d. & ma'jor, bright rose, 1 ft..... ft. pl. Prince Bismarck,
                                                                                                                                                                                                                                                    6
  2112
                                                                                                                                     "Bright gems," which should be universally cultivated, Few plants brought to Covent Garden Market charm the visitor so much as the allvery rose-tinted flowers of the Rhodanthe. In private establishments stey might be grown in pans of about a doscen plants for autumn or spring decoration, and for this purpose they are much prixed. In the flower garden they are beautiful, and for bouquets unsurpassed.
                                                                                                                                                                                                                                                    6
  2113
                                                                                                                                                                                                                                             o
  2114
                                                                          rose, very double, new, 1 ft.
                                             atrosanguin'ea, purple-crimson, 1 ft.
                                                                                                                                                                                                                                             o
                                                                                                                                                                                                                                                    6
  2115
                                             macula ta, rosy purple, with crimson circle, 11 ft......3d. &
  2116
                            22
                                                                                                                                                                                                                                                    6
                                                                                                                                                                                                                                             0
                                                                                                                                                                                                                                                    6
                                                                        al'ba, silvery white, 11 ft.
                                                                                                                                                                                                                                             o
                                             mixed, including all sorts .......6d. &
  2118
                                       RHODODEN'DRON, Nat. Ord. Erica'cea. Magnificent shrubs.
                Rhododen'dron splendid mixed hardy varieties .....
  2119
```

greenhouse varieties

```
RI'CINUS, Nat. Ord. Euphorbia'ceæ. Highly ornamental foliage plants.
 Picluresque, gigantic, umbrageous, elegant foliage plants, which in autumn are studded with grotesque fruit. As specimens on the lawn or terrace they are unsurpassed, while for the Sub-tropical garden they are in-
dispensable. In shrubbery borders, and by the sides of ravines, rivulels, and lakes, they impart a majesty possessed by few, if any other plant. From seed they speedily attain gigantic proportions, and are ornamental till destroyed by the frost.
       2121
2122
2123
                                2124
2125
2126
             33
2127
2128
             ,,
                         91
2129
2130
2131
2132
             ,,
2133
2134
             33
                                                             2135
                                 choice mixed varieties
              RIVI'NA, Nat. Ord. Phytolacca'ceæ. Greenhouse fruit-bearing shrubs.
     2136
                  aurantia'ca, orange berries, 2 ft.
2137
         ROOKET, Nat. Ord. Crucif'eræ. Valuable early-flowering hardy perennials.
        Rocket, Sweet, purple, 1½ ft. For the decoration of the spring flower garden the Sweet Rockel is , , , white, 1½ ft. exceedingly useful, flowering early, and continuing beautiful for mixed, 1½ ft. a long time in beds, ribbons, etc.
2138
2139
                                                                                                                                   3
2140
                      ROSE (Rosa), Nat. Ord. Rosa'ceæ. Splendid hardy shrubs.
2141 Rose, saved from the choicest named varieties.....
                                                                                                                               I
        RUDBEO'KIA, Nat. Ord. Compos'itæ. Handsome hardy perennials.

Rudbec'kia amplexicau'lis, yellow, 3 ft.

"atro'sanguines, blood yed, 3 ft.

"califor'nica, golden yellow, 3 ft.

"Newman'ii, orange, 2 ft.

"Rudbec'kia amplexicau'lis, yellow, 3 ft.

"less exceedingly showy free-flowering herbaceous perennials are very effective in largeborders, and valuable largeborders, and valuable largeborders, and valuable largeborders.
2142
2143
2144
                                                                                       largeborders, and valuable for naturalization in semi-
2145
                     pulcher'rima, crimson, edged yellow, 2 ft. .....
2146
                                                                                       wild situations, and in
2147
                      purpu'rea, pur ple, 2 ft.
                      choice mixed ......
                                                                                       woodland walks.
2148
                SABBA'TIA, Nat. Ord. Gentiana'ceæ. Charming greenhouse annual.
SALPIGLOS'SIS, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals.
2151
2152
                                                                                                                                   6
2153
             ,,
2154
                               choice mixed, 13 ft......3d. &
2155
                 SAL'VIA, Nat. Ord. Labia'tw. Splendid annuals and perennials.
2156 Sal'via coccin'ea, scarlet, 1\frac{1}{2} ft.

2157 ", "na'na compac'ta, dwarf, scarlet, 1 ft.

2158 ", "super'da, scarlet, 1\frac{1}{2} ft.

2159 ", "choice mixed ... 3d. & tion to the conservatory: half-aring and in flower till late in tensely rich, and continuing in flower till late in tensely rich, and continuing in flower till late in tensely rich, and continuing in flower till late in the seedlings of the following perennial Salvias are decorative the first season, and are very ornamental. Argentea with its massive silvery foliage, and Patens with its intense blue flowers, are matchless. All the varieties may be used for in-door and out-door decoration.

2160 Sal'via amab'liis, lavender-blue and white, hardy, 2ft.

2161 "argen'tea, beautiful large ornamental procumbent spreading silvery leaves a ft. bordy.
                4
2161
                argen tea, peatitud large of namental procument spleading arely longifolia, 3 ft.

au'rea, golden yellow, very handsome, half-hardy, 2 ft.
bl'color, blue and white, long spikes, very beautiful, hardy, 3 ft.
camphora'ta, leaves white, a fine shrubbery and sub-tropical plant, 5 ft.

candela'brum, deep violet, spotted white, greenhouse, 2 ft.
candidls'sima, large ornamental silvery foliage, 3ft.
2162
2163
                                                                                                                                   6
2164
2165
2166
 2167
                2168
 2169
           "
 2170
           22
 2171
           ,,
 2172
           ,,
 2173
 2174
 2175
 2176
                              compac'ta al'ba, while, fine dwarf habit, greenhouse, 2 ft. .....
```

	ביים ביים ביים ביים ביים ביים ביים ביים	Per pki.
2177	Sal'via verticilla'ta, blue, flowering in densc spikes, 1½ ft	s. d.
2178	", choice mixed, hardy vareties	0 6
2179	" greenhouse varieties. 6d, &	I O
	SANVITALIA, Nat. Ord. Compos'itce. Pretty dwarf bedding hardy annuals.	
These	e are very effective close growing plants, which are admirably suited from their continuous and free-blo	
	RUULL TOF HILLING OCAS, DIANTING CAGINGS YORD-THOYD CIF	oming
2180	Salvita la procum bens, rich brown, edged vellow, 1 ft.	0 6
2181	" fi. pl., golden yellow, double as a Ranunculus, very beautiful, ½ ft6d, &	1 0
	SAPONA'RIA, Nat. Ord. Caryophylla'ceæ. Charming hardy annuals, etc.	
2182	Sapona Tia Cala brica. rich bink & ft) Continuouse. blooming compact dature Alanta Sas, 600.	
2183	Sapona'ria Cala'brica, rich piuk, ½ ft. \ Continuous-blooming compact dwarf plants, effect- \ 3d. & \ " al'ba, white, ½ ft. \ ive for beds, edgings, and for spring garden. \ 3d. & \ 3d. & \ " al'ba, white, ½ ft. \ ive for beds, edgings, and for respring garden. \ 3d. & \ 3d. & \ " al'ba, white, and bardy personnel a valuable of the spring garden.	0 6
2184	ocymoi'des, rose-pink, hardy perennial, a valuable plant for rock-work, etc., \frac{1}{2} ft	0 3
	SAXIF'RAGA, Nat. Ord. Saxifraga'ceæ. Fine hardy perennial rock plants.	~ 3
2185		
2186	" many species in mixture	0 6
		2 0
91 97	SOABIO'SA, Nat. Ord. Dipsa'cea. Exceedingly showy hardy border biennials.	
2187 2188	Stable sa la la mixea double, \$11 The varieties of Nana are very floriferous, and being of a	0 3
2100	Scablo'sa na'na mixed double, \$ ft The varieties of Nana are very floriferous, and being of a fine compact growth, are well adapted for beds or planting in lines. The taller growing vorteties are valuable border plants and to cut f r vases and bonqueta, while the Starry-flowered is prized for its dried flowers and its majestic growth. ma'lor compac'ta atro-purpu'rea. wingthe for the plants are valuable of the prize of the priz	
2189	German, mixed, 2 ft. plants and to cut f r vases and bouquets, while the Starry-	0 3
2190	,, ma'jor compac'ta atro-purpu'rea, velvety dark purple, 2 ft.	
S		0 3
21.01	SOHI'NUS, Nat. Ord. Anaeardia'ceæ. An elegant and fragrant greenhouse shru	b.
2131	Schi'nus Molle, an easily cultivated graceful conservatory and drawing-room plant, 3 ft.	0 6
_	SOHIZAN'THUS, Nat. Ord. Scrophularia'ceæ. Beautiful annuals.	
Fe	ew plants are more attractive than these when well grown substher in bots or in the borders. The che	ll not
2000 7	forget seeing grand plants of Retusus in vases at Chiswick, when it was in its halcyon days. Neither	shall
Exper	adily forget the enjoyment we derived from a single plant of Retusus, which stood the winter of 1869 a rimental Grounds, and bloomed throughout the summer.	n our
2192	Schizan'thus Graha'mi, red and grange These are sharming plants for conservation f	
2193	Schizan'thus Graha'mi, red and orange	0 3
2194	retu'sus, rose and yellow very decorative for out of door culture in	0 3
2195	na/nus, rose & yellow summer and autumn, if raised in heat and na/nus, rose & yellow, 1st. planted out; half-hardy annuals, 2ft.	0 3
2196	following gaily and heavifully interphotical hadron such that in the first and heavifully interphotical hadron and heavifully interphotical hadron and heavifully in the heaviful hea	0 6
I ne j	following gaily and beautifully interspotted hardy annuals claim a position in every flower border, an conservatory decoration during winter and spring; when well grown few plants are so effective.	d for
2197	Schizan'thus ocula'tus atropurpu'reus, rich crimson, black eye, 1 ft.	0 0
2198	DVTamida'iis compactus, violet-hurble spotted black vi ft	0 6
2199	grandino rus al'ous, large oure milite flowers in labour eue y fe	0 3
2200	papinona cous, Spoiled and faced purple and vellous shading to express x it	0 3
2201 2202	pinna tus spien dens, white, purple and vellow, I it.	0 3
2203	,, tlgridioi'des, bcautifully spotted and laced, 1½ ft. ,, fine mixed varicties, 1 ft. 3d. &	0 3
		0 6
2204	SOHIZOPET'ALON, Nat. Ord. Crucif'eræ. Sweet-scented hardy annual. Schizopet'alon Wal'kerl, white, delightfully fragrant, morning, evening and after a shower, 1 ft. 3d. &	
		0 6
COAF	SOHIZOSTY'LIS, Nat. Ord. Irida'ceæ. Handsome hardy bulb.	
2205	Schizosty lis coccin'ea, crimson-scarlet; a matchless autumn and winter flowering conservatory	
	plant, I st. (It is more satisfactory to purchase plants than to sow seed of this; 3s. 6d. per dozen, 6d. each. Established pots, 1s., 1s. 6d., and 2s. 6d.)	-
	ALCOHOL IN A CO	1 0
0000	SOIL'LA, Nat. Ord. Lilid'cea. Hardy bulbs.	
2206 2207	Scilla campanula'ta varieties, fine plants for shrubbery borders and woodland walks, I ft.	0 6
	,, peruvia'na varieties, fine border plants, 1 ft.	0 0
7	SEDUM (Stonecrop), Nat. Ord. Crassula'ceæ. Fine hardy perennial rock plants	
	Admirable dwarf plants for ornamental rock-work, miniature succulent gardens, baskets, vases, etc.	
2208 2209	Se'dum, mixed, including many species and varieties of Stonecrop	1 0
2210	macrophyl'lum, white, 2 ft.	0 6
2211	,, Maximowie'zii, yellow, flowcring in large dense heads, r1 ft.	0 6
2212	,, spectab'lle (Fabaria), a grand hardy border plant, producing large corymbs of rose-	
	coloured flowers, and flowering freely under trees. The most charming of	
	carpet and tapestry beds can be produced with this plant. In June, cut off	
2213	the flowers with a piece of the stem, and plant where required, 1½ ft. 6d. & purpu'reum (new), 1½ ft., habit as above, colour darker	IO
2214	,, variega/tum	I O
2215	,, ro'seum grandiflo'rum	0 6
2216	,, reflex'um monstro'sum r ft	1 0
2217	,, the above and many other species in mixturers. &	2 6
	SILE'NE (Catchfly), Nat. Ord. Caryophylla'cea. Beautiful hardy annuals, etc.	
AL	lexceedingly effective, some for rock-quark, others for heds, and the taller sorts for harders, and to cut fre	m.
2218	Sile ne alpes tris, pure white, a beautiful dwarf alpine plant. \(\frac{1}{2} \) ft	0 6
2219	,, orientalis, bright rose, howers produced in large umbels, a fine border plant, h. p., 2 ft	0 3
2220 2221	men'dula, bright pink, 1 ft. At Cliveden these have always formed 3d. &	
2222	al'ha, pure pubite y ft a leading feature in the spring dis- 2d &	0 6
2223	commants and I for the specific aura policies of A weer time	0 6
2224	alba, white, \frac{1}{2} ft. \frac{1}{2} s a fine contrast to the green foliage	0 6
2225	" " ruber'rima, pink, 1 ft	0 6
2226	Bon'netti, pink, ½ ft.)	0 6

Per pkt.

	P	r pki	
2227	Silc'ne pseudo-ato'clon, rosy pink, a very beautiful plant for beds and masses, 1 ft3d. &	0	
2228	re'gla crimson, a fine hardy perennial, 14 ft.		3
2229	reticula'ta, deep rose, slender and graceful border plant, 2 ft		3
2230 2231	Schaf'ta, pink-lilac, a fine hardy perennial for rock-work, \(\frac{1}{2}\) ft. Valle'sti, flesh colour, hardy perennial, \(\frac{1}{2}\) ft.	0 3	3 6
2232	annual varieties in mixture		6
2233	", perennial ,, ",3d. &	0	6
	SOLA'NUM, Nat. Ord. Solana'ceæ. Ornamental fruit and foliage plants.		
2	The following embrace the most picturesque, and beautiful of this highly ornamental and en	eann	ı f
denus	of blants for sub-tropical effect in summer, and conservatory decoration throughout the year. The	y ar	re
mostly	y of rapid growth, seedling plants soon becoming effective and ornamental. Pyracanthum is a perfect	gem	;
Maro	inatum conspicuous for its white foliage: Robustum for its massive brown-tinted leaves; Laciniatur	2 an	d
Recli	natum for their exceedingly elegantly divided foliage; Glaucophyllum for its Oleander-like habit and b leaves; Warscewiczioides for majesty of form is unquestionably the grandest of the Solanums. In this m	uisn	-
the st	riking characteristics of each might be individually described.	. 12 100	
2234	Sola'num acanthocar'pum, a stately branched species, with formidable spines, white foliage and		
	curious spiny fruit, the size of a small orange, 6 ft.		6
2235	atropurpu'reum, remarkable for its black prickly stems and purplish green leaves, 3 ft cilia'tum (Balbis'ii), foliage very ornamental, fruit rich soft orange-searlet, 2 ft		6
2236 2237	citrullifo'lium, large rose-purple flowers and handsome elegantly divided foliage, 2 ft		
2238	erythrocar'pum, ornamental palmated spiny foliage and searlet fruit, 2 ft.		6
2239	Fontanesia/num, canary yellow flowers, and neat, very elegantly divided foliage, 3 ft.	0	6
2240	gigan'teum, majestic species, with large ornamental oval leaves, downy white under-	0	6
2241	neath, and violet flowers, succeeded by scarlet berries, 6 ft		
LUEL	white inside, and twice as large, and are succeeded by the richest blood-red berries, 3 ft.	I	0
2242	" glaucophyl'lum, fine bluish foliage, large blue flowers, very ornamental, 4 ft	I	6
2243	hy'strix, dark green foliage and stems, covered with dark prickles; very ornamental, 2 ft. lacinia'tum, a particularly picturesque species, with long curiously cut foliage, 5 ft	0	6
2244	Inctuo'sum folioge combre green covered with prickles robust and branching Aft.	0	6
2246	" margina'tum a conspicuous and very ornamental plant for isolation or for groups, the		_
	leaves elegantly scolloped tomentose, and margined silvery white, 4 ft.	0	6
2247	pyracan'thum (Fire Thorn), picturesquely neat plant, covered with searlet prickles, 3 ft. reclina'tum, similar in foliage to No. 2244, but with large azure blue flowers, 4 ft	0	6
2248 2249	robus'tum, a magnificent species with extremely large effective foliage, covered with		
2,2,2	long spines; the young leaves are of a rich brown tint, 5 ft	I	0
2250	,, verbascifolium, large effective downy verbascum-like brown foliage, 3 ft	0	6
2251 2252	"Warscewiczioi'des, a grand species, with large handsome ornamental foliage, 6 ft	2	6
	then in fruit the following are wonderfully effective on the dinner-table, and some of them very handsome		
	winter conservatory plants. The large beautiful fruits when dished with dessert are very attractive.		-
2253	Sola'num cornulic'ulum, curious fruit, with five horns, of a brilliant orange colour, 2 ft,	0	6
2254 2255	capsicas'trum, small orange-scarlet fruit, literally covering the plant, 1½ ft	0	6
2256	Gilo, cherry-sized fruit, bright scarlet, very effective, 2 ft.	0	4
2257	macrocar'pum, fruit shape and colour of a Tangerine orange, foliage handsome, 13 ft	0	6
2258	pseudo-cap'sicum, covered with pretty orange-scarlet berries. 2 ft	0	3
2259 2260	hy'bridum, large scarlet berries, freely produced in winter, 1½ ft	I	0
2261	"Texa'num, rich vermilion fruit, resembling a small tomato, foliage ornamental, 2 ft	0	3
2262		0	6
2263 2264		I	0
2401			
	SPHENO'GYNE, Nat. Ord. Compositæ. Beautiful showy hardy annuals.	(0	-
2265 2266		10	3
2200			
	STATIOE, Nat. Ord. Plumbagina'ceæ. Highly ornamental perennials, etc.		
	The following are spleudid greenhouse plants, the flowers are everlasting, and make fine winter bouquets	•	6
2267		7	0
2268 2269	durius'cula, azure blue, a charining dwarf variety, I ft.	0	6
2270	Holfor'dl, rich blue flowers, a very handsome variety, 2 ft.	I	
2271	imbrica/ta, blue, most beautiful, r½ ft	I	6
2272 2273	choice mixed greenhouse varieties	0	0
2413	The following are all perfectly hardy, and few plants are more effective in flower borders, on rock-work,	etc.	
	Mr. Robinson illustrates S. latifolia in "The Parks, Promenades, and Gardens of Paris."		
2274	Stat'ice bellidifo'lia, pale violet, a fine dwarf species for rockwork, } ft		6
2278			-
2276 2277	theolye nother and compact habits very desirable aft		6
2278	latifo'lia ve'ra, a fine ornamental species, with beautiful blue flowers, 1 ft	0	6
2279	9 ,, Smi'thii, blue, a very profuse flowering plant, 2 ft	. 0	6
2280	spica'ta, lovely rose-pink, contrasting richly with the emerald-green leaves, I ft	0	-
228 228		. 1	
220	The following are very showy, and may be treated as half-hardy annuals for summer decoration.		
228		. 0	3
228	4 ,, sinua'ta, purple and white, very pretty, 1 ft	. 0	3
228	5 Thoun'ii. blue and white, charming variety, I ft.	. 0	-
228	6 ", choice mixed from half-hardy annual varieties3d.	2 0	6

	43
234 234	
234	TU'NIOA, Nat. Ord. Caruonhulla'cea. A pretty hardy perennial
231	TY'DEA, Nat. Ord. Gesnera'cea. Splendid steve perennial hulbs.
23	19 dæa, saved from the choicest hybrid varieties, 2 ft
235	baskets, and mixed borders; its rich Gazania-like flowers are conspicuously effective, \(\frac{1}{2}\) ft 0 6
235 235	
235	VENUS' NAVELWORT, Nat. Ord. Boragina'cew. Pretty hardy edging annual.
235 235	VERBAS'CUM, Nat. Ord. Scrophularia'cco. Shewy hardy perennials
235	versic'olor, various shades, 3 ft
dress.	VERBE'NA, Nat. Ord. Verbena'ceæ. Splendid half-hardy perennials. To speak of the beauty and effectiveness of the Verbena would be to "paint the lily, or add a new perfume to the et." Verbenas in quantity are more easily obtained from seed than from cuttings; sown in spring they flower tearly in the season. The self-colours are generally to be depended upon, and there is moreover the chance a seedlings of raising new varieties.
2357 2358	Verbe'na hy'brida very choice mixed, 1 ft.
2359 2360	very fine mixed varieties, 1 ft
2361	" , La Neige, snow white, very fine, 1 ft
2362 2363	Deflance, beautiful rich scarlet, 1 ft.
2364 2365	", auriculænora choice mixed, i ft
2366 2367	buttorius, while, with delightful rasmine tragrance vi ft
2368	
an.	VERON'ICA, Nat. Ord. Scronhularia cea. Splendid shrubs beautiful appuals etc.
	and to cut for bouquets: Syriaca and Glauca for spring planning and Spicata for borders
2369 2370	verous ica, mixed, including Henderso'ni, burnu'rea, Lindleva'na &c flowering chrubs
2371 2372	Syria'ca, bright blue, \(\frac{1}{2} \) ft. "" "" "" "" "" "" "" "" ""
2373	p Spica ca, othe, pretty, i it)
2374 2375	", al'ha, white, I ft Charming hardy perennials, very decorative in flower of 3 ma'for, blue, I to borders and valuable to cut for vases and bouquets, of 3
2376	" mixed perennial varieties …)
2377	VINC'A, Nat. Ord. Apocyna'cew. Charming greenhouse shrubs.
2378 2379	, al ha lutea, white, yellow centre, 2 ft. when soun in sping flower in summer and are very important for the decreation of the 0 6
2380	,, ,, at the pure, pure write, 2 it
	VI'0LA (Heartsease er Pansy), Nat. Ord. Viola'ceæ. Hardy perennials.
aesig	In the spring slower garden the Pansy (Viola tricolor) blooms continuously, and produces a matchless effect in ns, beds, and ribbons. From seed the colours cannot be implicitly depended upon; they should, therefore, be
3411611	splanted from the seed-bed and flowered before finally planting out. Seed sown in spring, flowers during the ner; sown in summer, flowers in autumn. With a little attention, the Pansy can be made a charming
Pans	for summer decoration. The varieties of Viola are very important, succeeding in situations where the y is a failure. Viola odorata varieties flower in winter, and are prized for their fragrance. For plants of a ordorata, see p. 12, and for Pansies, see Bulb Catalogne, p. 38.
2381 2382	Vi'ola cornu'ta Mauve Queen \(\frac{1}{2}\) ft
2383 2384	" al'ba, while & ft. are charming. To intermingle 6.1 & 1.0
2385	", lu'tea grandifio'ra, Corisan'de, pale primrose, \ ft are most valuable, being con-
2386 2387	" ma Jor, golden yellow, \(\frac{1}{2} it
2388	Yellow Queen bright vellow lft flowers and delicate perfume. 15. & 2 6
2389 2390	Dickson'e Golden Gem, a splendid bedder 1 ft. Perfection, for its rich blue 188 2 6
2391	", Mulberry, large rich mulberry coloured flowers, a ft large flowers, and early and 15.8 2 6
2392 2393	, Tory, rich deep blue, very fine \(\frac{1}{2}\) ft. \qquad \qquad \(\left(\frac{1}{2}\) ft. \qquad \qqqqq \qqqqq \qqqqqqqqqqqqqqqqqqqqqq
	variety.

```
Vi'ola peda'ta, pale violet, a rare and beautiful North American species, \frac{1}{2} ft. .....
2394
              odora'ta semperflo'rens, sweet-scented violet, ½ ft.

,, Lauchea'na a hybrid between the Neapolitan and Russian violets, ½ ft.
2395
2396
                          The Czar, violet, the largest flowering and the richest coloured, \frac{1}{2} ft. 6d. &
2397
          93
                          2398
                mixed from many varieties, \( \frac{1}{2} \) ft.

tri'color (Pansy or Heartscase), Scotch and English large-flowered varieties, \( \frac{1}{2} \) ft.

Harlequin, or fancy choice varieties, \( \frac{1}{2} \) ft.

very fine mixed, including fancy and florists' flowers, \( \frac{1}{2} \) ft.

6d. &
2399
2400
                                                                                                                                  6
2402
                           Black King, the densest black Pansy known, 1 ft. .....
2403
                           azure purple, ½ ft. ......
2404
                           sky blue, ½ ft.

pure white, ½ ft.

pure yellow, ½ ft.
                                                                 These are all fine bedding Pansies. The seed having been carefully saved, a large
                                                                                                                     6d. &
2405
          ,,
                                                                                                                     6d. &
                                                                                                                                  0
2406
          91
                                                                   portion of them will come true to colour;
2407
          ,,
                                                                   they may be sown at any time, but those 6d. & which are sown from March to May 1s. & will be decorative in the autumu, and the 1s. &
                           purple, \( \frac{1}{2} \) ft.

ultra-marine, \( \frac{1}{2} \) ft.

Pluto, \( purple \) black, \( \frac{1}{2} \) ft .....
                           purple, ½ ft.
2408
2409
2410
2411
                                                                   colours can be then arranged and the
plants bedded out for spring decoration.
Antumn-sown seed will flower in spring.
                                                                                                                      1s. &
                           Blue King, & ft. .....
                           Golden Gem, \(\frac{1}{2}\) ft.

Tom Thumb, bedding, mixed mixed, from above varieties
                                                                                                                      1s. &
2412
                                                                                                                      1s. &
2413
                                                                                                                      Is. &
2414
                           0
2415
          22
2416
          99
2417
          VIRGINIAN STOCK, Nat. Ord. Crucif'eræ. Charming dwarf hardy annuals.
         2418
 2419
 2420
          VISCA'RIA, Nat. Ord. Caryophylla'ceæ. Beautiful effective hardy annuals.
      It is scarcely possible to over-estimate the brilliant effect of V. cardinalis, the charming beauty of Elegans
         2421
 2422
 2423
                                                                                                                                    6
 2424
              33
                     al'ba Dunnet'tii, white, dark centre, 1 ft.
 2425
                     fine mixed, from the above ..... 3d. &
              33
 2426
           WAI'TZIA, Nat. Ord. Compositæ. Splendid everlasting half-hardy annuals.
         6
 2428
 2429
                                                                                                                                    6
                     grandiflo'ra, the most beautiful yellow, large and handsome, I ft. .....
 2430
                     mixed from the above .....
 2431
        WALLFLOWER (Cheiranthus Cheiri), Nat. Ord. Crucif'eræ. Hardy perennials.
                                                                                                                         15. &. 2
          Wallflower, German splendid mixed, double
                                                                   Wallstowers are prized for their delicious fragrance. In the spring they are indispensable for beds, groups, and ribbous: the large massive conspicuous spikes of the
 2432
                         , very good mixed, double finest blood-red, single, 1½ ft. ......
Young's Blood Red, single, 1½ ft.
                                                                                                                        6d. &
                                                                                                                                    0
  2433
  2434
                ,,
                                                                                                                        6d. &
                                                                                                                                    0
  2435
                ,,
                         Harbinger, rich blood red, 1 ft....
purple, single, 13 ft.
yellow, single, 15 ft.
                                                                                                                                    0
  2436
                ,,
                                                                      double German varieties have a charming
                                                                                                                                    330
  2437
                                                                      effect; while the more bushy, compact
growth and profuse blooming of the single
Wallflowers render them exceedingly
  2438
                                                                                                                        6d.&
                         Golden Queen, pure yellow, 11 ft.
Yellow Prince, pure yellow, 1 ft.
German, crimson dwf. single, 1 ft.
  2439
                                                                                                                        6d. &
                                                                                                                                     0
                                                                      waithousers retuer mem executings, attractive. A mass of Golden Queen, with its unalloyed rich golden yellow blossoms, is a sight unrivalled; it may be seen from a great distance, and so profusely does it bloom as to resemble a dense carpet of
  2440
                99
  2441
                33
                                                                                                                                     6
                             ,, violet brown, single, 13 ft...
  2442
                ,,
                                                                                                                                     6
                                                                                                                                 0
  2443
                                                                                                                        6d. &
                99
                          mixed colours, single, 1½ ft.
splendid mixed, single, 1½ ft. ...
                                                                                                                                 1
                                                                                                                                     6
   2444
                                                                                                                         3d. &
                                                                                                                                 0
   2445
                                                                                                                         6d. &
                          Lockhart's Black Prince, single
   2446
                 WHITLA'VIA, Nat. Ord. Hydrophylla'cea. Charming hardy annuals.
          3
   2448
   2449
   2450
                                                                                Half-hardy perennials.
                       WIGAN'DIA, Nat. Ord. Hydrolea'cea.
   Majestic sub-tropical plants, with large ornamental undulating foliage, extremely effective when planted on lawns, in shrubberies, by the sides of lakes, ravines, and where plants of large elegant growth are a desideratum.

2451 Wigan'dla caraccasa'na, u'rens, vigle'ri, latifo'lla, and mixed, 5 ft. to 10 ft. each 1 0

2452 "imperia'lis, leaves larger than the older varieties, and less injured by wind, 10 ft. 1 0

2453 "mixed, from the above (seedling plants are very soon effective) 6d. & 1 0
                        WINTER-CHERRY, Nat. Ord. Solana'cew. Hardy perennials.
         2455
```

	VPDAN/MITDATIA NA A A A A A A A A A A A A A A A A A	Per	. d.
DAF	XERAN'THEMUM, Nat Ord. Compos'itæ. Charming everlasting hardy annual	s.	
2450 2450	actual official album II. pl., while, 2 II.		3
2458		-00	3
2459	militificium compactum fi ni Access -1 ce i compactum forma	(
2460	imperiale fi. pl., deep violet, beautiful, 2 ft. Tom Thumb allows white a feet a bank, and should be a grown singly, but is not so valuable to cut for bouquets.	(- 2
2461	Tom Thumb al'bum, white, I ft. valuable to cut for bouquets.	9	
2462	purpu'reum, purple, I fi dwarf compact growth.	9	
2463	,, mixed from the above	, C	
	YUO'OA, Nat. Ord. Lilia'ceæ. Ornamental evergreen shrubs.	` `	, 0
2464			
	ZE'A Not Ord Commingles Handana 1 Cl	: 2	2 6
Fah	ZE'A, Nat. Ord. Gramina'ceæ. Handsome ornamental foliage plants.		
Jup	onica variegata as an ornamental foliage plant is not surpassed in the beauty of its variegation by the c stove plants. Caragua is tall and graceful; Cuzko is the most majestic, and Gracillima the most dwe	hoi	cest
2465	70/2 in non-less werdene the most short of the most majestic, and Gracillima the most dwa	rf.	
2466	Ze'a japon'ica variega'ta, matchless in beauty for conservatory and flower garden, 3 ft6d. 8	I	0
2467	Cuzko \ This magestic speces is from the Cuzka Valley of Peru, and is of areat value in subtrapping a gardening (. 0	6
2468	, Caragu'a, Giant Maize, very graceful and majestic, 12 ft, to 15 ft, high , Cuzko. This majestic speces is from the Cuzko Valley of Peru, and is of great value in sub-tropical gardening, 15, 8 gracil lima, the miniature Maize, very graceful and beautiful, 2 ft	2	6
	6d. 8	1	0
	ZINNIA, Nat. Ord. Compos'itæ. Splendid half-hardy annuals.		
	IRE CONDIC LINNIC IS ONE OF the sterling notellies of recent warms of	tifa	1772
form	ted, and exceedingly handsome. Few plants in the flower border are more effective, and scarcely any	for	wer
		le a	nd
2469	le varieties of Mexicana for beds, rock-work, and masses in the borders. Zin'nia el'egans double, yellow, carmine, rosy-purple, scarlet, crimson, orange, pink, lilac ana		
	purple, 13 ft. each		٠,
2470)))) (I CHOICE MARK, AN COIOUIS, 18 II.	Y	6
2471	11 11 11 11 III III III III III III III	o	6
2472	ii ii ii sollipeu, rich colours, shaaca, and beautitully strided vi ft	ī	0
2473 2474)))) White, pure colour, nanasome, is it.	r	0
2475	ii ii pu maa, crimson, salmon-rose, scarlet, violet, vellow by burble ift, each	0	6
_ 2476	", pu'mila, mixed colours, very fine dwarf varieties, 1 ft	1	0
2477	- ,, cocci'nea, single, scarlet, 1\frac{1}{2} ft. ,, purpur'ea, single, purple, 1\frac{1}{2} ft.	0	3
2478	", choice mixed, superb single flowers, 1½ ft	0	3
2479			
2480	in Hadged Ha (Mexicana), yellow, striped rich orange, a charming dwarf hedding plant v ft	0	3
2481 2482	,, note pieno, yettow, a nne plant and valuable to cut from t ft	0	6
2402	plenis'sima imbrica'ta, yellow, very double and imbricated, 1 ft.	I	0
2402	", piems sima imbrica ta, yettow, very double and imbricated, 1 ft	I	
2402		I	
2402		I	
	ORNAMENTAL CLIMBERS AND TWINERS.	I	0
glass	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse or stove can be considered furnished unless the walls a	as	no
glass etc.,	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, etection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pare covered with Climbers. In the adornment of the flower garden, the hardier kinds are investigated to the conservation of the flower garden, the hardier kinds are investigated.	as oilla	no rs,
glass etc.,	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invalovering arbours, verandabs, trellises, rustic fences, and forming elegant chains and fostoons such as the control of the flower garden and fostoons such as the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and for the flower garden are considered furnished unless the walls, particularly the formal of the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and the hardier kinds are invaloued to the flower garden and the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and the flower garden are considered flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and the flower garden are considered flower garden.	as oilla	no rs,
glass etc.,	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invalovering arbours, verandabs, trellises, rustic fences, and forming elegant chains and fostoons such as the control of the flower garden and fostoons such as the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued in the control of the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and for the flower garden are considered furnished unless the walls, particularly the formal of the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and the hardier kinds are invaloued to the flower garden and the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and the flower garden are considered flower garden, the hardier kinds are invaloued to the flower garden, the hardier kinds are invaloued to the flower garden and the flower garden are considered flower garden.	as oilla	no rs,
glass etc.,	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invaovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75.	as oilla	no rs,
glass etc.,	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pare covered with Climbers. In the adornment of the flower garden, the hardler kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cear. Half-hardy perennial.	as oilla dual	no rs, ble ow
glass etc., for c	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cea. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit	as oilla dual	no rs, ble ow
glass etc., for c grace	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pare covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cew. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'cew. Hardy biennial	as oilla dual s no	no rs, ble ow
glass etc., for c	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceae. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceae. Hardy biennial. Addu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage	as oilla dual s no	no rs, ble ow
glass etc., for c grace	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceae. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceae. Hardy biennial. Addu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage	as oilla dual s no	no rs, ble ow
glass etc., for c grace	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cew. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'cew. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage	as pilla dual s no	onno rs, ble ow
glass etc., for c grace	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cew. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'cew. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage	as poilla alual s no	ono rs, ble ow
glass etc., for c grace 2483 2484	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage	as poilla alual s no	no no rrs, ble ow
glass etc., for cograce 2483 2484	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia clirho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage	as oilla lual s no	no rs, ble ow
glass etc., for c grace 2483 2484 2485 2486 2487	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, rare covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties "" altis'sima, purple "" altis'sima, purple "" Bonplan'dii, purple "" clilo'sa, purple and green. "" Si'pho, a noble foliage plant, hardy. "" Si'pho, a noble foliage plant, hardy.	as poilla alual s no	no no rrs, ble ow
glass etc., for c grace 2483 2484 2485 2487 2488	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invalued overing arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia clrrho'sa, fesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhousc and hardy varieties "Bonplan'dii, purple. "Bonplan'dii, purple. "Bonplan'dii, purple. "Ciliosa are for the greenhouse. Sipho is progression of the content of the spential conten	as oilla lual s no	ono rs, ble ow 6
glass etc., ; for c grace 2483 2484 2485 2488 2489	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, a are covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties "Bonplan'dii, purple." "Bonplan'dii, purple." "Bonplan'dii, purple and green. "Cilio'sa, purple and green. "Si'pho, a noble foliage plant, hardy. "ASPAR'AGUS, Nat. Ord. Lilio'ceæ. Hardy perennial.	as poilla dual s no o o o	no rs, ble ow 6
glass etc., for c grace 2483 2484 2485 2487 2488	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, a are covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties """ Bonplan'dii, purple. """ Bonplan'dii, purple. """ Bonplan'dii, purple and green. """ Bonplan'dii, purple and green. """ ASPAR'AGUS, Nat. Ord. Lilio'ceæ. Aspar'agus verticilla'tus, a very graceful climber.	as oilla lual s no	ono rs, ble ow 6
glass etc., ; for c grace 2483 2484 2485 2486 2487 2488 2489	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, a are covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple gondali, purple gondali, purple gondali, purple gondali, and clitosa are for the greenhouse. Sipho is perfectly hardy and if trained against he house, or verandah, or overandah, or ove	as poilla dual s no o o o	no rs, ble ow 6
glass etc., ; for c grace 2483 2484 2485 2486 2487 2489 2490 2491	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invested in the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple foliage plant, soilh flowers resembling the picture are noble plants, with flowers and the hours, or vertically, during and it most continental ciries, the beaution to resemble the progressive the greet of its mas and progressive the progressive plants and progressive plants. Aspar'agus verticille'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea	as poilla dual s no o o o	no rs, ble ow 6
glass etc., for cc grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invalued overing arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Addiu'mta clirho'sa, flesh-coloured flowers, and delicate pale green pinate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple galtis'sima, purple galtis'sima gargen. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea galtis's hardy gargenuss' in tanisles.	as as of o o o o o o o o o o o o o o o o o o	ono rs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., ; for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invalued overing arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, fesh-coloured flowers, and delicate pate green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties "altis'sima, purple dard green. "Bonplan'dii, purple "Bi'pho, a noble foliage plant, hardy "ASPAR'AGUS, Nat. Ord. Lilia'ceæ. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea "rad'icans, orange-scarlet, hardy "Magnificent climbers, with gorgeously brilliant coloured flowers in panicles. For the conservatory the flower to the solice of sanding and the solice. For the conservatory the flower to the solice of sanding and the sanding and the sanding plants. Padicans and the sanding and the sanding plants. Padicans and the sanding and the sanding plants. Padicans and the sanding plants.	as of illa alual s no o o o o o o o o o o o o o o o o o	o no rs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for cc grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invalued overing arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, fesh-coloured flowers, and delicate pate green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties "altis'sima, purple and green "Bonplan'dii, purple and green "Si'pho, a noble foliage plant, hardy are trillo'sa, purple and green si'pho, a moble foliage plant, hardy and if trained on the banks of the Rhine and in moot continental cities, the blusuriation for wistlors. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea "Rafine and in moot continental cities, the blusuriation for wistlors. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea "Raficans, orange-scarlet, hardy are truly noble plants. Radicans and Capreolata are perfectly hardy, and rank Capreolata are perfectly hardy, and rank Capreolata are perfectly hardy, and rank Capreolata	as billalual lual s no o o o o r	ono rrs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invesivening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridiflo'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit a DLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Addu'mia cirrho'sa, ftesh-coloured flowers, and delicate pate green pinnate foliage and alits'sima, purple foliage in altits'sima, purple foliage in altits'sima, purple foliage in altits'sima, purple and green foliage foliage in antibless. On the banks of the green pinnate foliage in antibless. On the banks of the filter plant, and by the propension of the visitors. ASPAR'AGUS, Nat. Ord. Lilia'ceæ. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea foliage in panicles. For the conservatory they are truly noble plants. Radicans and capreolata are perfectly hardy, and rank amongst the most effective plants for covering they are truly noble plants.	as poilla alual s no o o o r	o no rs, ble ow 6 6 6 6 6 0 0 6 0 0 0
glass etc., c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhousc and hardy varieties in altis'sima, purple in glitter in the Picher Plant, ditionia, Ropalandii, and Ciliosa are for the greenhouse. Sipho is prefettly flower and preenhouse. Sipho is prefettly in a culio'sa, purple and green. ASPAR'AGUS, Nat. Ord. Lilia'ceæ. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea coloured flowers in panicles. For the conservatory they are truly noble plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most effective plants for covering and the most effective plants for covering	as billalual lual s no o o o o r	ono rrs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., glass etc., grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and witb scarlet miniature fruit a DLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, fesh-coloured flowers, and delicate pale green pinnate foliage seem. ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties altie'sima, purple seems of the prenosure. Sipho is perior of the greenhouse. Sipho is perior foliage, purple and green. Bonplan'dii, purple. ASPAR'AGUS, Nat. Ord. Lilio'ceæ. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea " rad'icans, orange-scarlet, hardy sanguin'ea. " sanguin'ea. " sanguin'ea. " sulphu'rea grandiflo'ra " sanguin'ea. " Thunber'gii " Tweedia'na, yellow, greenhouse." " Tweedia'na, yellow, greenhouse." " Tweedia'na, yellow, greenhouse." " Tweedia'na, yellow, greenhouse." " mixed varieties.	as poilla alual s no o o o r	no rs, ble bow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pare covered with Climbers. In the adornment of the flower garden, the hardier kinds are involvening arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties Bil'pho, a noble foliage plant, hardy Bil'pho, a noble foliage plant, hardy ASPAR'AGUS, Nat. Ord. Lilia'ceæ. Hardy perennial. Aspar'agus verticilia'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Bigno'nia al'bo-lu'tea Bigno'nia al'bo-lu'tea Trad'cans, orange-scarlet, hardy Sanguin'ea grandiflo'ra Sanguin'ea grandiflo'ra Sanguin'ea grandiflo'ra Tweedia'na, yellow, greenhouse Magnificent climbers, with gorgeously brilliant coloured flowers in panicles. For the conservatory they are truly noble plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most effective plants for covering walls, pillars, etc. BILLARDIE'RA, Nat. Ord. Pittospora'ceæ. Handsome greenhouse climbers.	as a	o no rs, ble bow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such at the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cew. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'cew. Hardy biennial. Adiu'mia cirrho'sa, fesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'CHIA, Nat. Ord. Aristolochia'cew. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple to clilo'sa, purple and green. Bonplan'dii, purple and green. Cillo'sa, purple and green. ASPAR'AGUS, Nat. Ord. Lilio'cew. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'cew. Magnificent plants. Bigno'nia al'bo-lu'tea "rad'icans, orange-scarlet, hardy sanguin'ea; "Thunber'gii", "Tweedia'na, yellow, greenhouse. "Thunber'gii", "Tweedia'na, yellow, greenhouse. "Thunber'gii", "Tweedia'na, yellow, greenhouse. "Tweedia'na, yellow, greenhouse. "Tweedia'na, yellow, greenhouse. "Tweedia'na, yellow, greenhouse. "Tweedia'na, etc. BILLARDIE'RA, Nat. Ord. Pittospora'cew. Handsome greenhouse climbers. Billardie'ra cymo'sa, lilae, a fine twining plant.	as solilla alual s no o o o o o o o o o o o o o o o o o	no rs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and witb scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, fesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Hardy biennial. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple genomous and hardy varieties altis'sima, purple green binnate foliage plant, with flowers recembling the Pitcher Plant, ditiania, Bonglandit, and the precedity of the greenhouse. Sigho is perfectly hardy, and if trained against the house, or verandah, or arches, the effect of its may foliage the plant is an object of admiration to wildors. ASPAR'AGUS, Nat. Ord. Lilio'ceæ. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most effective plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most effective plants for covering walls, pillars, etc. BILLARDIE'RA, Nat. Ord. Pittospora'ceæ. Handsome greenhouse climbers. Billardie'ra cymo'sa, litac, a fine twining plant	as solilla alual s no o o o o o o o o o o o o o o o o o	o no rs, ble bow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trelliese, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'cew. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'cew. Hardy biennial. Adiu'mia cirrho'sa, fiesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'cew. Handsome climbers. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple foliage plant, hith fourn resembling the Pitcher Plant, Allisima, Bronglandii, and Collous are for the greenhouse. Sipho is prefetchy hardy, and if trained appinal the hour, or verandah, or over archies, the effect of its maximum foliage plant, the climber of the premised plants. The climber of the premised plants of the premised plants. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'cew. Magnificent plants. Bigno'nia al'bo-lutea "" rad'icans, orange-scarlet, hardy "" sanguin'ea "" rumedia'na, yellow, greenhouse "" mixed varieties "" rumedia'na, yellow, greenhouse "" mixed varieties "" purput'rea, purple, a fine twining plant. "" purput'rea, purple, a fine twining plant. "" purput'rea, purple, a fine twining plant.	as solilla alual s no o o o o o o o o o o o o o o o o o	no rs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
glass etc., for c grace 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498	ORNAMENTAL CLIMBERS AND TWINERS. This is an important section of our Catalogue, and fully merits the prominent position assigned to it, erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, are covered with Climbers. In the adornment of the flower garden, the hardier kinds are invovering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such a the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 75. ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and witb scarlet miniature fruit ADLU'MIA, Nat. Ord. Fumaria'ceæ. Hardy biennial. Adiu'mia cirrho'sa, fesh-coloured flowers, and delicate pale green pinnate foliage ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Hardy biennial. Aristolo'chia choice mixed, greenhouse and hardy varieties altis'sima, purple genomous and hardy varieties altis'sima, purple green binnate foliage plant, with flowers recembling the Pitcher Plant, ditiania, Bonglandit, and the precedity of the greenhouse. Sigho is perfectly hardy, and if trained against the house, or verandah, or arches, the effect of its may foliage the plant is an object of admiration to wildors. ASPAR'AGUS, Nat. Ord. Lilio'ceæ. Hardy perennial. Aspar'agus verticilla'tus, a very graceful climber BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnificent plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most effective plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most effective plants for covering walls, pillars, etc. BILLARDIE'RA, Nat. Ord. Pittospora'ceæ. Handsome greenhouse climbers. Billardie'ra cymo'sa, litac, a fine twining plant	as poilla alual s no o o o o o o o o o o o o o o o o o	no rs, ble ow 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6

	I.C.	1	i.
	OAIOPH'ORA, Nat. Ord. Loasa'ceæ. Rapid-growing half-hardy annual climbers.		
2502	Galoph'ora aurantia ca. orange. Ornamental and very curious, both in flower and (0	3
2503	Caloph'ora aurantia'ca, orange	0	3
2504	", tri'color, shaded yellow) or traiting over rock-work, etc.	0	3
	OANARY OREEPER.—See Tropwolum, p. 49.		
	OARDIOSPER'MUM (Balloon Vinc), Nat. Ord. Sapinda'cew. Half-hardy annual.		
2505	inflated membranous capsule	0	3
	·		
	OISSUS, Nat. Ord. Vita'cea. Ornamental climbers.	_	6
2506	Cissus antarc'ticus, the Kangaroo vine of New South Wales	0	6
2507	" Royl'et	•	•
	OLEM'ATIS, Nat. Ord. Ranuncula'ccæ. Highly ornamental hardy climbers.		
2508	Clem'atis flam'mula white sweet-scented Clematis are amongst the most beautiful of hardy climb-	0	3
2509	,, Pal'lasi, Viticel'la, corymbo'sa, ers, and the following spiced downstees we can after in		_
	Standishi, Prince of Wales, Rubella, Sophia fl. pl.,	0	О
2510	Standishi, Hele'ne, Sophi'a, Sophi'a \ \ \(\alpha \) \ \(\alpha \) \		
	al'ba, azu'rea grandifio'ra and others, 2/8 each, extra strong, 3/8 each. The annexed lanugino'sa, cach we offer in seed, but as seed vegetates slowly, we re-	0	6
2511	mixed, including species and varieties. commend the above-named plants in preference.	I	0
2022	"		
	OLITO'RIA, Nat. Ord. Legumino'sæ. Splendid greenhouse enmoers. These are magnificent rapid-growing graceful climbers, with large handsome, pea-shaped flowers.		
0810		I	0
2512 2513		0	6
2020	·		
	00BE'A, Nat. Ord. Polemonia'ceæ. Handsome half-hardy perennial climbers.		
2514	Cobæ'a scan'dens, purple-lilac, large betl-shaped flowers, a rapid-growing climber, producing a	_	6
	grand effect under glass, and during summer on south walls, verandahs, arbours, &c.	0	6
2515		-	
	OONVOL'VULUS (Morning Glory), Nat. Ord. Convolvula'cea. Splendid climbers	•	
	For covering rustic work, rough fences, trellises, verandahs, stumps of trees, and forming festoons, etc.	_	2
2516	1. A william hilling with dark durkle and tricolor	0	3
2517		0	
2518 2519		0	3
2520	" On a section of the second of the second	0	3
	ORYPTOSTE'GIA, Nat. Ord. Asclepiada'cea. Warm greenhouse climbers.		
	URIFIUSIE GIA, Nat. Ord. Asceptual cee. Walting commence		_
2521	al'ha. white houses and stoves.	I	0
2521 2522	,, al'ba, white		0
2522	OHCURBITA'OE E. Specially interesting.	I	0
2522	OHCURBITA'OE E. Specially interesting.	I	0
char	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and pictur acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory pictures that they are the foliage of a second of the control of th	resq Ila: wal	ue Is,
char	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and pictur acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory pictures that they are the foliage of a second of the control of th	resq Ila: wal	ue Is,
char cove	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and femiliadows or porches.	resq Ila: wal	ue Is,
char cove	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory pictures the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonon'stal actinio's a crythrogar's a beautifully cut small glossy dark green foliage, and minia-	esq Ila: wal	ue Is,
char cove over for a	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and pictur racter of their miniature fruit and foliage. They are exceedingtly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinto'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature clossy green berries marked and striped with white	resq Ila: wal	ue Is,
char cove over for a	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory pictures the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white	resq Ila: wal stoo	ue vs, vs, ns
char cove over for a 2523	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinto'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant searlet fruit	esq Ila: wal	ue Is,
char cove over for a 2523 2524	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture in the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Guerimis peren'ins, quite hardy, and recommended by Mr. Robinson	resq Ila: wal stoo	ue 1's, 1s, ns
char cove over for a 2523	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture in the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white	resq lla: wall stoo	ue is, is, ns
2522 char cove over for a 2523 2524 2526 2526 2527 2528	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture rates of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture for the act walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, handsome foliage, and pretty oval fruit, loudly exploding when ripe Brone'onn aurantia'cus, b. perennial growing from 20 to 30 feet in a season, yellow fruit.	resquila:walla:	ue 1's, 1s, ns
2522 char cove over for a 2523 2524 2524 2526 2527	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceeding suitable for training up conservatory pictures in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio's erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra explo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 feet in a season, yellow fruit.	resquilla: wall sstoo	o ue ers, ls, ns 6 6 6 6 6 6 6 6
2522 char cove over for 2 2523 2524 2524 2525 2525 2525 2525	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and few windows or porches. Bryonop'sis lacinio'sa crythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra explo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Beope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 fect in a season, yellow fruit. "Vitifo'lius, hardy perennial, growing from 20 to 30 fect, foliage dark rich green, and very	resq lla: wall stoo	ue 1's, 1s, ns
2522 char cove over for 2 2523 2524 2526 2526 2526 2526 2527 2528	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture in the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Sope'yon aurantia'cus, h.h. perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small orange-coloured fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Regel'il a very pretty elimber, with small white flowers and small oval fruit.	resquilla: wall sstoo	o ue vs, ls, ns 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2522 char cove over for 2 2523 2524 2524 2525 2525 2525 2525	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio's a crythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra explo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Beope'pon aurantia'cus, h. h. perennial, growing from 20 to 30 fect in a season, yellow fruit vitifo'lius, hardy perennial, growing from 20 to 30 fect in a season, yellow fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit Regel'ii, a very pretty climber, with small black fruit Morror'dica Balsami'na leuran'tha new and heautiful	resquilla: wall sstoo	o ue vs, ls, ns 6 6 6 6 6 6 6 6 6
2522 char cove aver for a 2523 2524 2524 2525 2525 2531 2531 2531	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture rates of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture in the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white	resquilariantestoo	0 ue vs., rls, ns 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2522 char cove aver for a 2523 2524 2524 2525 2525 2531 253 253 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy, and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite hardy and recommended by Mr. Robinson Cucumis peren'nis, quite h	resquillariant wall and on one of the original	0 ue vs., rls, ns 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2522 char cove over for a 2523 2524 2526 2526 2531 253 253 253 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceeding suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio's a crythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra explo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 fect in a season, yellow fruit. "" witifo'lius, hardy perennial, growing from 20 to 30 fect in a season, yellow fruit. "" witifo'lius, hardy perennial, growing from 20 to 30 fect in a season, yellow fruit. "" Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. "" Mesegl'ii, a very pretty climber, with small white flowers and small oval fruit. "" Momor'dica Balsami'na leucan'tha, new and beautiful. Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit. Melwit'schit thick five-lobed ornamental leaves, scarlet acorn-like fruit.	resquilariantestoo	0 ue vs., rls, ns 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2522 char cove over for a 2523 2524 2524 2525 2525 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture rates of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 fect in a season, yellow fruit withfo'lius, hardy perennial, growing from 20 to 30 fect in a season, yellow fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit Menor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae'l, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green eut foliage, small conical brilliant orange fruit Welwit'schii, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thes eucument'na, fine trailing species, with white flowers and pretty foliage, small	resquilarianianianianianianianianianianianianiani	o ue vs, is, ns 6 66666666666666666666666666666666
2522 char cove over for a 2523 2524 2526 2526 2531 253 253 253 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinto'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 feet in a season, yellow fruit. wittfo'lius, hardy perennial, growing from 20 to 30 feet in a season, yellow fruit. Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Momor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae'l, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit Welwit'seinli, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small	resquillation wall stood	o ue vs, ls, ns 6 66666666666666666666666666666666
2522 char cove over for a 2523 2524 2524 2525 2525 253 253	OUCURBITA'OEÆ. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit "quinquelo'ba, foliage five-lobed, very ornamental Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'ous, h.h. perennial, growing from 20 to 30 feet in a season, yellow fruit "titifo'lius, hardy perennial, growing from 20 to 30 feet in a season, yellow fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit "Ragel'ii, a very pretty climber, with small white flowers and small oval fruit Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit Welwit'schii, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thus tubifo'rus, pretty white tubular flowers and handsome scarlet fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. Palma'ta foliage and fruit similar to T. cucumerina, but larger	resquillariant wall and the store of the sto	o ue vs, ns 6 66666 66666666666666666666666666
2522 char cove aver for 2 2523 2524 2524 25252 25252 2532 253 253 253 253 253 25	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 fect in a season, yellow fruit wtitio'lius, hardy perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small orange-coloured fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit Regel'ii, a very pretty climber, with small white flowers and small oval fruit Momor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit the size of a plum Welwit'schii, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to searlet. "Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to searlet. "Palma'ta, foliage and frui	resquillaistoo	o ue vs, ls, ns 6 666666 6666666666666666666666666
2522 char cove over for a 2523 2524 2524 2525 2525 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Beope'pon aurantia'cus, h. b. perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small ornage-coloured fruit Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit. Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit. Regel'it, a very pretty climber, with small white flowers and small oval fruit. Prasopo'gon Duriae'l, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, in the trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. "Welwit'schii, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked wh	resquillaistoo	o ue vs, ns 6 66666 66666666666666666666666666
2522 char cove aver for 2 2523 2524 2524 2525 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Beope'pon aurantia'cus, h. b. perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small ornage-coloured fruit Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit. Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit. Regel'it, a very pretty climber, with small white flowers and small oval fruit. Prasopo'gon Duriae'l, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, in the trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. "Welwit'schii, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked wh	resquillaistoo	o ue vs, ls, ns 6 666666 6666666666666666666666666
2522 char cove over for 3 2523 2524 2524 25252 25252 2532 253 253 253 253 253 25	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon auranta'cus, h.h. perennial, growing from 20 to 30 feet in a season, yellow fruit. Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit. Menor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae't, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit Welwit'schii, thick five-lobed ornamental leaves, scarlet acom-like fruit Trichosan'thus tubiflo'rus, pretty white tubular flowers and handsome scarlet fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. "Dalma'ta, foliage and fruit similar to T. cucumerina, but larger "Coccin'ea, foliage palmated, fruit scarlet "Choice mixed, from the above and many others DIO'OLEA, Nat. Ord. Legumino'sæ. Fine greenhouse cli	resquillaistoo	o ue vs, ls, ns 6 666666 6666666666666666666666666
2522 char cove aver for 2 2523 2524 2524 2525 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532 2532	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture racter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Bope'pon aurantia'ous, h. b. perennial, growing from 20 to 30 fect in a season, yellow fruit. "vitifo'lius, hardy perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small ornage-coloured fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. "Ragel'ii, a very pretty climber, with small white flowers and small oval fruit. Momor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green leaves, and fruit search fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. "Delma'ta, foliage and fruit similar to T. cucumerina, but larger "Coccin'ea, foliage palmated, fruit searlet "Choice mixed, from the above and many others Dio'clea	resquillant wall associated as the control of the c	o ue vs., ns 6 666660 066666666666666666666666666
2522 char cove over for 3 2523 2524 2524 25252 25252 2532 253 253 253 253 253 25	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form gartands and few windows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Eope'pon aurantia'cus, h. h. perennial, growing from 20 to 30 feet in a season, yellow fruit. Witifo'lius, hardy perennial, growing from 20 to 30 feet, foliage dark rich green, and very ornamental, flowers white, followed by small orange-coloured fruit Melo'thria pen'dula, a very handsome foliage climber, with small white flowers and small oval fruit Melo'thria pen'dula, a very pretty climber, with small white flowers and small oval fruit Momor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durtae'l, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit Trichosan'thes cucumer'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet fruit Trichosan'thus tubiflo'rus, pretty white tubular flowers and handsome scarlet fruit Trichosan'thus tubiflo'rus, pretty white tubular flowers and handsome swarlet fruit Trichosan'thus tubiflo	resqualitation of the state of	o ue vs., ns 6 666660 06666666 6666
2522 char cove over for 3 2523 2524 2524 25252 25252 2532 253 253 253 253 253 25	OUGURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and few indows or porches. Bryonop'sis lactinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'mis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe to yornamental, flowers white, followed by small orange-coloured fruit. Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Regel'ii, a very pretty climber, with small white flowers and small oval fruit. Momor'dica Balsami'na leucan'tha, new and beautiful white flowers and small oval fruit. Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit. Welwit'schil, thick five-lobed ornamental leaves, searlet acorn-like fruit. Trichosan'thus tubifio'rus, pretty white tubular flowers and handsome scarlet fruit. Trichosan'thus tubifio'rus, pretty white tubular flowers and handsome scarlet fruit. Trichosan'thus tubifio'rus, fine trailing species, with white flowers and pretty foliage, small organic palmated, fruit similar to T. cucumerina, but larger in coccin'ea, foliage palmated, fruit searlet. Dio'clea glycino'des, red, a fine twining plant. DISEM'MA, Nat. Ord. Pa	resquillant wall associated as the control of the c	o ue vs., ns 6 666660 06666666 6666
2522 char cove over for 3 2523 2524 2525 2525 253 253 253	OUGURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture acter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory piring the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and few indows or porches. Bryonop'sis lactinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'mis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe to yornamental, flowers white, followed by small orange-coloured fruit. Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Regel'ii, a very pretty climber, with small white flowers and small oval fruit. Momor'dica Balsami'na leucan'tha, new and beautiful white flowers and small oval fruit. Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit. Welwit'schil, thick five-lobed ornamental leaves, searlet acorn-like fruit. Trichosan'thus tubifio'rus, pretty white tubular flowers and handsome scarlet fruit. Trichosan'thus tubifio'rus, pretty white tubular flowers and handsome scarlet fruit. Trichosan'thus tubifio'rus, fine trailing species, with white flowers and pretty foliage, small organic palmated, fruit similar to T. cucumerina, but larger in coccin'ea, foliage palmated, fruit searlet. Dio'clea glycino'des, red, a fine twining plant. DISEM'MA, Nat. Ord. Pa	resqualitation of the state of	o ue vs., ns 6 666660 06666666 6666
2522 char cove aver for a 2523 2524 2524 2532 2533 253 253	OUOURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture actor of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picture the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and few indows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'ins, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra explo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Bope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small orange-coloured fruit Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Ragel'il, a very pretty climber, with small white flowers and small oval fruit Prasopo'gon Durlae't, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit Welvit'schil, thick five-lobed ornamental leaves, scarlet acorn-like fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green foliage, red, a fine twining plant Discem'ma c	resquilation of the state of th	o ue, s, s, s 6 666660 066666666 66666 66666
2522 char cove aver for a 2523 2524 2524 2532 2533 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and pictur aracter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picturing the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and few indows or porches. Bryonop'sis lacinio'sa erythrocat'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cucu'mis peren'nis, h. h. perennial, growing from 20 to 30 feet in a season, yellow fruit. "Vitifo'llus, hardy perennial, growing from 20 to 30 feet in a season, yellow fruit. Melo'thria pen'dula, a very pretty climber, with small black fruit. Regel'il, a very pretty climber, with small vibite flowers and small oval fruit. Momor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae'l, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small cornlets decorn-like fruit Trichosan'thes cucumeri'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. Dio'clea glycino'ides, red, a fine twining plant DISEM'MA, Nat. Ord. Passiflora'ce	resquilation wall and the stood of the stood	o ue; s, s, ns 6 666660 0 066666666 6 6 6 6
2522 char cove aver for a 2523 2524 2524 2532 253 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture reacter of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory picting the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and few windows or porches. Bryonop'sis lacinto'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white. Coccin'ea in'dica, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental. Cucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra sxplo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe Expeépon aurantia'cus, h. h. perennial, growing from 20 to 30 fect, foliage dark rich green, and very ornamental, flowers white, followed by small orange-coloured fruit Melo'thria pen'dula, a very perty climber, with small white flowers and small oval fruit. Melo'thria pen'dula, a very perty climber, with small white flowers and small oval fruit Momor'dica Balsami'na leucan'tha, new and beautiful Prasopo'gon Durlae'i, five-lobed dark green leaves, and fruit the size of a plum Rhynchocar'pa dissec'ta, handsome dark green cut foliage, small conical brilliant orange fruit Trichosan'thus tubifio'rus, pretty white tubular flowers and handsome scarlet fruit Trichosan'thes cucumer'na, fine trailing species, with white flowers and pretty foliage, small green fruit, streaked white, changing to scarlet. palma'ta, foliage and fruit similar to T. cucumerina, but larger "Choice mixed, from the above and many others DIO'OLEA, Nat. Ord. Legumino'sæ. Fine greenhouse climber DISEM'MA, Nat. Ord. Legumino'sæ. Valua	resqual stoo	o ue;s,s,s 6 666660 066666666 66666 66666
2522 char cove aver for a 2523 2524 2524 2532 2533 253 253	OUCURBITA'OEE. Specially interesting. The species enumerated under this heading are remarkable for the extremely ornamental and picture aracter of their miniature fruit and foliage. They are execatingly suitable for training up conservatory picturing the back walls of greenhouses, etc., or as select objects out of doors in warm situations, trained on a ruins, in flower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and fewindows or porches. Bryonop'sis lacinio'sa erythrocar'pa, beautifully cut small glossy dark green foliage, and miniature glossy green berries, marked and striped with white ture glossy green berries, marked and striped with white under the glossy green berries, marked and striped with white glossy, beautiful glossy pentagonal leaves, 4 inches long by 3 broad, with large snow white bell-shaped flowers in multitude, and followed by brilliant scarlet fruit quinquelo'ba, foliage five-lobed, very ornamental Gucu'mis peren'nis, quite hardy, and recommended by Mr. Robinson Cyclanthe'ra explo'dens, handsome foliage, and pretty oval fruit, loudly exploding when ripe property ornamental, flowers white, followed by small orange-coloured fruit. Melo'thria pen'dula, a very handsome foliage climber, with small black fruit. Momor'dica Balsami'na leucan'tha, new and beautiful white flowers and small oval fruit. Momor'dica Balsami'na leucan'tha, new and beautiful white flowers and small oval fruit. Momor'dica Balsami'na leucan'tha, new and beautiful white flowers and pretty foliage, small green fruit, thick five-lobed ornamental leaves, scarlet acron-like fruit white tubilar flowers and handsome scarlet fruit Trichosan'thes cucumeri'na, fine-lobed dark green cut foliage, small conical brilliant orange fruit white tubilar flowers and handsome scarlet fruit palma'ta, foliage and fruit similar to T. cucumerina, but larger coccin'ea, free, a fine twining plant palma'ta, foliage palmated, fruit scarlet Disem'ma coccin'ea, red, a fine twining plant palma'ta, foliage palmated,	resqual stoo	o ue;s,s,s 6 666660 066666666 66666 66666

			•		
	ECCRE	MOCAR'	PUS, Nat. Ord. Bignonia'ceæ. Elegant hardy perennial climber.	Per	pkt.
A :	magnificen	t blant	for south walls, verandahs, pillars, etc. In South Wales, South of England, and treland, it continues green during winter, and even flowers if the season is mild.		. d.
	and	West of	reland it continues green during evinter and water, South of England, and	$l S_0$	outh
254	6 Foorer	onar'nua	goo'han sist was green during winter, and even flowers if the season is mild.		
201	o medien	rocar pas	sea usi, then orange-scartet; a beautiful rapid-growing elimber	2	5 6
		EPH'EI	ORA, Nat. Ord. Gneta'ceæ. Ornamental half-hardy climber.		
254	7 Eph'ed	ra altis's	ima, if grown out of doors should be protected in winter		
		PAGET.	IA Not On The Control of the Control	. (5 6
084	Momon of	LAGLU	IA, Nat. Ord. Legumino'sæ. Handsome greenhouse twiner.		
2548	o ragen	a orcumi	no sa, long racemes of yellow flowers, a fine plant for pillars or trellises		5 6
	HAL	KDENRE	KGIA, Nat. Ord. Legumino's Resultiful grouphouse twinger		
2549	Harden	ber'gla	cya'na, Lindlsya'na, lu'cida, monophylla, stc., mixed		
		TY	Transfer and the creation in order in the control of the control o	. (0 6
055	AT	П	DY'A, Nat. Ord. Asclepiada'cea. Greenhouse climber.		
2556	ноуа	carno'sa,	remarkable for its large drooping bunches of wax-like flowers		. 0
		TPO	MCE'A (The Marning Clare) Not Ond Com 1 11		
Pre-	eminently	heautiful	ME'A (The Morning Glory), Nat. Ord. Convolvula'cea.		
	*	in	plants for the conservatory, greenhouse, and stove: many of them succeed well out	of d	oors
		0,00	ummer: the new Japanese varieties are the most recent acquisitions.		
Tr.	74	<i>~</i> .	GREENHOUSE AND OUT-DOOR ANNUAL VARIETIES.		
1 ne	1pomæas o	offered und	der this heading are of great beauty and well deserving of cultivation, the flower.	sof	the
			reactacta buttettes are very targe and beautifully marpined.		
2551	Ipomæ	'a hedera	cea grandifiora, sky blue, with broad white margin	-	
2552		"	iii ou ou, siveny witte, large and handsome	-	3 6
2553			is all of viola coa, recu ververy purple. With hite margin	_	4
2554 2555		**	in and the margined witte, time	0	
2556	. "	ho'na i			9 3
2557		Con'tic			
2558			a, a charming little species, with star-like rosy white flowers in clusters sper'mum, flowers white, with purple throat, habit of plant erect		
2559					
2560	,,	Nil gra			
2561					2
2562		Quamo			
2563	.,,	deror or	was large watte nowers, and ornamental dak-leaved tollage		
2564					
2565 2566		ru oro-			
2567		mived	" al'ba, pure white, large beautiful flowers	0	
	The	following	including the above 11 varieties 6d. & Japan Ipomæas with plain foliage are exceedingly effective, and recommended.	I	0
2568	Ipomœ'	a Japon'i			-
2569	,,,	- "	,, in tus ro'sea, rose, white centre	0	
2570	**	"), pro ou madina, white, spotted protes	0	6
2571		11	ii ii los ca, rose, spotted white	_	6
2572		12		0	6
2573		"		0	6
2574 2575		"	azu iea pai nua pic ta viola cea, tight blue, spotted violet	0	6
2576	31	"		0	6
	The fo	Ilorving 9	choice mixed, including the above 8 varieties 6d. & fapan I from as have beautifully marbled foliage, being an entirely new feature.	I	0
2577	Ipomæ'	a Japon'i	ca in tus ro'sea fol. variega'tis, white, rose throat.		
2578	"	- 11	al'ba ssmipls'na fol. variega'tis	0	6
2579	**		10 Sea azu 16a marginata 101. Varisga 7.19	0	6
2580	21	11	viola coa ai da puncia ta idi, varisga tis		6
2581	11	21	azurea maremata ioi. variega tig		6
2582 2583	11		,, in tus lu'tea fol. varisga'tis	ŏ	6
2003	- 11	11	in'tus lu'tea fol. varisga'tis mixed, including the above 6 varieties	I	0
	4. 4		GREENHOUSE AND STOVE PERENNIAL VARIETIES.		
£.	s permane	ent climbe	rs the beauty of the following should ensure them a place in every collection of plan	ts.	
2584	Ipomæ'a	ь вас кш	COPTUIDE TUIDED, flowers and foliage very ornamental	-	
	11	chrysai	na grandification pellow	I	0
2586	11			0	6
2587	11	CALL TOUR O	W OCCULII HILV HIVIOPO TOHATE AND LARGE THATAL LITTLE HOLLOWS IN NAME AND	0	3
2588 2589		110110 116	beautiful attac nowers, and ornamental lobed foliage	0	4
2590	**	WALCOT PETTY	hai a beautiful ilvulli vallelv. With line race howere	0	6
2591	"		(true), splendid large handsome lapis-lazuli blue flowers, changing to red	0	6
2592	"		microphylla, remarkable for its small neat foliage a'na, fine bunehes of rose-carmine flowers, with purple throat	1	0
2593	"			0	6
2594	11	Populari	LY LOW HOWEIS HIRPHHICERY 7/10/2/2/1/06 tollage very erromantal	0	6
2595	1)			0	0
2596		. 01 2 00 02	PV9, put witte howers, and healty toped leaves, an interesting encoing	0	4
2597	"	MALLECCE I	ton the above species	I	0
	JA	SMINU	M. Nat. Ord. Jasmindeen Favourite grouphouse climbers		
2598	OWDITT III	am Ria Ci	18. am ns. azoricum confusum Cane Verd revolutum and dinastrum		
	**** ****		*** ***		
	KI	CHARA	YA Not Ond Tommindon Sala 3:1	I	0
2599	Kenne'd	va choice	YA, Nat. Ord. Legumino'sa. Splondid greenhouse twiners.		
		, 0110100	missu, meruding the best varieties	I	0
	LA	PAGE'R	IA, Nat. Ord. Smila'cea. Magnificent greenhouse climber.		
0000					
2600	Lapage	ria ro'ssa	, large bell-shaped rosy carmine flowers fleebed with ashite	I	0
2600 2601	Lapage'r	ria ro'ssa ''	, large bell-shaped rosy carmine flowers, flecked with white. supsr'ba, Fisher, Holmes & Co.'s variety 13. & 13. &	I 2	6

```
LOPHOSPER'MUM, Nat. Ord. Scrophularia'ceæ.
2602
2603
2604
2605
                                                                  A most beautiful greenhouse climber.
      MANDEVIL'LA, Nat. Ord. Apocyna'cea.
       Mandevilla suave'olens, large and deliciously fragrant snow white flowers in bunches .....
2607
                                                                          Half-hardy perennial climbers.
         MAURAN'DYA, Nat. Ord. Scrophularia'ceæ.
       Mauran'dya Barclaya'na grandifio'ra al'ba, white.....
                                                                                                                              6
2608
                                                                           These are charming climbere, elegant alike in flower and foliage, and from their graceful slender growth are well suited for hanging-baskets, traiting over vases, training on wire globes, up pillars, and on trellses, either under glass,
                                                     atro-purpu'rea
                                                                                                                              46
2609
                                                      crimson .....
2610
                                            . . .
                                                                                                                              46
2611
                                                      ro'sea ...
                       antirrhinisto'ra, violet, very graceful .....
Emerya'na, rose and purple, mixed .....
2612
                                                                                                                              6
2613
                                                                                                                              0
                                                                              or out of doors.
                        choice mixed, including all the finest ......
2614
              "
                        fine mixed .....
2615
                MEDE'OLA, Nat. Ord. Melantha'cea. Elegant greenhouse climber.
       Mede'ola asparagoi'des, a beautiful winter-flowering plant, with orange-scented flowers ......
2616
                                                                        Useful hardy annual climbers.
           NASTUR'TIUM, Nat. Ord. Tropwola'cew.
       Nastur'tium, crimson, orange, spotted, Scheuermannia'num, and car'neum .....each
2617
                 mixed, various colours ......3d. & o
For Tropwolum Lobbianum, a superior class of climbing Nasturtium, see page 49.
2618
      PASSIFLORA (Passion-flower), Nat. Ord. Passiflora'cea. Magnificent climbers.
The matchless beauty of the Passiflora is realized in the highest degree when the long sleuder shoots, covered with blossoms, are unfastened and allowed to drape the conservatory with their unique flowers and foliage, making one feel when walking beneath them as if they were traversing a Brazilian forest, or some enchanted grove. And what is more charming than to see the Blue Passion Flower (P. carulea) mantling a villa with its rich green foliage and sky-blue flowers, and in autumn loaded with a profusion of golden fruit.
       foliage and sky-blue flowers, and in autumn loaded with a profusion of golden fruit.

Passifio'ra al'Da, white, greenhouse

"cœru'lea, sky-blue, hardy."

"grandifio'ra, sky-blue, hardy."

"edu'lis, white, edible-fruited, greenhouse."

"gra'cilis, white, a rapid growing half-hardy annual

"fœ'tida, white, a rapid growing half-hardy annual

"ful'gens, blush, shading to red

"heterophyl'la, yellowish white

"ncarna'ta, sink, greenhouse
2620
2621
2622
2623
2624
2625
2626
                     incarna'ta, pink, greenhouse

Lawsonia'na

Loudon'il
2627
2628
                     Laudon'il, purple, I ft.

palma'ta, white, tinged azure blue, hardy

quadrangula'ris, red and white, very odoriferous, the Granadilla vine of the French


prin'ceps cocch'ea, magnificent scarlet, in bloom for many months, warm greenhouse.
2629
            ,,
2630
2631
            ,,
2632
            ,,
                      trifascia'ta, rose-carmine
2633
                      choice mixed.
2634
2635
            PHASE'OLUS, Nat. Ord. Legumino'sæ. Handsome greenhouse climbers.
        These with their Wistaria-like flowers are remarkably effective.

Phase'olus coccin'eus no'rus, scarlet, annual, very handsome

"Caraca'lla, lilac, perennial, very beautiful
 3337
                      Riccardia'nus, bright yellow flowers produced profusely .....
 2638
             PHYSIAN'THUS, Nat. Ord. Asclepiada'ceæ. Fine greenhouse climber.
        Physian'thus undula'tus, white, a very fine plant for training to rafters or pillars.....
 2639
          RHODOOHI'TON, Nat. Ord. Scrophularia'ceæ. Beautiful greenhouse climber.
        Rhodochi'ton volu'bile, rose-pink, a fine old favourite climber.....
        RHYNCHOSPER'MUM, Nat. Ord. Apocyna'ceæ. Handsome greenhouse twiner.
        Rhynchosper'mum jasminoi'des, pure white, very fragrant......
       SOYPHAN'THUS, Nat. Ord. Loasa'ceæ. Ornamental half-hardy annual climber.
        2642
                                                                     Magnificent greenhouse climbers.
             TACSO'NIA, Nat. Ord. Passiflora'ceæ.
                                                                                                                              0
 2643
        Tacso'nia erian'tha, pale red .....
                                                                  For dazzling brilliancy and beauty of flower, the Tacsonius are unsurpassed, Amongst them T. Van Volzems is pre-eminent, flowers of intense searlet followed by fruit of a pleasant sub-acid flawour. The tartieties are all vapid growers, woon covering a larve space, and as the flowers are suspended on long thread-like flaments they give the roof of the conservatory the appearance of being studded with starlights.
                                                                                                                              0
                    Exonien'sis, flame colour .....
 2644
                                                                                                                              0
                    ig'nea, vivid scarlet.....
 2645
                                                                                                                              0
                    manica'ta, scarlet .....
 2646
             23
                    mallis'sima, rosy pink.
sangui'nea, scarlet
Van Volxe'mi, rich scarlet
                                                                                                                              0
 2617
             11
                                                                                                                              0
 2648
             ••
                                                                                                                              0
 2619
                                                                                                                              0
                    choice mixed .....
 2650
                 TECOMA, Nat. Ord. Bignonia'cca. Beautiful greenhouse twiners.
        2651
 2652
                  jasminoi'des grandifio'ra, white, crimson throat ...
 2653
                THLADIAN'THA, Nat. Ord. Cucurbita'ceæ. Hardy showy climber.
```

	THUNBI	ER'GIA, Nat. Ord. Acantha'ceæ. Splendid half-hardy annual climbers. 5. d.
2655	Thunber's	da ala'ta, orange, rich brown eve
2656	,,	al'ba white rich home \ 1 hese are all extremely elegant slowder \ +
2657		,, aurantia'ca, orange, dark eve growing climbers, rapidly covering wire
2658	33	Ba'kerl, pure white globes, pillars, trellises, hanging-baskets
2659	"	FTV'OFL vellow etc., in the greenhouse. In sheltered situa-
2660	**	SIII DOIL TAR CUITALINE COLOUR \ ILOUS INEV SUCCEED ONE! OUT OF doors subsect T
2661	22	Choice mixed from the above / They are very effective.
2662	13	cocci nea, scartet, warm greenhouse perennial.
2663	11	
2664	**	Samulio 10, othe, walling reclinouse perennial
2665	23	ALGE LIDE OF WELL STUCKHOUSE DEFERMINE
2666	"	analytical from the above 4 perennal varieties
T	ROPÆ′OL1	UM, Nat. Ord. Troppolaceg. Half-hardy annual and parannial alimbana
	The aureinting	of T Jobbianum and acception to
and ;	profusion of	of bloom. Porter's varieties have fuelly-formed flowers, and are specially diversified colours to bloom. Porter's varieties have fuelly-formed flowers, and are specially recommended for and during the winter and spring months they keep the conservatory gay, and supply a large flowers. They are all equally suitable for filling flower-beds in summer, covering trellises, walls, etc. The seed from the self colours usually cover the self-self colours usually and the self-self-self-self-self-self-self-self-
indoo	r culture, a	nd during the winter and spring months they been the conservation and
quant	tity of cut)	Nowers. They are all equally suitable for filling thouser-beds in sugary and supply a large
chain	s, pillars, u	valls, etc. The seed from the self colours usually comes true, but parti-coloured varieties sport
very	much. T.	Canariense, the Canary Creeper, with its beautifully fringed rich yellow flowers and pretty really known and admired as a fine climber. T. Jaratti is a beautiful greenhouse plant, is in the style of Jaratti but hardy succeeding out of
foliag	e, is unive	rsally known and admired as a fine climber. T. Jaratti is a beautiful greenhouse plant
ocuw1/		
2667	Tropæolu	m Canarien'se, beautiful bright yellow, pretty foliage
2668	99	aba reun, skyotte, very rare greenhouse inner troops of 6d to 5c 6d
2669 2670	**	
2671	**	out to out, starter, yettow, and other, splendid greenhouse perennial tuber (roots or 64)
2672	"	
2673	"	DVI VII I IIII. DEAUTHUL POLOEN VELLOIN DATOV DEPENDING (FOOTE TO 6.7 % o. 6.7 \ 37. C
2674	**	specio'sum, bright scarlet, hardy (established plants in pots, 2s. 6d.) 140 Seed. Tobble num Porton's new first close week plants in pots, 2s. 6d.)
2675	**	Lobbia'num, Porter's new first-class varieties, in mixture
2676	**	,, brilliant, bright scarlet, crimson throat 0 4 ,, Coronet, yellow, spotted red-brown, a fine bedding variety 0 6
2677	***	,, Coronet, yellow, spotted red-brown, a fine bedding variety
2678	"	Couleur de Bismarek, a new colour 0 6 Crystal Palace, scarlet, very fine 0 6
2679	"	
2680	**	Firefly, dazzling scarlet
	"	Garibaldi, scarlet spotted
2681	11	
2682 2683	,,,	
2684	99	
2685	**	an Monsieur Connes, temon, spotted crimson
2686	**	
2687	11	, terrection, brittlant scarter, a great advance on the Treday.
2688	33	11 Queen Victoria, Vermillon, scarlet striked
2689	12	
2690	19	
2691	39	of Spirite, Digiti Kery rea, a Pood Dedding Variety
2692	11	
2693	,,	, Von Moltke, peach-rose, a fine new colour in Tropwolums
2694	,,	", Zande'rii niger, rich crimson 0 6 ", choice mixed, including the finest varieties 1 0
2695	"	
For T	ropæ'olum	compactum Beauty of Malvern, and all the dwarf close growing bedding varieties, see p. 33.
	7	JI'(1) A Nat Ond Leguminology Shows I cost growing bedding varieties, see p. 33.
	17.01	VI'UIA, Nat. Ord. Legumino'sæ. Showy hardy annual climber.
2696	Vi'cia Gera	tible only for rough rock-work, wildernesses, and places where they can scramble about.
2000	VI CAM CICIE	3d, & 0 6
	W.	ISTA'RIA, Nat. Ord. Legumino'sæ. Magnificent hardy climber.
2697	Wista'ria f	rutes'cens, blaish purple flowers
2698	,, 1	magnifica
2699	,, 8	sinen'sis, unrivalled for the beauty of its long racemes of blue laburnum-like flowers I o







RUNTIC TERRA COTTA BRACKETS, in various designs, 3/6, 4/6, 5/6, 7/6, 10/6, 12/6, 15/- and 17/6.

A FEW FLOWER SEEDS BY WEIGHT,

Which can be used for Bedding, Massing, Edging, Woodland Walks, etc.

Not less than \(\frac{1}{2} \) oz. sold at the price quoted.

DWARF ANNUALS, &c.

	DWA	LIVE		MOVEDN	per oz.—3		1.
	per oz	-3,	d.	2732	Leptosiphon aureus, 4 ft	I	0
2700	Alyssum saxatile, 1 ft	1			domaidamen v ft		0
2701	Anemone coronaria, mixed, ½ ft	1	6	2733			
2702	Anemone coronaria, mixed, & ft	2	6	2734			0
2703	Calandrinia speciosa, ½ ft	I	0	2735			6
	Calliopsis, dwarf mixed, 3 ft	1	0	2736	Diffinationes Douglands and array grant	0	9
2704	Camopais, uwait inted, 4 to	I	0	2737	Linaria, fine mixed, 1 ft		0
2705	Campanula pentagonia, purple, 1 ft	ī	0	2738	Linum grandiflorum coccineum, 1 ft	2	6
2706	,, alba, ½ ft				Lupinus nanus, ½ ft		9
2707	Candytuft Dunnetti, crimson, I II	I	0	2739	Euphius namus, 2 tt		0
2708	, sweet-scented, white, I ft	I	0	2740			
2709	Centranthus macrosiphon nanus, 3 ft.	I	0	2741			6
	Clarkia, Tom Thumb, mixed, I ft	I	0	2742	a Stored and Store in the store		0
2710		0	9	2743	Nasturtium Tom Thumb, scarlet, 1 ft.,	I	0
2711	Collinsia bicolor, I ft	o	9	2744	yellow, 1 ft	I	0
2712	" " alba, ī ft			2745	mearl r ft	I	0
2713	", ", mixed, 1 ft	0	9		" crimen t ft	I	0
2714	Convolvulus tricolor atro-purpureus	0	9	2746			6
2715	" " albus, 1 ft	0	9	2747			
2716	mongtrogue t ft.	0	9	2748	Hemophina margaret, 2 to the tree to the t		9
2717	" mixed, 1 ft	0	9	2749	,, ,,		9
	Dianthus Sinensis, mixed, I ft	1	6	2750			9
2718	Trabach elected oronge a ft	I	0	2751		0	9
2719	Eschscholtzia crocea, I ft	ī	ō	2752	Sanvitalia procumbens, & ft	I	6
2720	", alba, 1 ft			2753	Saponaria calabrica, ½ ft	I	0
2721	mixed, I ft	I	0		alba, ½ ft	I	0
2722	Eucharidium grandiflorum, pink, 1 ft.	I	0	2754	Citions wandwis with 1 ft	ō	9
2723	Gilia tricolor, and rosea, & fteach	0	9	2755			
2724	Godetia tenella, r ft	I	0	2756	,, ,,	0	9
2725	Gyngophila muralis 1 ft.	I	6	2757	Tagetes pumila, Crystal Palace, var., 1ft.	3	0
	Gypsophila muralis, ½ ft	1	0	2758		0	9
2726	Hymenoxis californica, ½ ft	I	6	2759	Virginian stock, pink, ½ ft	0	
2727	Tymenoxis camorina, 5 tt	ī	6	2760	,, white, \frac{1}{2} ft	0	8
2728	Kaulfussia atroviolacea, ½ ft	ī	6	2761		1	0
2729	Larkspur, dwarf stock flowering, 1 ft		6	2762	Zinnia Mexicana, 1 ft	2	6
2730	,, rocket, I ft			2104	and the second s		- >
2731	Lasthenia californica, 3 ft	I	6	1			
	TA	T.T.	A NI	NUALS,	. &c.		
					, 0,00		
	per Oz.			1	per oz.—		d.
0763	per oz.	— 5.		2789	per oz.—; Larkspur, tall pyramidal mixed, 13 ft	1	0
2763	Amaranthus melancholicus ruber, $1\frac{1}{2}$ ft.	—s.	d. 6	1	per oz.—; Larkspur, tall pyramidal mixed, 13 ft		0
2764	Amaranthus melancholicus ruber, r_2^1 ft. Antirrhinum fine mixed, 2 ft	—s. I	d. 6 6	2789 2790	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft	1	0
2764 2765	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft.	—s. I I	d. 6 6	2789 2790 2791	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft Hartwegii albus, 2 ft	I I	0
2764 2765 2766	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta yulgaris fol. kermesina	—s. I I O 2	d. 6 6 9	2789 2790 2791 2792	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft Hartwegii albus, 2 ft "" pubescens elegans, 1½ ft	I I I	0 0 0 0
2764 2765 2766 2767	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed	-s. I I O 2	d. 6 6 9 6	2789 2790 2791 2792 2793	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft Hartwegii albus, 2 ft ", pubescens elegans, 1½ ft Loye-lies-bleeding, red, 2 ft	I I I	00009
2764 2765 2766	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft.	—s. I I O 2 2	d. 6 6 9 6 6 0	2789 2790 2791 2792 2793 2794	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft " Hartwegii albus, 2 ft " pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft straw-colour, 2 ft	I I I O O	000099
2764 2765 2766 2767 2768	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchity, red, 1½ ft.	_s. I I O 2 2 I O	d. 6 6 9 6 6 0 9	2789 2790 2791 2792 2793 2794 2795	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft " Hartwegii albus, 2 ft " pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft " straw-colour, 2 ft Maize, new striped-leaved, 4 ft	I I I O O	0000990
2764 2765 2766 2767 2768 2769	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina ,, Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft.	—s. I I O 2 2 I O I	d. 6 6 9 6 6 0	2789 2790 2791 2792 2793 2794 2795 2796	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft " Hartwegii albus, 2 ft " pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft " straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each	I I I O O I	0000990
2764 2765 2766 2767 2768 2769 2770	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina ,, Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft.	—s. I I O 2 2 I O I	d. 6 6 9 6 6 0 9	2789 2790 2791 2792 2793 2794 2795 2796 2797	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft " Hartwegii albus, 2 ft " pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft " straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed	I I I O O I O	000099096
2764 2765 2766 2767 2768 2769 2770 2771	Amaranthus melancholicus ruber, 1\(\frac{1}{2}\)ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina , Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1\(\frac{1}{2}\)ft. Centaurea cyanus mixed, 3 ft. depressa, 1\(\frac{1}{2}\)ft.	—s. 1 0 2 1 0 1 1 1 1 1 1 1 1 1 1 1	d. 6 6 9 6 6 0 9	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft " Hartwegii albus, 2 ft " pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft " straw-colour, 2 ft Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas. Sweet, mixed, 6 ftper lb. 2,6	I I I O O I O O	000099096
2764 2765 2766 2767 2768 2769 2770 2771 2772	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft.	—s. I I O 2 2 I O I I I I	d. 6 6 9 6 6 0 9	2789 2790 2791 2792 2793 2794 2795 2796 2797	Larkspur, tall pyramidal mixed, 1½ ft Luphus hybridus choice mixed, 2½ ft Hartwegii albus, 2 ft "pubescens elegans, 1½ ft tove-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6	I I I O O I O O O	00009909636
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1¼ ft. " depressa, 1½ ft. " double white, 2½ ft. " double yellow, 2½ ft. "	-s. 1 1 0 2 2 1 0 1 1 1 1 1	d. 6 6 9 6 6 0 9 0 0 0 0	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 in colours, each variety "Perilla Nankinensis, 1½ ft.	I I I O O I O O O O	000099096360
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. — " double yellow, 2½ ft. — " tricolor, mixed, 1½ ft.	-s. I I O 2 2 I O I I I I I I I I I	d. 66 6 9 6 6 0 9 0 0 0 0 0	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 in colours, each variety "Perilla Nankinensis, 1½ ft.	I I I O O I O O O	00009909636
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. — " double yellow, 2½ ft. — " tricolor, mixed, 1½ ft. Clarkia pulchella, 1½ ft.	-s. I I O O 2 2 2 I O I I I I I I I O O O O	d. 66 96 6 0 90 0 0 0 9	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801	Larkspur, tall pyramidal mixed, 1½ ft Luplnus hybridus choice mixed, 2½ ft Hartwegii albus, 2 ft "pubescens elegans, 1½ ft tove-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "nicolours, each variety Perilla Nankinensis, 1½ ft Poppy, carnation, mixed, 2 ft	I I I O O I O O O O	000099096360
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchity, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. Clarkia pulchella, 1½ ft. " integripetala, 1½ ft.	-s. I I I O 2 2 2 I O I I I I I I I O I I I I	d. 66 96 6 0 90 0 0 0 90	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802	Larkspur, tall pyramidal mixed, 1½ ft Luplnus hybridus choice mixed, 2½ ft Hartwegii albus, 2 ft "pubescens elegans, 1½ ft tove-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "nicolours, each variety Perilla Nankinensis, 1½ ft Poppy, carnation, mixed, 2 ft	I I I I O O O O O O	00009909636099
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. — Chrysanthemum double white, 2½ ft. — " double yellow, 2½ ft. — " tricolor, mixed, 1½ ft. — " tricolor, mixed, 1½ ft. — " integripetala, 1½ ft. — " integripetala, 1½ ft. — " mixed, 1½ ft. — " mixed, 1½ ft. — " mixed, 1½ ft.	-s. I I I O 2 2 2 I O I I I I I O O I I I I	d. 6 6 9 6 6 0 9 0 0 0 0 9 0 0	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Malope, red and white, 2 fteach Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pœony, mixed, 2 ft	I I I I O O O O O O O O O O	000099096360999
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed	-s. I I I O O 2 2 2 I O O I I I I I I I I I	d. 6 6 9 6 6 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	2789 2790 2791 2792 2793 2794 2796 2796 2797 2798 2799 2800 2801 2802 2803 2804	Larkspur, tall pyramidal mixed, 1½ ft. Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft Prince's Feather, 2 ft	I I I I O O O O O O O	0000990963609999
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed	-s. I I I O 2 2 2 I O O I I I I I I I I I I	d. 66 96 6 0 90 0 0 0 0 0 6	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2804	Larkspur, tall pyramidal mixed, 1½ ft Luplnus hybridus choice mixed, 2½ ft Hartwegii albus, 2 ft "pubescens elegans, 1½ ft. Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2½ ft "French, mixed, 1½ ft "Pæony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed	I I I I I I I I I I I I I I I I I I I	00009909636099990
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2775 2777 2778 2779	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. — Chrysanthemum double white, 2½ ft. — " double yellow, 2½ ft. — " tricolor, mixed, 1½ ft. — " tricolor, mixed, 1½ ft. — " integripetala, 1½ ft. — " integripetala, 1½ ft. — " mixed, 1½ ft. — " mixed, 1½ ft. — " mixed, 1½ ft.	-s. I I I O 2 2 2 I O O I I I I I I I I I I	d. 6 6 9 6 6 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Malope, red and white, 2 fteach Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft "Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft	I I I I O O O O O O O O O I I I	000099096960999900
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2776 2777 2778 2777 2778	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calilopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. " tricolor, mixed, 1½ ft. " tricolor, mixed, 1½ ft. " " integripetala, 1½ ft. " " mixed, 1½ ft. " " mixed, 1½ ft. " " mixed, 1½ ft. " Delphinium, mixed. Digitalis, mixed, 4 ft.	-s. I	d. 6 6 9 6 6 0 9 0 0 0 6 6	2789 2790 2791 2792 2793 2796 2796 2797 2798 2800 2801 2802 2803 2804 2805 2806 2807	Larkspur, tall pyramidal mixed, 1½ ft. Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft.	1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1	0000990963609999006
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed. Digitalis, mixed, 4 ft. Erryslmum Perofiskianum, 1½ ft.	-s. I	d. 6 6 9 6 6 0 9 0 0 0 6 6	2789 2790 2791 2792 2793 2794 2796 2796 2797 2798 2800 2801 2802 2803 2804 2805 2807 2808	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "Pæony, mixed, 2 ft "Pæony, mixed, 2 ft "Pince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, Sunflower, mixed.	1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1	00009909636099990060
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2777 2778 2779 2781 2781 2781	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. double yellow, 2½ ft. "tricolor, mixed, 1½ ft. "" "" "" "" "" "" "" "" "" "" "" "" ""	-s.	d. 6 6 9 6 6 0 9 0 0 0 0 6 6 9 0	2789 2790 2791 2792 2793 2796 2796 2797 2798 2800 2801 2802 2803 2804 2805 2806 2807	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft. Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft Sultan, sweet, mixed, 1½ ft Sultan, sweet, mixed, synthesis and sweet william fine mixed, 1½ ft	1 1 1 1 0 0 1 0 0 0 0 2 0 0 0 0 1 1 1 1	000099096360999900606
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2776 2777 2778 2779 2780 2781 2782 2783	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium Peroffskianum, 1½ ft. Erysimum Peroffskianum, 1½ ft. Godetia rubicunda, 1½ ft.	-s.	d. 6 6 9 6 6 0 9 0 0 0 0 0 9 0 0 0 6 6 6 9 0 0	2789 2790 2791 2792 2793 2794 2796 2796 2797 2798 2800 2801 2802 2803 2804 2805 2807 2808	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. "Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft. "French, mixed, 1½ ft. "Pacony, mixed, 2 ft. Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense	1 1 1 0 0 1 0 0 0 0 2 0 0 0 1 1 1 1 1 1	0000990963609999006066
2764 2765 2766 2767 2768 2769 2771 2772 2773 2774 2775 2776 2777 2778 2780 2781 2782 2783 2784	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1¼ ft. — Chrysanthemum double white, 2½ ft. — double yellow, 2½ ft. — "tricolor, mixed, 1½ ft. — "integripetala, 1½ ft. — "integripetala, 1½ ft. — "mixed, 1½ ft. — "mixed, 1½ ft. — Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium, profiskianum, 1½ ft. Erysimum Perofiskianum, 1½ ft. Eutoca viscida, 1½ ft. — Godetia rubicunda, 1½ ft. — rosea alba, 1½ ft.	-s.	d. 6 6 9 6 6 0 9 0 0 0 0 0 0 6 6 9 0 0 0	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. "Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft. "French, mixed, 1½ ft. "Pacony, mixed, 2 ft. Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense	1 1 1 1 0 0 1 0 0 0 0 2 0 0 0 0 1 1 1 1	000099096360999900606
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2781 2781 2782 2783 2784 2785	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed. Digitalis, mixed, 4 ft. Erysimum Peroffskianum, 1½ ft. Etutoca viscida, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft.	-s.	d. 66 96 66 0 90 0 0 0 66 6 90 0 0 0	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft. "Pæony, mixed 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft.	1 1 1 0 0 1 0 0 0 0 2 0 0 0 1 1 1 1 1 1	0000990963609999006066
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2782 2783 2784 2784 2785 2784	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchily, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. Delphinium, mixed Digitalis, mixed, 4 ft. Erysimum Perofiskianum, 1½ ft. Eutoca viscida, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft.	-s. I I I I I I I I I I I I I I I I I I I	4.666966090000666900000	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2809 2810 2811 2812	Larkspur, tall pyramidal mixed, 1½ ft. Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft. "Pæony, mixed 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. Wallflower, dark 1½ ft.	111100010000200001111111111111111111111	00009909636099990060660
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2778 2782 2781 2782 2783 2784 2785 2786 2787	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed. Digitalis, mixed, 4 ft. Erysimum Perofiskianum, 1½ ft. Eutoca viscida, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "nosea alba, 1½ ft. "mixed, 1½ ft.	-s. 1 1 0 2 2 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	d. 6669660900006669000066	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft. Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ft per lb. 2,6 "nicolours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2½ ft "French, mixed, 1½ ft "Pecony, mixed, 2 ft Prince's Feather, 2 ft Ricinus, mixed Rocket, sweet, mixed, 1½ ft Sultan, sweet, mixed, Sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft Walliflower, dark 1½ ft "gellow, 1½ ft "gellow, 1½ ft	111100010000200001111111111111111111111	000099096360999900606600
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2782 2783 2784 2784 2785 2784	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Caltiopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium Peroffskianum, 1½ ft. Etutoca viscida, 1½ ft. Godetia rubicunda, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "hibiscus Africanus, cream, black centre Larkspur, tall stock-flowered, 2½ ft. "branching mixed, 2½ ft.	-s. 1 1 0 2 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1	4.6669660900006669000066	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2811 2812 2813	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 fteach Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety." Perilla Nankinensis, 1½ ft Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sultan, sweet, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. "yellow, 1½ ft "yellow, 1½ ft "yellow, 1½ ft "mixed, 1½ ft "mixed, 1½ ft "mixed, 1½ ft	111100010000020000111111111111111111111	0000990963609999006066000
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2778 2782 2781 2782 2783 2784 2785 2786 2787	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calilopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. Clarkia pulchella, 1½ ft. " integripetala, 1½ ft. " mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed. Delphinium, pixed. Delphinium	-s. 1 1 0 2 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1	d. 6 6 6 9 6 6 0 9 0 0 0 0 6 6 9 0 0 0 0 6 6 0 TAB	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2810 2811 2812 2813	Larkspur, tall pyramidal mixed, 1½ ff Luplnus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft. Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2½ ft "French, mixed, 1½ ft "Pæony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sulflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. Wallflower, dark 1½ ft. "yellow, 1½ ft. "mixed, 1½ ft.	1 1 1 1 0 0 1 0 0 0 0 2 0 0 0 0 1 1 1 1	00009909636099990060660000
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2778 2779 2780 2781 2782 2784 2785 2786 2788	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasiliensis and chilensis, mixed Calilopsis, tall mixed, 2 ft. — Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. Clarkia pulchella, 1½ ft. " integripetala, 1½ ft. " mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed. Delphinium, pixed. Delphinium	-s. 1 1 0 2 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1	d. 6 6 6 9 6 6 0 9 0 0 0 0 6 6 9 0 0 0 0 6 6 0 TAB	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2810 2811 2812 2813	Larkspur, tall pyramidal mixed, 1½ ff Luplnus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft. Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malope, red and white, 2 ft.,each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2½ ft "French, mixed, 1½ ft "Pæony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sulflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. Wallflower, dark 1½ ft. "yellow, 1½ ft. "mixed, 1½ ft.	111100010000020000111111111111111111111	0000990963609999006066000
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2782 2783 2784 2785 2784 2785 2788	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Caltiopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium Peroffskianum, 1½ ft. Eutoca viscida, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "nosea alba, 1½ ft. "nosea alba, 1½ ft. "mixed, 1½	-s. 1 1 0 2 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1	d. 66 6 9 6 6 6 0 0 0 0 6 6 6 9 0 0 0 0 CLAI	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2811 2812 2811	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 fteach Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. Wallflower, dark 1½ ft. "yellow, 1½ ft "yellow, 1½ ft "mixed, 1½ ft "periow, 1½ ft "mixed, 1½ ft "m	1 1 1 1 0 0 1 0 0 0 0 2 0 0 0 0 1 1 1 1	00009909636099990060660000
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2781 2784 2785 2786 2787 2788	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Caltiopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium Peroffskianum, 1½ ft. Eutoca viscida, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "nosea alba, 1½ ft. "nosea alba, 1½ ft. "mixed, 1½	-s. 1 1 0 2 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1	d. 66 6 9 6 6 6 0 0 0 0 6 6 6 9 0 0 0 0 CLAI	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2811 2812 2811	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 fteach Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. Wallflower, dark 1½ ft. "yellow, 1½ ft "yellow, 1½ ft "mixed, 1½ ft "periow, 1½ ft "mixed, 1½ ft "m	1 1 1 0 0 1 0 0 0 0 2 0 0 0 0 1 1 1 1 1	00009909636099990060660000 6
2764 2765 2766 2767 2768 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2782 2783 2784 2785 2784 2785 2788	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed. Digitalis, mixed, 4 ft. Erysimum Perofiskianum, 1½ ft. Eutoca viscida, 1½ ft. "osea alba, 1½ ft. "mixed,	-s i i i i i i i i i i i i i i i i i i	d. 66 6 96 6 0 0 0 0 0 66 6 9 0 0 0 6 6 0 LAH	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2811 28112 2813	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft Sultan, sweet, mixed, sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. "yellow, 1½ ft "yellow, 1½ ft "yellow, 1½ ft "mixed, 1½ ft "mixed, 1½ ft "mixed, 1½ ft "yellow, 1½ ft	111100010000020000111111111111111111111	00009909636099990060660000 60
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2781 2784 2785 2786 2787 2788	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. Clarkia pulchella, 1½ ft. "integripetala, 1½ ft. Convolvulus major choice mixed Delphinium, mixed, Digitalis, mixed, 4 ft. Erysimum Peroffskianum, 1½ ft. Erysimum Peroffskianum, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "rosea alba, 1½ ft. "mixed,	-s 1	d. 6669660000000666900006660 LAI	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2811 2812 2813	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft. "Maize, new striped-leaved, 4 ft Malope, red and white, 2 fteach Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft. "French, mixed, 1½ ft "Pæony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed, 1½ ft. Sultan, sweet william fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. "yellow, 1½ ft. "yellow, 1½ ft. "yellow, 1½ ft. "mixed,	111100100002000011111111111111111111111	00009909636099990060660000 600
2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2780 2781 2781 2784 2785 2786 2787 2788	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasiliensis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. Clarkia pulchella, 1½ ft. "integripetala, 1½ ft. Convolvulus major choice mixed Delphinium, mixed, Digitalis, mixed, 4 ft. Erysimum Peroffskianum, 1½ ft. Erysimum Peroffskianum, 1½ ft. "rosea alba, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "mixed, 1½ ft. "rosea alba, 1½ ft. "mixed,	-s 1	d. 6669660000000666900006660 LAI	2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2811 2812 2813	Larkspur, tall pyramidal mixed, 1½ ft Lupinus hybridus choice mixed, 2 ft "Hartwegii albus, 2 ft "pubescens elegans, 1½ ft Love-lies-bleeding, red, 2 ft "straw-colour, 2 ft Maize, new striped-leaved, 4 ft Malope, red and white, 2 ft., each Nasturtium, tall mixed Peas, Sweet, mixed, 6 ftper lb. 2,6 "in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, carnation, mixed, 2 ft "French, mixed, 1½ ft "Pacony, mixed, 2 ft Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft Sultan, sweet, mixed, sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense Viscaria cardinalis, 1½ ft. "yellow, 1½ ft "yellow, 1½ ft "yellow, 1½ ft "mixed, 1½ ft "mixed, 1½ ft "mixed, 1½ ft "yellow, 1½ ft	111100100002000011111111111111111111111	00009909636099990060660000 60

MIXED FLOWER SEEDS.

For Shrubberies, Woodland Walks, Railway Embankments, decoration of Wildernesses, etc., 5s. 6d. per pound, or 6d. per ounce.

Many have availed themselves of the above suggestion, and have scattered the Mixed Flower Seeds on large rockeries and rooteries, natural and artificial; in shrubberies, woodland walks, carriage drives, and wildernesses; also, by the sides of rivulets, railway embankments, and wherever a floral display was desired beyond the limits of the flower garden.

For a Summer and Autumn Display, sow during March and April, simply scattering the seed broadcast, at the rate of six or seven pounds per acre, and slightly covering it. It must not be sown amongst grass, but patches here and there might be cleared and the seed deposited, rolling or trampling the seed into the soil. For a Spring and early Summer display sow in September and October.

B. and S. test the growing quality of Seeds before sending them out,

BARR & SUGDEN'S COLLECTIONS OF VEGETABLE SEEDS.

These assortments consist of judicious selections from the different sections of the Catalogue, suited to gardens of various sizes; they contain the most approved varieties, and such as are best adapted to secure a succession of vegetables from January to December. However, as the wants of families are so varied, it may be more advantageous for purchasers to order from the body of the Catalogue the quantities and sorts best suited to their requirements, using the Order Sheet which accompanies the Catalogue for this year. In the Order Sheet the names are printed consecutively as they appear in the Catalogue, so that it is only necessary to write in figures the quantity required opposite the name of the article, and, from the name to the quantity, draw a line as represented on the specimen from "Order Sheet," as under, thus:—

In this way the making out of a general order involves very little trouble, while it greatly facilitates correct and prompt execution.

Cultural Directions are printed on every Packet of Seed.

COLLECTIONS OF SEEDS FOR ONE YEAR'S SUPPLY.

	Fine Selections.					Extra Fine Selections. No. 6. No. 7. No. 8 No. 9. No. 10.					
LEGUMENOUS SECTION	No. 1.	No. 2.	No. 3,	No. 4.	No. 5.	No. 6.	No. 7.	No. 8	No. 9.	No. 10.	
LEGUMINOUS SECTION.		21/0		42/0	63/0	'	26/0		50/0	72/0	
Peas, those best suited for succession		12 pt.		10 qt.	18 qt.	6 pt.			ro qt.	18 gt.	
French Beans, Dwarf and Runners	2 pt.	3 pt.	5 pt.	4 qt.	6 qt.	2 pt.	3 pt.	5 pt.	4 qt.	6 qt.	
treden beaus, Dwarrand Runners	I t pt.	1½ pt.	3 pt.	3 pt.	4 pt.	r pt.	15 pt.	3 pt.	3 pt.	4 Pt.	
EDIBLE LEAVED AND EDIBLE FLOWERED SECTION.											
Borecole, including Cottager's Kale	ı pkt.	2 pkt.	3 pkt.	3 pkt.	4 pkt.	ı pkt.	2 pkt.	3 pkt.	3 pkt.	4 pkt.	
Broccoll, the best successional varieties	2 pkt.	la pkt.	4 pkt.	S pkt.	16 pkt.	2 pkt.	3 pkt.	4 pkt.	c nkt.	6 pkt	
Brussels Sprouts Imported Seed	ı pkt.	ı pkt.	r pkt.	2 pkt.	2 pkt.	ı pkt	ı pkt.	ı pkt.	2 pkt.	2 pkt.	
Cabbage Savoy, best sorts	2 pkt.	3 pkt.	3 pkt.	5 pkt.	6 pkt.	2 pkt.	3 pkt.	3 pkt.	5 pkt.		
Couve Tronchuda	I pkt.	T pkt.	r pkt	z pkt.	3 pkt. 1 pkt.	т ркт.	r pkt.	z pkt.	2 pkt.	3 pkt.	
Cauliflower	z pkt.	I pkt.	r pkt.	2 pkt.	2 pkt.	ı pkt.	ı pkt.	r pkt.	2 nkt.	r pkt.	
Spinach, summer and winter	3 oz.	4 oz.	rpt.	In pt.	2 pt.	3 OZ.	4 OZ.	r pt.	rl pt.	2 pt.	
EDIBLE ROOTED SECTION,										- 1	
Beet, the best	ı pkt.	z pkt.	I oz.	2 oz.	2 OZ.	ı pkt.	r pkt.	I OZ.	2 OZ.	2 QZ.	
Carrot	2 OZ.	3 OZ.	4 OZ.	6 oz.	TO OZ.	2 OZ.	3 OZ.	4 OZ.	6 oz.	IO OZ.	
Onion, including White Spanish	i pkt.	g pkt.	ı pkt.	ı pkt.	I OZ.	ı pkt.	ı pkt.	t pkt.	ı pkt.	I OZ.	
Parsnip, including Hollow Crown	T OZ.	I oz.	2 02	5 02.	9 OZ.	2 pkt. 1 oz.				9 oz.	
Salsify, syn. Vegetable Oyster	- 0	1 02.	ı pkt.	ı pkt.	I pkt.				3 oz.	4 oz.	
Scorzonera, a fine-flavoured vegetable				ı pkt.				ı pkt.	ı pkt.	r pkt.	
Turnip, best for successional crops	2 0z.	3 oz.	4 OZ.	6 oz.	IO OZ.	2 OZ.	3 oz.	4 OZ.	6 oz.	10 OZ.	
EDIBLE FRUITED SECTION.											
Capsicum Cucumber, best		1	r pkt.	z pkt.	r pkt.			ι pkt.	ı pkt.	I pkt.	
Melon, best	ı pkt.	2 pkt.	2 pkt.	3 pkt.	4 pkt.	ı pkt.	2 Dkt.	2 pkt.	2 nkt	4 mlet	
Tomato		r pkt.	i pkt.	2 pkt.	3 pkt.		ı pkt.	r pkt.	2 pkt.	3 pkt. 1 pkt.	
Vegetable Marrow	r pkt.	r pkt.	T pkt.	r pkt.	ı pkt.	- ml.4	r pkt.	r pkt.	I pkt.	ı pkt.	
OLULD OFFICE	7	Pitti	1 1	Pict	1 pkt	ı pkt.	pice	, pict.	r pkt.	ı pkt.	
SALAD SECTION.		D.	ł	}					_		
Corn Salad, valuable for winter use	r pkt.	2 pkt.	2 pkt.	2 pkt.	2 pkt.	ı pkt.	2 pkt	2 pkt.	2 pkt.	2 pkt.	
Cress, Curled, Plain, and Australian	1		ı pkt.	ı pkt.	r pkt.			ı pkt.	r pkt.	ı pkt.	
	3 oz.	30Z.&	40Z.&	80z.&	12pt&	3 oz.	30z.&	102.&	8 oz. &	2 pkt. 1 pkt. 1 pt&	
Endive, best kinds					2 pkt. 3 pkt.						
Lettuce, including Cov. Gar. Giant White Cos	2 pkt.	2 pkt.	3 pkt.	a pkt.	5 pkt.	2 pkt.	2 pkt.	3 pkt.	2 pkt.	3 pkt.	
Mustard	3 oz.	4 OZ.	½ pt.	r pt.	x qt.	3 oz.	4 oz.	å pt.	I pt.	I qt.	
	2 Oz.	3 oz.	5 oz.	7 oz.	1 qt. 16 oz.	2 OZ.	3 oz.	5 oz.	7 oz.	16 oz.	
POT, SWEET, AND GARNISHING HERB SECTION.											
Herbs, Pot or Sweet	ı pkt.	2 pkt.	3 pkt.	4 pkt.	б pkt.	r pkt.	2 pkt.	3 pkt.	4 pkt.	6 pkt.	
Herbs, for Garnishing		I pkt.	2 pkt.	2 pkt.	2 pkt.		r pkt.	2 pkt.	2 pkt.	2 pkt.	
Parsiey	I pkt.	r pkt.	I OZ.	I OZ.	2 OZ.	r pkt.l	ı pkt.	I OZ.	I OZ.	2 OZ.	
No. 11. Extra large sclection of Vegetable See	us for (one Ye	ar's Su	pply A	34 4	o Ext	ra fine	Select	ion L	5 5 0	
,, 12. ,, 13.					5 5 6				(5 6 0	
,, 13. ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,			"				11	21	3	7 7 0	
					7 7 8 8						
Any of our customers having a preference	for co	llection	ns arra	inged e	รีก สภาข	other	London	or la	ree bro	vincial	
house, may have the same made u	p by us	at the	prices	and co	nditio	us of th	he adve	ertiser.			

FOR CONCENTRATED MANURES of rich fertilising properties, the value of which cannot be over-estimated for enhancing the quality of Vegetables, increasing the flavour and size of Fruits, and heightening the colour of Flowers, and more perfectly developing their form, see List of Manures on Order Sheet.

B, and S, test the growing quality of Seeds before sending them out.

SELECT LIST OF VEGETABLE SEEDS.

ARRANGED AND CLASSIFIED ON A NEW PRINCIPLE, AND EMBRACING ALL THE BEST VARIETIES OF VEGETABLES IN CULTIVATION, ESPECIALLY SUCII AS ARE MOST APPROVED IN COVENT GARDEN MARKET.

All orders for Vegetable Seeds amounting to 21s. and upwards, carriage may be deducted at settlement of
account. Vegetable Seeds offered under the heading "per packet," will be sent prepaid by post, or if sent by
Rail (however small the amount of the order), carriage may be deducted at settlement. By this arrangement
purchasers are enabled to obtain from our Warehouse small quantities of really superior seeds.

CULTURAL DIRECTIONS ARE PRINTED UPON EVERY PARCEL OF SEED.

Section I .- LEGUMINOUS PLANTS, &c.

NEW PEAS. Most of these have been awarded First-class Certificates by the Royal Horticultural Society and having seen them in growth, we recommend them with the utmost confidence for high quality and productiveness. Supplanter (Laxton), first-class certificate, a hybrid between Veitch's Perfection and Little Gem; a large handsome and very prolific pea, producing its large broad pods in pairs, and of the same type as Veitch's Perfection, and will supersede most varieties in this class........... per oz. 6d., per ½ pint Giant White Marrow (Cattell), described as a large handsome prolific wrinkled Marrow, of excellent Wilson, with pods slightly curved, and frequently containing as many as 10 large-sized peas in a pod, 4 ft. p. p. James' Prolific Wrinkled Marrow, a first-rate variety with large well-filled pods, 3 ft. per pint 2s., per quart per oz. 6d., per Fillbasket (Laxton), this variety was named from its being extremely productive with long well filled pods; it is a dwarf variety of Supreme, and a valuable acquisition, 3 ft...... per pint 1s. 6d., per quart Culverwell's Prolific Marrow, pods straight, pale green and containing 5 to 6 large peas of excellent quality, very productive, cropping from close to the ground 6 ft.per pint 13. 6d., per quart

The arrangement and descriptive matter following are the results of personal observations at our Experimental Grounds, and at the Chiswick Gardens of the Royal Horticultural Society.

The arrangement and descriptor and the Chiswick Gardens of the Royal Horticultural Society.

All new Peas, or old Peas with new names, which are not quoted by us, can be supplied at advertised prices; but intending purchasers of either of these two classes would do well to read the Report of the last important Pea Trials conducted at the Royal Horticultural Society's Gardens at Chiswick. It will be found in the Journal of Horticulture, 14th and 21st Nov., 1872. The Report is very full, fair, and unbiassed in dealing with the would-be novelties in Peas which for years past have been foisted upon the public, unintentionally, perhaps, on the part of the introducers, but complimentary in the highest degree to the Peas which they had re-christened. No two Peas, perhaps, have more synonymes, and no two Peas are to be matched in quality with the British Queen and Ne Plus Ultra. Nine-lenths of the new Peas, excepting, of course, Mr. Laxton's hybrids, are either British Queen or Ne Plus Ultra. The Vegetable Trials at Chiswick, which are being conducted under the very able management of Mr. Barron, the superintendent, will prove of great advantage, to the gardening community, exposing, as these trials do, the fabrication of new names to standard varieties, giving due importance to bond tide introductions, and also encouraging growers to maintain pure "skoeks."

The varieties of Peas, and also other vegetable seeds which we enumerate and describe, are the best representatives of their classes. We mention this as, in our present edition, we have omitted the descriptions to many names, but have fully described the varieties most worthy of cultivation.

Director I. The FARTIEST ROUND SEEDED PEAS.

names, but have tuny described the varieties most worthy of	
Division I.—THE EARLIEST ROUND SEEDED PEAS.	per qt.
If sown from November to February, will be ready to gather in May and June.	s. d.
First Cron syn Ringleader, and Dillistone's Early, the earliest variety, 2 it	1 6
Conneter's No. 1 Improved seven days later than Dillistone's Early, 2t II	т 3
Com (Book) cun Town Thumb for small gardens for forcing, or sowing in sheltered situations, I it	1 6
Fortish Invieta a valuable blue nea three days earlier than Sangsters, and oner navourcu, 25 11	16
Plus Poter (Maslean) a first early blue seeded Tom Thumb, fine variety, It II	2 0
The following is to is 6d per quart - Daniel O' Rourke, Sutton's Early Champion, Carter's Earliest, Die	KSUIL 3
First and Best, Caractaeus, Hooper's Early Rival, Taber's Perfection, Early Warwick, Early Frame,	&е.
For very early Wrinkled Marrow Peas, see Division IV.	
THE STATE OF STATE OF THE STATE	

Division II.—SECOND EARLY ROUND SEEDED PEAS.

If sown from January to April, will be ready to gather in June and July.

Auvergne, syn. Dickson's Favourite, long well-filled pods, a good succession to the above section, 4 ft. ... I o Bishop's Long-podded Dwarf, a fine branching variety, with long, well-filled pods, 2 ft. I o Hundredfold, an exceedingly heavy cropper, with well-filled, dark green pods, a "Prizetaker," 4 ft. I 3 Laxton's Supreme, long scimitar-shaped well-filled pods, literally covering the foliage, 4 ft. I 5 Laxton's William the First, in the way of Supreme, but earlier by ten days, 4 ft. 2 o Paradise Marrow, a very excellent second early, 4 ft. I 5 Princess Royal, a very productive fine variety, with long well-filled pods, 3 ft. I 0 Prizetaker Green Marrow, a very productive, fine dark green-podded variety, 4 ft. I 0 Prizetaker Green Marrow, a very productive, fine dark green-podded variety, 4 ft. I 0 Prizetaker Green Marrow, a very productive fine Variety of Branching, Champion of Paris, Excelsior Marrow, Beltamy's Marrow, Noble's Green Marrow, Rising Sun, Leicester Defiance, &c.

25, 25, 25, 25, 25, 25, 25, 25, 25, 25,		
Division III.—ROUND SEEDED PEAS, SUITABLE FOR MAIN CROP.	pei	r qt.
	5.	d,
Blue Scimitar, esteemed by market gardeners and farmers, 2\frac{1}{2} ft. Burbridge's Eclipse, a good succession to Blue Peter, dwarf and prolific, 2 ft Flack's Victory, a branching, productive, useful variety, a ft	52. I	0
Flack's Victory, a branching, productive, useful variety, 3 ft. Laxton's Superlative the longest and largest productive as is arbitrative to the longest and largest productive.	I	o
Laxton's Superlative, the longest and largest podded pea in cultivation. 6 ft.	I	0
Laxton's Superlative, the longest and largest podded pea in cultivation, 6 ft. Mossy Podded, a very productive variety, remaining a long time in good condition for table, 6 ft. Victoria Marrow, very productive, pads large and well-filled, peac of 6 pe flavour 6 ft.	7	6
Victoria Marrow, very productive, pods large and well-filled, pea of fine flavour, 6 ft. The following, 15, to 15, 6d, per quart: —Rive Salve Regist Feliate, Stables Developed.	I	0
Marrow, Australian, Grotto Pea, Oyster Pea, Waterloo Giant Tall Marrow Cibble De		iey
DIVISION IV.—IND ENGINESI WKINKI, ED WARRING DEAG		
If some in March or A pril and he woods to wather in Same		
Alpha' (Laxton) "The First Crop" of Wrinkled Marrows: earliest, and richest flavoured, 3 ft., Little Gem (Maclean), valuable for small gardens for early foreign and coming in the	2	6
Little Gem (Maclean), valuable for small gardens, for early forcing, and sowing in sheltered situations, I ft.	2	0
Advancer, an exceedingly fine-flavoured early variety, coming into use seven days after Alpha, 2 ft	2	0
Multum in Parvo (Nutting), a fine variety, three days later than Little Gem, and with broader pods, right. Nutting's No. 1, syn. Garter's White Gem, a remarkably handsome, fine-flavoured early variety, 2 ft.	2	0
DIVISION V SECOND BARLLY WEINKLEN MARKING DEAC	2	0
If some in alleren April and aller quill he weeds to to the total		
	I	6
Forty-Fold, a first-class flavoured, Champion of England variety, with long well-filled scimitar pods, 5 ft Huntingdonian, the best variety of the "Champion of England" section, a splendid cropper, 5 ft Laxton's Popular, in the way of Champion of England a fine variety of the section, a splendid cropper, 5 ft	2	0
Laxton's Popular, in the way of Champion of England, a fine variety, 5 ft. Na ton's Popular, in the way of Champion of England, a fine variety, 5 ft.	2	6
Prince of Wales a fine variety heavy empher fine flavoured on impred Alliance Alliance and Allia	I	6
	:kas	n-
pion of the World, Edwards Invincible, Sec. Division VI.—WRINKLED MARROW PEAS, the best for Main Crop.		
II SOUDE THE STOREM. A DELL CHO WIND THE DE YEARD TO MATERIA IN TULE A STOLE CO. I.		
in some localities it blooms and pods till very late in autum, 6 ft. Hay's Mammoth, in the way of British Queen: a first-class standard variety, 6 ft	I	6
Tall Green Mammoth, a high class green pea fine flavour, with language for the control of the co	2	6
	2	0
Laxton's Omega, in the way of Ne Plus Ultra, but one of the latest and finest quality peas in cultivation, 2½ ft		
Premier, a remarkably fine pea, very productive, rich in flavour, and of fine constitution, resembling	2	0
	2	0
Veitch's Perfection, a first-class variety, with large well-filled pods, freely produced, flavour superior, 3 ft.	I	6
The following, 2s. to 2s. 6d. per quart:—Carter's Victoria, Great Britain, Shanley Marrow, Rolli. Victoria, Imperial Wonder, Hooper's Incomparable, Carter's Leviathan, Wonder of the World, McMi.	sson	5
Queen of the Marrows, Williams's Emperor of the Marrows, Champion of Scotland, Tall White Mam.	noth	S.
Ward's Incomparable, Will Watch, King of the Marrows, Champion of Scotland, I all White Mam. Ward's Incomparable, Will Watch, King of the Marrows, Champion of Strathmore Hero, The Prince of All, Hair's Dwarf Mammoth, Yorkshire Hero, Knight's Tall Marrow, Knight's Dwarf Marrow, Division VII.—PRINCE PORTION OF THE PRINCE OF	Bes	st
On the Continent much esteemed; the pods are gathered young boiled subole and and	ce.	
Tall very large edible podded Sugar Pea, this is the finest of the class, 4 ft. OUR OWN SELECTION.	2	0
24 fts Peas to successional varieties 20/2 to ar/ 1 to ptc Peas to successional varieties	6	
12 ,, ,, 12 ,, 15/- to 20/- 6 ,, ,, 6 ,, ,, 8/- to 10/- 6 ,, ,, 6 ,, ,, 8/- to 10/- 6 ,, ,, 6 ,, ,, 8/- to 10/- 6 ,, ,, 6 ,, 8/- to 10/- 6 ,, ,, 6 ,, 4/6 to 5/- NEW BROAD BEANS.	-	
0 ,, ,, 0 ,, 4/6 to 5/	5	
	eans Lihi	
Seville Long Pod, the earliest of the broad beans and the longest podded, height 2 ft.; first-class certificate	. d	
certificate certificate certificate certificate	1 (,
pods well filled, height 3 ft.; first-class certificate	I 3	}
windsor and Long rod; the pods are well filled, it is an excellent cropper and a useful veriety		
	2 0	,
"Pedigree" Green Windsor (Hardy), this fine variety differs from the preceding in having green seed, and therefore by some is more highly esteemed, 3 ft		
BEGIAD REANS	2 (
Early Long Pod, early and very prolific, 3 ft.	i, d.	
	6	
Green, vm. Brok's Gem, a valuable dwarf green, a useful dwarf white variety, 1 ft	6	
	0 IO	
Nonzarell Green Long Pod, when cooked of a delicate green and a second column a few		
OUR OWN SELECTION	3	
6 quarts of Beans, in 6 best varieties 5/6 6 pints of Beans, in 6 best varieties 3/-		
NEW DWARF FRENCH BEANS, &c.		

NEW DWARF FRENCH BEANS, &c.

The important trial of French Beans at the Royal Horticultural Society's Gardens at Chiswick to determine the best varieties and ascertain the synonymes, resulted in the certificating of several sorts. Amongst these the Butter Beans are noteworthy important additions to our enlinary vegetables. The pods being skinless, are boiled and served whole. On the Continent these varieties are considered a delicacy.

TO THE REAL PROPERTY OF THE PARTY OF THE PAR		
FRENCH BEANS—continued. Dwarf Butter Bean, white seeded, 1 ft. \ Pods 3 to 4 inches long, thick, fleshy, and of a pale \ per pint	8. (
Brown Button Boon block seeded I ft (lemon colour, very productive.	2	
White Advancer (Carter) a very long-podded, white sceded variety, remarkable for its great productive-		-
ness and coming in quickly valuable for general crop	2	6
Scarlet Giant (Cutbush), a remarkably productive long-podded variety, with long fleshy pods which boil remarkably tender and of a good colour, an excellent variety for forcingper quart	2	6
Now Forly Forcing (Osborne) of all the forcing varieties of dwarf beans this is decidedly the best, both	2	0
as to quality and productiveness per pint 15. 6d., per quart Early Prolific (Williams), remarkable for its earliness, abundant produce, and fine quality, 1 ft. per 1 pint	2	6
Early Prolific (Williams), remarkable for its earliness, abundant produce, and fine quality, 1 ft. per 2 pint	2	6
New Early White Canterbury, described as a first-class variety, very productive; valuable for forcing, per \(\frac{1}{2} \) pt. New Long Podded White, described as medium early, very prolific, with long straight pods, the plant	2	0
New Long France white, described as medium early, very promite, with long straight poor, the plant baying a slight tendency to rin	I	6
having a slight tendency to run	ĭ	
FRENCH OR DWARF KIDNEY BEANS. pcr qt	-s. ⁻	a.
Contambum White year prolife well known I ft	1	6
Chinaga Long-podded, exceedingly productive, tree cropping variety, T.H	Υ	O
Colchester Red Speckled a well-known prolific variety, 1 ft. Dun, Cream-coloured, or Yellow, much esteemed for its earliness and free cropping, 1 ft.	ĭ	6
Pulmor's Farly Foreing a fine variety for foreing very productive T ft.	Υ	6
Negro, very fine cropper, with long pods, I ft. Newington Wonder, the best of all for forcing, very productive, I ft. Pheasant's Eye, an exceedingly fine free cropper, I ft.	1	9
Newington Wonder, the best of all for forcing, very productive, I it.	I	9
Sion House, a fine forcing variety, 1 ft.	I	6
Sin House, a fine forcing variety, I ft. Sir Joseph Paxton, an exceedingly early and very productive variety, finc for pot culture, I ft.	2	0
Early Six weeks	1	9
Prince Albert The following 1s. 6d. to 2s. per quart:—Witmot's Forcing, Mohawk, Canadian Wonder, Scarlet Flag	I renli	9
Early Warwick, Purple Speckled, Black Speckled, &c.	,	,
NEW RUNNERS.		
Under this heading we enumerate a few sorts of Runners deserving of special attention. Amongst th	ese a	we
would specially notice the wax-podded varieties, the pods have no inside lining, and like the Butter	Bea	785
are cooked and served up whole, and are a very delicate dish. Haricot d'Algiers, wax-podded, white seeded butter beansper pint	2	0
Harlot d'Algiers way-podded black seeded butter beans	1	6
Rutter Bean Mont d'Or this valuable variety has nods 6 to 8 inches long, thick, fleshy, of a pale lemon		
colour, and produced abundantly; it is a vigorous grower, and should be supported with stakes 5 ft. highper pint	2	^
St. Joseph Wax or Butter beans ,,	2	
Purple nodded butter hears	I	6
Premier (Veitch), a fine variety, resembling the dwarf French Bean, but with a running habit, growing 4		
to 5 feet high, and producing continuously a large number of pods which boil tender and are of excellent flavour, highly recommended. Crop fuiled		
Scarlet Champion (Carter), pods very long, thick and fleshy per quart	2	6
Scarlet Champion (Carter), pods very long, thick and fleshyper quart Negro Champion, resembles the Scarlet Champion, but with black seedper pint	1	6
The Cuban Asparagus Runner, an interesting variety of Dolichos, with abundant foliage and long		_
delicate pods which are cooked like French beans, very ornamental climberpcr oz.		
Eclipse, or Giant White, very long pods, produced in clusters, and in great abundance	—s.	ر*
Searlet exceedingly prolific	2	0
York and Lancaster, or Painted Lady, very ornamental and prolific	2	0
white Dutch, or Case Knife, very productive	1	6
Section II.—EDIBLE LEAVED AND EDIBLE FLOWERED PLANTS.		
(By Edible Flowered Plants are meant those, the inflorescence of which is used as a vegetable, such as Cauliflowe	r, et	c.)
ARTICHOKE, GLOBE.		0.44
The Artichoke is an exceedingly ornamental plant, and, as a vegetable, deserving of universal cultive. The immature heads are boiled titl tender, and served up cold or hot. The fleshy lower part of the scate is	ear	on. ien
with a relish usually made from vinegar, pepper, and salt. Butter sauce in English cookery books is u	sua	tly
recommended as the accompaniment, but with this the Artichoke is insibid.		
Green Provenceper packet, 4d.; pcr oz., 1s. Purple Provenceper packet, 4d., pcr oz.,	rs. (od.
For Plants, see page 66. Grayson's Covent Garden Giant ASPARAGUS. (per oz., 4d.; per lb.	4	^
Giant Dutch Purple Top The Argenteuil and Lenormand's are the varieties so per pkt., 3d.; per oz		6
Early Purple Giant Argenteuil [much esteemed in the Paris market; Conover's, the] ,, 6d.; ,,	ĭ	6
Late , , , , , , , , , , , , , , , , , , ,	I	6
Commence Assessed as Control of the	2	8
conover's American Colossal) ket. For plants see page 66. (,, 4d.; ,, per pkt.		
BEET (EDIBLE LEAVED). 8. d.	8.	ď.
Spinach Beet, the leaves in summer are much prized and by many preferred to Spinach	0	9
and in summer and autumn is an excellent substitute for Seakale	0	6
For edible-rooted Beet, see page 57.		
BORECOLE OR KALE.		
On all hands it is asserted and accepted as a fact that the varieties of the Brassica family are liable to	12 000	tras
variations, and no doubt this is correct, especially in the higher forms, such as Broccoli, Cauliflowe	O BY	

variations, and no doubt this is correct, especially in the higher forms, such as Broccoli, Cauliflower, and Cabbage. This sportive character is made a pretext, however, for the confusion that exists amongst the names of Kales, but after several years careful comparative tests—if we are to judge from the extreme purity of the stocks procured from a great variety of sources, and from which we conducted our experiments—we are of opinion that either great care is exercised by the growers in keeping the Kales pure, or they are not liable to sport, as we could see no deviation in our triats from the normal or typical forms of the plants; although there was any amount of variation in the names applied to the same variety of Kales.

The Kales we have enumerated are accurately described, so that any one interested in the subject will readily identify the varieties, and they are the only sorts really worth cultivating for culinary purposes.

Cottager's Kale, plants purple, or green; the leaves in most cases crimped or curled at the mar the plant tall and robust, yielding in spring a large crop of side-shoots, exceedingly delica	gin; 8. te in	kt.peroz. d. s. d.
flavour. Meopham Court Kale is simply the green variety selected from this Chou de Milan; in respect to height and robustness this resembles Cottager's Kale, the leaves are bluish-green tint, and mostly plain: in spring it yields a large supply of side strongs of	0 of a hich	40 9
are particularly delicate in flavour Buda Kale, this might be called a dwarf Chou de Milau; leaves dull bluish green, with white w in spring it throws up a large quantity of shoots, which, when cooked, eat like marrow: h	ins; ut if	40 8
these are blauched, by placing a seakale pot over the plant, the delicacy is increased	: in	40 9
recommended in the case of Buda Kale Jerusalem Green Curled, syn. Acme Kale, the growth is dwarf but sturdy, the margin of the u crisped or curled very much, and the partially undeveloped centre leaves are tinged or	aves	40 9
tips with purple, and the veius are of a subdued crimson colour; in the spring this plant the	rows	
Kale;" these tender shoots may be cooked either green or blanched. Ragged Jack; the leaves are green, beautifully laciniated, and, especially the young fol	o	40 9
prettity crisped; in spring it yields a large quantity of sprouts of a delicate flavour Scotch Tall Green Curled, extremely hardy and very productive of side-shoots during spring;	0	3,0 6
and the other varieties of Scotch Borecolesor Kales are well known and universally apprecantly appreca	ated o	40 9 40 9
Prince of Wales, an excellent selection, stem much feathered with spi	routs o	40 9
" New Imperial Hearting, very productive of sprouts in spring		o 4o 8
", Tall Purple Curled, this differs from the green simply in colour, which is dark purple	; it	
boils very tender in the winter, and is very productive of side-shoots in the spring Dwarf Purple Curled, resembling the tall, but so dwarf as to lay quite on the ground		40 8
The above Kales are the most desirable for culinary purposes; the coarser-growing catt	lc kinds	are enu-
In clearing up the confusion which exists in the names of this section of the Brassica fam in black letter, had no distinct Kales to represent them, one or other of the varieties above.	ily, the f	following, oed being
supplied, and the names of such as were supplied are given in italies:		
For Delaware, were supplied, Jerusalem and Buda. For Siberian, Egyptian. For La Buda, and Dwarf Purple Curled. For Victoria Marrow, Couve Tronchuda. For	Miller's	Winter.
Egyptian. For Camberwell, Ragged Yack. For Prussian, Ferusalem.		
Aspaxagus Kale demands a special notice for itself. Under this name many seeds men sell Couve Tis the Portugal or Braganza Cabbage, exceedingly delicate in Savour, and should be grown	ronenua runivers	sally; but
is the Portugal or Braganza Cabbage, exceedingly delicate in flavour, and should be grown we object to the name "Asparagus" being attached to it; the leaves are more like blanched	t sea-kal	e. See our
remarks, page 57. Buda Kale is also sold under this name, and not inappropriately so throws up an immense quantity of shoots, which may be blanched and served as asparag	us. Fer	usalem is
likewise sold under this name, and we think it is the plant to which the name was or	iginally	attached.
Under this name is also sold Chou de Milan. Even Ragged Jack is made to do duty, Kale. Our object in making this statement is that our customers may select their own A	as also	Egyptian
	sparagus	Kale.
ORNAMENTAL KALES FOR WINTER DECORATION.	<i>sparagus</i> per pl	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for	sparagus per pl med	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when li	sparagus per pl med The t uo	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno	sparagus per pl med The t uo ugh,	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autu when the colours are sufficiently developed, select the most beautiful, breaking of	per planed The t uo ugh, umn, the	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autumber the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste. planting sufficiently deep to he	per pleased per pleased The t uo ugh, umn, the ring	Kale.
variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autument the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to the head close to the surface of the soil New Triple Curled Perennial (Melville), a cross between the Perennial Wo	per plemed The tuo ugh, amn, the ring I	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In auturn when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil	per pl med The t uo ugh, inn, the rring 1	o,2 6
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autumenthe colours are sufficiently developed, select the most beautiful, breaking officiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to be the head close to the surface of the soil New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing	per plemed The t uo ugh, imn, the ering I ourn v are	Kale.
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In auturn when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to be the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Workale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved. Carter's Improved Garnishing Covent Garden, in many colours	per plemed The tuo ugh, umn, the cring I courn y are	o2 6
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autument when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm	per plemed The tuo ugh, umn, the cring I courn y are	o2 6
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autument the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to have the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Workale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved. Carter's Improved Garnishing. Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE	per pl med The t up ugh, imn, the ring ourn v are I	o2 6
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when list by the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autt when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to be the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved. Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMM AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If requ	per pl med The t uo ugh, imn, the ring ourn v are I SS. eer I	o2 6 o o o o
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when lied by the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autt when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required to the property of the very lest varieties for cutting in September October and November.	per pl med The t uo, ugh, umn, the ring pourn r are I SS. er I Sow	o2 6
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when lied by the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In auth when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required to the very best varieties for cutting in September, October, and November. in succession from February to May	per pl med The t uo ugh, umn, the ring I ourn r are I s.s. eer I irrd I	o2 6 o o o o
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autument when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required before Christmas it should be sown in March, or very early in April Walcheren, one of the very best varieties for cutting in September, October, and November, in succession from February to May Self-Protecting Autumn Broccoli (Veitch's). Messrs. VEITCH's description of this Brocce as follows, "heads beautifully white, firm and compact, thoroughly protected by the folion	per ple med The t uo ugh, mmn, the ring Thourn Tourn T	o2 6 o o o o
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autt when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required before Christmas it should be sown in March, or very early in April	per pl med The t uo ugh, umn, the ring I ourn r are I fiss. eer I fired I ii is age, age, and a	O2 6 O O O O O O
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large end transplant a goodly number into a poor soil and an open situation. In autument when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to be the head close to the surface of the soil	per pl med The t uo med The t u	o2 6 o o o o
of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autt when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required to the sound in March, or very early in April Walcheren, one of the very best varieties for cutting in September, October, and November. in succession from February to May Self-Protecting Autumn Broccoli (Veitch's). Messrs. Veitch's description of this Brocco as follows, "heads beautifully white, firm and compact, thoroughly protected by the foliand remaining in condition a long time, valuable for autumn and early winter use, a succession to the Autumn Giant Cauliflower" Division II.—FOR CUTTING DURING THE WINTER MONTHS. Snow's Superb Winter White, true, this stock has been saved with great care, and is the san	per pl med The t uo ugh, umn, the ring I ser I ses I ses I sey I s	O2 6 O O O O O O
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autument when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to head close to the surface of the soil	per pl per pl med The t uo med The med	O2 6 O O 2 0 O 2 0 O 2 0
of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autt when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to head close to the surface of the soil. New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved Carter's Improved Garnishing Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required before Christmas it should be sown in March, or very early in April wall cheren, one of the very best varieties for cutting in September, October, and November. in succession from February to May Self-Protecting Autumn Broccoli (Veitch's). Messrs. Veitch's description of this Brocca as follows, "heads beautifully white, firm and compact, thoroughly protected by the foliand remaining in condition a long time, valuable for autumn and early winter use, a succession to the Autumn Giant Cauliflower" Division II.—FOR CUTTING DURING THE WINTER MONTHS. Snow's Superb Winter White, true, this stock has been saved with great care, and is the san succession to the Autumn dear the sound of the san succession from February to May, snow-white heads may be cut in November, and during the winter and early spending the surface of the sound of the san succession white heads may be cut in November, an	sparagus per pl med The t uo ugh, umn, the ring I ourn r are I ss. eer I ired I li is age, and a 2 te as fiue ring I	O2 6 O2 6 O2 0
of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autu when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to be the head close to the surface of the soil	per ple per ple med The t uo gh, umn, the ring ring rare in ra	O2 6 O O2 0 O2 0 O2 0 O2 0 O2 0 O2 0
of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autt when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil. "New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved "Carter's Improved Garnishing "Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required was a succession from February to May Walcheren, one of the very best varieties for cutting in September, October, and November. in succession from February to May Self-Protecting Autumn Broccoli (Veitch's). Messrs. Veitch's description of this Brocca as follows, "heads beautifully white, firm and compact, thoroughly protected by the foliand remaining in condition a long time, valuable for autumn and early winter use, a succession to the Autumn Giant Cauliflower." Division II.—FOR CUTTING DURING THE WINTER MONTHS. Snow's Superb Winter White, true, this stock has been saved with great care, and is the same originally sent out by Mr. Snow. If sown in succession from February to May, snow-white heads may be cut in November, and during the winter and early specific and remaining the condition of the same originally sent out by Mr. Snow. If sown in succession from February to	sparagus per pl med The t uo ugh, umn, the ring I ourn r are I ser I irred I is sage, and a 2 te as fine ring I and	O2 6 O2 6 O2 0 O2 0
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when liby the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In autument the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil	sparagus per pl med The t uo ugh, imn, the ining ing ing ing ing ing ing ing ing i	O2 6 O O2 0
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when he by the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In auts when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to he the head close to the surface of the soil	sparagus per pl med The t uo ugh, imn, the ining ing ing ing ing ing ing ing ing i	O2 6 O O2 0
variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when lib by the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In auth when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to I the head close to the surface of the soil	sparagus per pl med The t uo ugh, min, the tuo ugh, min, the tring um in sum i	O2 6 O O2 0
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be for of these, likewise groups, or single specimens in flower or shrubbery borders. colours range from the purest white to the richest purple-crimson, and when he by the winter sun are splendid. As soon as the plants in the seed bed are large eno transplant a goodly number into a poor soil and an open situation. In auth when the colours are sufficiently developed, select the most beautiful, breaking of large under-leaves, and arrange according to taste, planting sufficiently deep to be the head close to the surface of the soil. "New Triple Curled Perennial (Melville), a cross between the Perennial Wo Kale and the Annual Variegated; purple, green, white, mauve, olive, and yellow the colours of the plants from which the seed was saved. "Carter's Improved Garnishing "Covent Garden, in many colours Falm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm BROCCOLI. Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTE Early Purple Cape, a most useful, excellent variety, which may be cut from August to Decemb Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required before Christmas it should be sown in March, or very early in April Walcheren, one of the very best varieties for cutting in September, October, and November. in succession from February to May Self-Protecting Autumn Broceoil (Veitch's). Messrs. VEITCH's description of this Broceo as follows, "heads beautifully white, firm and compact, thoroughly protected by the foil and remaining in condition a long time, valuable for autumn and early winter use, a succession to the Autumn Giant Cauliflower." Division II.—FOR CUTTING DURING THE WINTER MONTHS. Snow's Superb Winter White, true, this stock has been saved with great care, and is the san originally sent out by Mr. Snow. If sown in succession from February to May, snow-white heads may be cut in November, and during the winter and	sparagus per pl med The t uo med The me	O2 6 O O2 0

		kt. per c	
BROCCOLI—continued.	8.	d. s.	d.
Matchless (Cooling), a fine protecting variety, very hardy, & coming into use from February to April Adam's Early White, the earliest Spring Broccoli, sometimes ready to cut in February		6 I	
Covent Garden Spring White, a first-class early sort, with compact delicate white heads		6I	
Dalmeny Park, first-rate dwarf hardy variety, with large close heads	0	6I	6
Early Penzance, or Cornish, turns in very early; fine compact pure white heads	0	6I	6
Imperial Early White, a very superior variety, a fine succession to Adam's	0	4I	0
Knight's Protecting, a very useful protecting variety	0	4I	0
Sulphur or Brimstone, very useful, extremely hardy, and produces fine beads	0	41	0
Division IV.—FOR CUTTING IN APRIL, MAY, AND JUNE.			
Barr's "Criterion," this is the best of all the late Broccoli coming into use after the middle of May,			
and giving a succession till the Cauliflowers are ready to cut. It is a strong growing			
Broceoli, with dark green foliage, and a good deal curled or fringed; we recommend it with the greatest confidence, as it cannot fail to give entire satisfaction	7	0 0	6
Barr's Mayflower, this fine Broccoli comes into use before "Criterion," the heads are small, white as		0,2	v
a eauliflower, and may be eut from the latter end of April to the end of May. The growth			
of the plant is short and robust, should be planted two feet from row to row, and eighteen			
inches from plant to plant	I	63	6
Mitchell's Covent Garden Champion, this extremely fine hardy late Broccoli is brought into Covent			
Garden Market very late in the season, the heads are a good medium size, and white as a	-		6
cauliflower Carter's Summer White, in use from the end of May, till succeeded by the cauliflower	Y	02	6
Cattell's Eclipse, obtained the First Prize at the International Exhibition of May, 1866			
Chappel's Cream, a fine variety, with large creamy white compact heads			
Excelsior (Watts). Mr. Gilbert, of Burghley, says of this, "A glorious broccoli, magnificent and			
white as snow	I	02	6
gardeners in the North of England		0 0	6
gardeners in the North of England	0	4 T	0
Lauder's Superb Protecting Late White Goshen	I	0,	
Leamington (Perkins'), a well-protected, first-rate late Broccoli. First-class Certificate, 1873	I	02	6
Mammoth, or Covent Garden Giant White, one of the largest and best late Broccoli	0	4I	0
Millar's Dwarf Late Russian White, true, very fine dwarf, hardy, distinct variety; sow in succession			
Richmond Fine Late White, an excellent variety, with fine white heads			
	U	01	U
OUR OWN SELECTION.		61	
8 ounces, in 8 best successional varieties 15/0 3 ounces, in 6 best successional varieties . 4 ,, in 8 ,, 8/0 4 packets, in 4 ,,		216	
		, -	
The Burghley, this selection of Brussels Sprouts was made by Mr. Gilbert, gardener to the Most			
Noble the Marquis of Exeter, and certainly it is far in advance of anything we have ever seen.			
In our Experimental Grounds the row of Burghley Sprouts is conspicuous, while the specimens			
sent by Mr. Gilbert, from seed sown in February, were perfect marvels	2	6	
Imported Seed, a very fine selected stock, with close compact sprouts	0	41	0
New Pyramidal (Short), this matchless variety is the result of many years' very careful selection;		6 -	6
it grows about $2\frac{1}{2}$ feet high, and is densely covered with compact sprouts. Sow in February Roseberry, a fine tall variety, abundantly producing open sprouts of fine quality	0	01	0
Scrymger's Giant, a fine variety, with large compact sprouts	I	0	
, Dwarf, a nice dwarf variety, with neat, compact, firm sprouts	I	0	
Sutton's Matchless Sprouts, a very fine selected stock	I	0	
HYBRID SPROUTS.			
Melville's Albert Sprouts, a hybrid between Savoy and Brussels Sprouts, very hardy	0	4I	0
" Dalmeny Sprouts, a hybrid between Cabbage and Brussels Sprouts, very hardy	0	4I	0
CARDOONS.			
Spanish \ The stalks of the inner leaves, blanched till white, crisp and tender, are used like Celery	0	30	6
French \ in stews, soups and salads; or, when boiled and skitfully served, form a delicacy.	. 0	4I	0
CABBAGE.			
Barr's Dwarf, a very early variety, having small compact heads, delicate in flavour; a continuous			_
supply may be had throughout the year by making successional sowings	I	02	0
Barr's "Criterion," this valuable medium-sized Cabbage is one of the earliest, and is the result of many years' very careful selection, being remarkable for its compact, uniform growth, and			
turning in quickly: this variety and Barr's Dwarf are two of the best in cultivation		02	6
Tom Thumb (Little Pixie), smaller than Barr's Dwarf, extremely early, and of delicate flavour		40	
Heartwell Early Marrow, this is a remarkably neat little variety, turning in quickly	2	0	
Cocoa Nut (Wheeler), a very distinct, compact, valuable, small cabbage	0	4 0	9
Barr's A 1, larger than Barr's "Dwarf," very early, of compact growth, and remarkably fine quality		6 I	
Nonparell Improved, a very select stock, extremely early, small, compact, and of fine flavour Covent Garden Superfine Early Dwarf, a small, compact, very early variety of Dwarf York		40	
Enfield Market, a very superior medium-sized variety, turning in early, valuable for general use	0	40	8
Imperial, Wheeler's, a very fine selection; the variety is one of the best for general use	0	.30	6
Large York, a good useful variety	0	30	4
Red Dutch Improved, this is a large, valuable variety, for pickling	0	6I	0
Red Early Erfurt, this is a valuable small variety, which turns in quickly, and may be sown much		4I	6
later than the Dutch; for pickling it is most desirable, as it forms a valuable succession St. John's Day Early Dwarf, for summer and autumn, this valuable variety cannot be too highly		41	-
recommended; it is tender and delicate in flavour, when other sorts are past use. Sow in spring.	0	40	8
Sugar Loaf, a very distinct variety, estcemed by some	0		
Winningstadt. The appearance of this variety is not prepossessing, but it boils more tender, and is			0
more delicately flavoured during summer and autumn than most other sorts. Sow in spring.	0	40	8
Colewort Green Rosette	0	40	
, uniceneus Hardy Green August for succession, plant thickly, and cut before hearting.	0	40	9

per pkt. per oz. CABBAGE—continued.

The following, 6d. to 9d. per oz.:—Cattell's Early Barnes, Cattell's Eclipse, Drumhead, Kemp's Incomparable,
Caur de Banf, London Market, Fulham, Sprotboro', Prince Albert, West Ham, East Ham, Battersea, Champion, Premier, &c. Champion, Premier, &c.

8 ounces, in 8 best-successional varieties ... 6/- 4 ounces, in 8 best successional varieties ... 3/
For Agricultural Cabbages, see p. 67. Earliest White Vienna, the roots of this variety grown quickly and cooked when small, are excellent o 3...o 6 CABBAGE SAVOY. Dwarf Green Curled, a fine medium-sized variety 0 4...0 8
Drumhead, a fine large variety 0 3...0 6
New Dwarf Ulm, a fine dwarf variety, which should be planted a foot apart 0 4...0 9
Little Pixie, a very fine selection of Dwarf Ulm, a valuable variety 0 4...1 0
Vienna, early dwarf (Tom Thumb, King Koffee) a nice dwarf compact variety; planted one foot apart 1 0.....
Pancaller-Joulin, a very superior, distinct, very dwarf early variety 0 4...0 9
New Feather Stem, a hybrid, resembling Brussels Sprouts in growth and habit 0 4...0 9
Golden Savoy, syn. Golden Globe and Blæmendaal, a very delicately flavoured superior variety 0 4...0 8 COUVE TRONCHUDA, OR SEA-KALE CABBAGE.

ERRONEOUSLY SOLD BY SOME HOUSES AS ASPARAGUS KALE.

Couve Tronchuda, the incllow delicate flavour in autumn of this Cabbage far surpasses all others, and the sprouts in spring are as tender and delicate in flavour as Sea-kale; successional sowings may be made in March, April, and May...... 0 4...1 0 CAULIFLOWER. Fine late Asiatic, a large and very highly-esteemed late variety.

Veitch's Autumn Giant, a first-class, perfectly distinct variety, coming into use late in the season 1 0...3

Walcheren, a well-known, general favourite, one of the best for general use 6d. & 1 0...2

Hertfordshire Superb Dwarf, large pure white close heads, very hardy 1 0...2 RHUBARB. | Per pkt. per oz. | Per pkt. pe SEA-KALE. SPINACH. per oz. per qt. Round Flanders, the best for spring and summer sowing per pint 1s. 6d. 2 6

New Thick-leaved Round, described as of great merit per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing productive, yielding a constant supply of dark-green leaves of a fine per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing productive, yielding a constant supply of dark-green leaves of a fine per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for successful autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for successful autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for successful autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for successful autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn sowing per pint 1s. 6d. 2 6

Prickly Flanders, the best for autumn Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of ... 0 4...1 0 Section III. - EDIBLE ROOTED PLANTS. In our Experimental Grounds the varieties marked * have been tested and found perfectly pure; our customers may, therefore, confidently rely upon the seed producing fine roots of uniform size and quality.

For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine," 1870.

In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gardener made to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have looked into the cook's department, and offer to our readers the following conclusions:—

1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any way wound the root; and if by accident any injury has been done to the root, bake and not boil it.

2. If a deep crimson hue is the colour preferred in the Beet, or a firm fesh, this is best attained by baking.

3. If a light, clear bright colour is desired, or a soft, juicy fesh, then boiling will secure this.

4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the most purple in it, and the flavour may be discovered by masticating a small portion of an uncooked root. If up to the mark, it will leave a rich agreeable flavour on the palate, without any sensation of astringency in the throat. Barr's selection of Nutting's Beet has the desired qualities in the highest degree

5. Crimson-flesh Beets are all very rich in flavour; but when masticated uncooked, an astringency will be discovered as above described; this class of Beets, however, has its advantages, inasmuch as it can be sown earlier. Barr's selection of Pine Apple Beet is the most desirable of these; it may be sown very early and will not run to eed. BEET.

will not run to eed.

6. Scarlet-flesh Beet possesses least of the saccharine flavour, and Nonpareil best represents this class.

per pkt, per oz
Cattell's Dwarf Purple Top, purple flesh, a good useful variety for those who prefer largish roots. *Dewar's Improved Short Top, crimson flesh, handsome short-neeked roots. *Barr's Selected Compact-topped Pine Apple, crimson flesh, beautifully-shaped roots, of uniform size and colour; it boils tender, and is of a fine flavour. A pure stock of the true Pine Apple Beet, as originally sent out, and one of the very best for early sowing. *Dell's, Crimson-leaved Beet, purple flesh, leaves rich dark crimson, compact and upright, slightly arched, and of a uniform medium height; in the Flower Garden it is more effective than Perilla, and is also a first-rate table beet. *Perfection of Beets (Carter), purple flesh, leaves rich metallic crimson, gracefully arched, uniform in height, a fine variety for the flower-garden, and excellent for table use. *Nutting's Dwarf Red (Barr's Selection), purple flesh, a pure stock, with roots of a medium size, the best for sowing latter end of May or June, and surpassing all others for flavour. *Nonpareti Dwarf Green Top (new), scarlet flesh, very dwarf, roots small and well formed. *Turnip-shaped Dark Red Egyptian, rich in colour and flavour, valuable for shallow soils. O 4I of the story deep crimson flesh, roots large; a fine sort for those who prefer a large beet. O 3O 6 *Turnip-shaped Dark Red Egyptian, rich in colour and flavour, valuable for shallow soils. O 4I of the story deep crimson flesh, roots large; a fine sort for those who prefer a large beet. O 3O 6 *Turnip-shaped Dark Red Egyptian, rich in colour and flavour, valuable for shallow soils. O 4I of the story deep crimson flesh, roots large; a fine sort for those who prefer a large beet. O 3O 6 *Tot following, 6d, to 1s. 6d, per oz:—Dwarf Waterloo, Belvoir Castle, Perfection Salad Beet, Sutton's Dwarf Red, Cattell's Bronze-leaved, Osborne's Dark Red, Lobjoit's Covent Garden, New Salad, Dwarf Victoria; to these Beets we might have added many more names, but those described represent the best
CARROT.
Earliest French Short Horn, a favourite small carrot for soups, extremely early and of superior flavour; the best sort for frames, foreing, late or autumn sowing. Early Scarlet Horn, an exceedingly useful and well-known variety for general use. Early Horn Improved (Carter), said to be an advance on the Early Scarlet Horn. New Early Flanders Scarlet, this variety is longer than the Early Scarlet Horn, quite as early, and possesses exceedingly fine qualities. Carentan Early Scarlet, fiesh bright red throughout, about the same length as Scarlet Horn, and quite as early, a valuable variety. New Long Dutch Scarlet, a fine variety, the roots generally without the yellow core, being of a uniform colour to the centre, a quality which will be appreciated by cooks. Covent Garden Long Surrey, syn. Long Orange, the richest coloured and best for main crop. James's Intermediate Scarlet, a superior medium-sized variety, valuable for shallow soils. OUR OWN SELECTION. 10 ounces in 5 best varieties
For Agricultural Carrots, see page 66.
Ayton Castle New Giant, a very superior large variety
The Fruit Committee of the Royal Horticultural Society awarded to us in 1869 a special certificate for the largest and finest Collection of onions ever exhibited before them. A report of these at the period will be found in the "Gardeners' Chronicle" and the "Journal of Horticulture." In the "Gardeners' Weekly Magazine," in connection with the report, will be found illustrations of the different types of Onions, from specimens supplied by us, and grown at our Experimental Grounds. Our Collection of Onions represented the varieties cultivated in this country, and also in Germany, France, Holland, and Portugal (the seed from Portugal being received from the British Consulate at Oporto); our object was to ascertain if the Onion of the grocers was peculiar to Portugal, or had a representative in this country. From a very careful examination we arrived at the conclusion that the Onion of the grocers is fairly represented, both as regards shape, size, and produce, in our brown-shinned varieties of Globe, James Kceping, and Pear-Shaped, a preponderance of the Pear-Shaped being amongst those grown by us from the Oporto seed. We also found that the Tripoli varieties of Onion produced with us under ordinary treatment much larger butbs than the Oporto Onion, while the autumn-sown Trebons stood out prominently for size and symmetry, thus proving that those fine imported Onions of the grocers are the result of a favourable climate, combined with the special attention which is given to the cultivation of this bulb in Portugal. Mr. Standish of Ascot by means of superior cultivation produced from the Oporto seed as fine Onions as any imported. One of the subjects which the Royal Horticultural Society had in hand during 1875 and 1876 was the Onion. The result of the trial has been fully reported in the various gardening periodicals, where the subject has been dealt with in a broad and very satisfactory manner. This is one of the instances illustrating the important national work which is progressing in connection with this So
Trebons. This extraordinary Onion is matchless for its quality; for Exhibition purposes it may perpkt perce fairly be called the Prize-taker; its great size and symmetry make it conspicuous above all s. d. s. d. others. It is equally valuable for Spring or Autumn sowing. Seed crop a failure

per pkt. per oz. ONION-continued. ONION—continued.

1. THE WHITE SPANISH ONION, ITS VARIETIES AND ALLIES.

White Spanish of Bedfordshire

These are all varieties of the White Spanish Onion, the most generally cultivated and most approved cantello's Prize

Variety; when well grown they attain a large size and are mild and juicy, and when carefully harNaseby Mammoth

Danver's Yellow

These somewhat recemble each other; the German attains the largest size, but does not keep to long; valuable varieties. 0 4...1 0 o... ... 0 4...1 0 0... ... 0 4...0 0...2 4...I Red Wethersfield, a large handsome variety from America o 4...I Two Bladed, a small-growing brown-skinned variety, used for pickling o O 4...I 0 4...0 0 4...o 6... ... 4...1 4. THE TRIPOLI ONION AND ITS VARIETIES. Tripoli Giant Rocca. | These are the two finest of the varieties sold under the { 0 6... 1 6 , of Genoa } name of Tripoli, they grow to a large size. { 0 4... 1 0 5. THE SILVER SKINNED ONION AND ITS VARIETIES. o 6...r 6 4...I 4...I O o... ... White Lisbon, extensively sown by the market gardeners in autumn for bunching in spring 6 3...0 6 are freely produced, as in A. proliferum, while the root is perennial, as in A. fistulosum. The air bulbs make an excellent pickle, and the stems may be used instead of Chives, per doz., 2/6 Potato or Underground Onion, see page 66. OUR OWN SELECTION. PARSNIP. "The Student," a superior flavoured variety...... 0 4...0 3...0 True Jersey Marrow, imported, a large valuable sort ... o

Elcombe's Improved, a first-class variety of excellent flavour ... o

New Maltese (Carter), said to be an advance on "The Student" ... o

New Parsnip Chervil, much esteemed by some. Sow the seed in autumn ... o 3...0 8 3...0 4...I RAMPION. Rampion, the roots boiled tender are ealen hot with sauce, or cold with vinegar and pepper o 6...2 o SALSIFY. Salsify, or Vegetable Oyster, so called from its peculiar oyster-flavour; a salubrious esculent, boiled or stewed like parsnip; in preparing the root for cooking, it must not be scraped or bruised ... o SCORZONERA. SKIRRET. TURNIP. per pt. per oz. Early White Dutch, sweet and juicy when young, the best for first sowing ... I

American White Strap-leaf, crisp and sweet, of superior flavour, and rapid growth ...

Red Strap-leaf, flavour superior, rapid growth and of fine quality... I

Covent Garden Snowball, a very early, small, compact variety of superior quality... I

Jersey Navet, an oblong white variety, very sweet, fine for late sowing... 2

White Stone, a good early, globe-shaped turnip, suitable for late sowing ... I

Green Top Six-Weeks, a fine variety to stand the winter ... I

Red Top American Stone, or Mousetall, very sweet, early, and a good keeper ... I

Orange Jelly, a first-rate vellow turnip for autumn sowing ... I Red Top American Stone, or Mousetall, very sweet, early, and a good keeper 1 9...0
Orange Jelly, a first-rate yellow turnip for autumn sowing 1 9...0
Swedtsh, the best to cultivate for "Turnip-tops" in spring 1 1 6...0
Yellow Malta, a handsome yellow variety, of excellent quality 2 6...0
Polley's Early Nonsuch, syn. Fine Early Six-Weeks, a very superior white crisp variety 1 6...0
Chirk Castle Black Stone, white flesh, black skin, good keeper 2 0...0
Silverball (Cattell), flesh pure white, very carly, and handsome form 0
Veitch's Red Globe, described as superior to Red American Stone in flavour and shape 0
New Green Top "Dry Flesh," this is a continental variety, recommended for its extremely firm flesh; it is about the size of the Early Six-Weeks, with a round green top 1
Grey Luc "Dry Flesh," in the way of Jersey Navet, but smaller 1
Montmagny Yellow Red-Top, flesh pale vellow, solid and sweet, an excellent variety 2 6...0 9...0 Montmagny Yellow Red-Top, flesh pale yellow, solid and sweet, an excellent variety 2 6...o

TURNIPS - continued. per oz. Teltow Early Yellow, this variety is much used on the Continent for seasoning, and for imparting a piquant flavour to ragouts; the rind should not be pecled off s. d. OUR OWN SELECTION. Section IV.—EDIBLE FRUITED PLANTS. CAPSICUM AND CHILI. The Capsicum, when loaded with its beautiful polished fruit, is very decorative in November and December, while the fruits of the yellow make a nice variety amongst dessert.

One packet each of ten varieties, 2s. per pkt,-s. d.
 Chili, small red fruited
 0
 3

 Cayenne, true East Indian
 0
 3

 Cherry, small round scarlet fruit
 0
 3

 Long Scarlet Fruit
 0
 3

 Long Yellow Fruit
 0
 3
 Monstrosum, large red fruit..... o Purple o Squash or Tomato-shaped, red and yellow, each o Sweet Spanish, for Salads Mixed, from above..... FRAME CUCUMBER. 6 6 2 6 6 6 6 Sion House Improved, a useful free-bearing, fine-quality variety, valuable for summer and winter work ... RIDGE OR HARDY CUCUMBER. Harley's Fine Ridge, a hybrid between Sion House and Long Prickly, from 10 to 12 inches long.....

Donald Beaton, a very hardy fine long ridge variety, 18 to 20 inches long.....

Long Green Chinese, a fine hardy variety 0 Long Green Chinese, a fine hardy variety

Stockwood's Selected Long Ridge, a very productive, 12 to 18 inches long....

Grecian Long Green, a most abundant cropper, 18 inches long 6 6 Long Prickly EGG PLANT (Aubergine). These are all highly ornamental, and equally adapted for the Conservatory and Flower Border. MELON. 6 6 6 2 6 2 6 6 6 0 6 Dr. Hogg pale green flesh, very luscious and with a rich aroma.

Eastnor Castle, a hybrid between Beechwood and Victory of Bath, free setter, and of excellent quality...

Golden Perfection green flesh, sulphur rind, beautifully netted, an excellent-flavoured free-setting variety 0 Golden Queen green flesh, round, regularly netted, thin-skinned, juicy, tender, melting, and delicious.....

King of Italy searlet flesh, a fine variety from Naples, flesh firm, juicy, and very delicious.....

Meredith's Hybrid Cashmere green flesh, an excellent sort

Queen Anne's Pocket Garnishing, a fine striped variety for ornamenting the dessert table

Queen Emma, syn. Prince of Wales, very handsome and fine-flavoured, melting and juicy, with thin rind Paterson's Superb, a highly perfumed scarlet flesh variety

12, Aing Street, Covent Garaca,	.0//.]	
	MELON—continued.	per pkt.—s. d.
Royal Ascot, a superb scarlet flesh	variety, large and very handsome	I O
Hero of Bath, a large han	ge scarlet flesh varietydsome beautifully netted scarlet flesh v	aricty
Thomson's green flesh, a fine variety	y	I O
Turner's Scarlet Gem, scarlet flesh,	finely netted, an excellent small variet from Paris, and is described as an exqu	у г о
Green Climbing Melon, this comes f	rom Paris, and is described as an exqu	isite variety for cultivating on
size of an astrich ego, and view	well to the sun, where it produces a la ds a succession of fruit for a long time	e: Aesh green, sweet, and juicy, T
	I fully described in former editions of o	
Barnett's green flesh.	Denbies green flesh.	Orion.
Beechwood green flesh.	Duke of Cornwall.	Persian, green flesh.
Bousie's Incomparable.	Gilbert's Ostrich Egg.	Pine Apple green flack
Brig o'Allen.	Denbies green flesh. Duke of Cornwall. Gilbert's Ostrich Egg. Golden Ball. Hunt's small scarlet flesh.	Preston Hall. Trentham hybrid.
Chichester green flesh	Hunt's small scarlet flesh. Lord Napier green flesh. Malvern Hall	Woodfield Gem
Crystal Palace.	Malvern Hall.	Wortley's Incomparable
		Ward's scarlet flesh.
	OR PICKLING (Ongles du diabl	
An old garden favourite; the fruit,	gathered when young and tender, make NASTURTIUM.	es an excellent pickleper pkt. 0 6
The seeds of these gathered	when quite young and pickled, form an	excellent substitute for capers.
	ner nkt. ner oz.	per pkt, per oz.
Dark sainess	s. d. s. d.	8. d. 8. d. 0 3 0 6
Spotted	0 3 0 6 Mixed	0 3 0 6
PON A TO	, NEW VARIETIES, each 6d.	ner nacket
New Hundred Day.	l New White Apple.	The Conqueror, the carliest.
New Mammoth cluster. Valentia red cluster.	New White Apple. Blount's Champion. New Giant.	Golden Trophy.
Valentia rcd cluster.		
Cultivated in total the smalle	TOMATO OR LOVE APPLE r fruited are very ornamental, and may	E. per pkt.
Large Red Italian large fruit	r fruitea are very ornamental, and maj	y de usea for table accordition. S. d.
Yellow, large fruit		3d, & 0 0
Greengage (Carter), certificated.	Fruit of a beautiful citron colour, ar	id produced in clusters; when
uncooked of an agreeable ref	reshing sub-acid; when cooked, the fla an upright variety, with large red fruit	ivour is delicates. & 1 6
Belle de Leuville, fruit very fleshy	and succulent, shading from red to vio	let 0 6
Early Dwarf Red, very early, and p	producing large clusters of full-fleshed i	fine-flavoured fruit o 6
Hepper's Gollath, special certificate	by Fruit Committee, 1870. First cla	ss variety r o
		valuable acquisition o o
New Trophy. Produces fruit of a	inct beautiful red fruit	0 6
New dwarf broad leaved, very dist Hathaway's Excelsion, round, per	fectly smooth, fine colour, Superior flay	our, and good cropper 0 6
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per Nain fructu panachee, a fine dwar	inct, beautiful red fruitfectly smooth, fine colour, superior flav f striped variety	our, and good cropper 0 6
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of	inct, beautiful red fruit	our, and good cropper 0 6
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of	inct, beautiful red fruit	our, and good cropper 0 6
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties,	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape of fully described in former editions of or	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry.	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape of fully described in former editions of or	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited.	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape of fully described in former editions of or	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country in The following fine varieties, Cherry. Currant-fruited. Powell's Early Red.	inct, beautiful red fruit. fectly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance, Pear-shaped. Sims' Mammoth Cherry.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country in The following fine varieties, Cherry. Currant-fruited. Powell's Early Red.	inct, beautiful red fruit. fectly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Gr fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD,	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country if The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE	inct, beautiful red fruit. fectly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Gr fully described in former editions of or Earley's Defiance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country if The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE	inct, beautiful red fruit. fectly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Gr fully described in former editions of or Earley's Defiance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country if The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE	inct, beautiful red fruit. fectly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Gr fully described in former editions of or Earley's Defiance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country in The following fine varieties, Cherry. Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine	inct, beautiful red fruit. fectly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 2d. & o 6 Moore's Vegeta	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country if The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine Hibberd's Prolific Early Marrow. they begin to yield great num	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containit No sooner are the plants of this valuabers of small elegant oval-formed fruit.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Ge fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containi No sooner are the plants of this valu nebers of small elegant oval-formed fru of a turkey's egg. Those who grow	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Ge fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW, per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valuabers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Ge fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containi No sooner are the plants of this valu nebers of small elegant oval-formed fru of a turkey's egg. Those who grow	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by the seed Nos. 1, 2, and 3 hav models in shape.	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW, per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin No sooner are the plants of this valuers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpoc been taken from fruit ranging in len 7, No. 1, from smallest fruit, 2s. 6d. pe	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. PER Pkt.—8. d. 1.00 Green, fin Mixed, containing the solution of a turkey's egg. Mosoner are the plants of this value of a turkey's egg. Those who grow far the best variety, and for this purpose been taken from fruit ranging in len No. 2, from fruit a little larger, 1s. a 6d. pc. No. 2, from fruit a little larger, 1s. a 6d. pc.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country in The following fine varieties, Cherry. Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Large Cream, very fine Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by the seed Nos. 1, 2, and 3 hav models in shape. Hibberd's Prolific Early Marrow.	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G. fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valu abers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpoc been taken from fruit ranging in len 7, No. 1, from smallest fruit, 2s. 6d. pc No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Ge fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this value hers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpoc been taken from fruit ranging in len 7, No. 1, from smallest fruit, 2s. 6d. pc No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6a No. 4, mixture from the above, 1s. 6a No. 4, mixture from the above, 1s. 6a	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by the seed Nos. 1, 2, and 3 hav models in shape. Hibberd's Prolific Early Marrow.	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW, per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valuabers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo been taken from fruit ranging in len No. 2, from still larger-sized fruit, 6c No. 2, from still larger-sized fruit, 6c No. 4, mixture from the above, 18, p DIBLE GOURD, SQUASH OR PUMP	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G. fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valu others of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo c been taken from fruit ranging in len f, No. 2, from smallest fruit, 2s. 6d. pc No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6w No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delici per pkt.—s. d.	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Grally described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this value hers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpoc been taken from fruit ranging in len No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6a No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young ; when ripe they are delici per pkt.—s. d. es 6d. & r o Squash, Bordean	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW, per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin No sooner are the plants of this valuelers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpe to been taken from fruit ranging in len for No. 2, from smallest fruit, 2s. 6d. pc No. 2, from still larger-sized fruit, 6a No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delicit per pkt.—s. d. es6d. & r o Squash, Bordean bright scarlet, s	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by the seed Nos. 1, 2, and 3 hav models in shape. Hibberd's Prolific Early Marrow Hibberd's Prolific Early Marrow	inct, beautiful red fruit feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. Per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valuebers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo to been taken from fruit ranging in len f, No. 1, from smallest fruit, 2s. 6d. pc No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6d. No. 4, mixture from the above, 1s. p UIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delicit per pkt.—s. d. es6d. & r o ent keeper,	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by the seed Nos. 1, 2, and 3 hav models in shape. Hibberd's Prolific Early Marrow. """""""""""""""""""""""""""""""""""	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Ge fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW, per pkt.—s. d. 3d. & o 6 3d. & o 6 Mixed, containin No sooner are the plants of this valuabers of small elegant oval-formed fruit of a turkey's egg. Those who grow far the best variety, and for this purpoc been taken from fruit ranging in len 7, No. 1, from smallest fruit, 2s. 6d. pe No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6a No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delicity per pkt.—s. d. esc	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valu others of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo c been taken from fruit ranging in len for No. 2, from fruit a little larger, 1s. a No. 3, from smallest fruit, 2s. 6d. pe No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6c No. 4, mixture from the above, 1s. p OIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delici per pkt.—s. d. es6d. & r o ent keeper, of chang, and in of course flesh Squash, Bordear bright scarlet, s Squash, Crookne Portmanteau S Squash Summer ourced flesh	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. Per plat.—s. d. 3d. & o 6 3d. & o 6	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valu obers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo c been taken from fruit ranging in len formed fruit a little larger, is, a No. 2, from fruit a little larger, is, a No. 3, from still larger-sized fruit, 6 No. 4, mixture from the above, is, p DIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delici per pkt.—s. d. es6d. & r o ent keeper, oent keeper, oent keeper, of oured flesh ring o 6 y curious	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape G. fully described in former editions of or Earley's Deflance. Pear-shaped. Sims Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 Moore's Vegeta Long Green, fin Mixed, containin No sooner are the plants of this valu nobers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo c been taken from fruit ranging in len 7, No. 1, from smallest fruit, 2s. 6d. pe No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6x No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young; when rie they are delici per pkt.—s. d. es6d. & r o ent keeper,	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberrics, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster Hibberd's Prolific Early Marrow. they begin to yield great nun ready to cook when the size an early crop will find this by the seed Nos. 1, 2, and 3 hav models in shape. Hibberd's Prolific Early Marrow. """""""""""""""""""""""""""""""""""	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Ge fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW. per pkt.—s. d. 3d. & o 6 3d. & o 6 Mixed, containin No sooner are the plants of this value thers of small elegant oval-formed fru of a turkey's egg. Those who grow far the best variety, and for this purpo c been taken from fruit ranging in len for No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6a No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delicit per pkt.—s. d. es	our, and good cropper
New dwarf broad leaved, very dist Hathaway's Excelsior, round, per. Nain fructu panachee, a fine dwar Tomato du Japan, a fine variety of Tomato géant, fruit very large Strawberry Tomato (Physalis edu Cranberries, in this country it The following fine varieties, Cherry. Currant-fruited. Powell's Early Red. VEGETABLE Custard, very fine small fruit Bush or cluster	inct, beautiful red fruit. feetly smooth, fine colour, superior flav f striped variety Japanese origin lis), an old plant with an American n is well known in preserves as Cape Go fully described in former editions of or Earley's Deflance. Pear-shaped. Sims' Mammoth Cherry. MARROW, SQUASH, GOURD, VEGETABLE MARROW, per pkt.—s. d. 3d. & o 6 3d. & o 6 3d. & o 6 Mixed, containin No sooner are the plants of this valuabers of small elegant oval-formed fruit of a turkey's egg. Those who grow far the best variety, and for this purpoc been taken from fruit ranging in len 7, No. 1, from smallest fruit, 2s. 6d. pe No. 2, from fruit a little larger, 1s. a No. 3, from still larger-sized fruit, 6a No. 4, mixture from the above, 1s. p DIBLE GOURD, SQUASH OR PUMP when young; when ripe they are delicity per pkt.—s. d. es6d. & r o ent keeper, compand in 6 Squash, Grookne Portmanteau Squash Summer Marble- ring o 6 William Califort Winter Califort Vokaha "Winter Califort Vokaha "Winter Califort Nantucl "Nantucl "Nantucl "Nantucl "Nattucl "Nattucl "Nattucl "Patissoo "Patissoo "Nattucl "Patissoo "Nattucl "Nattucl "Patissoo "Nattucl "Patissoo "	our, and good cropper

	FRUIT SEEDS.				
per pkts. d.	STRAWBERRY. per pkt.—s. d.	per pkt.—s. d.			
Alpine Red o 6	Elton Pine o 6 I	Prince Arthur o 6 Princess Royal o 6			
" Bush Red 0 6	Jucunda 0 6	Frollope's Victory o 6 Vsse. Hericaut de Thury o 6			
British Queen o 6	Marguerite o 6	Wonderful o 6			
Comte de Paris o 6 RASPBERRY, Red, per pkt.		Mixed, large fruited sorts I o OOSEBERRY, per pkt., Is.			
	Section V.—SALAD PLANTS.				
	E DE CAPUCIN. A fine winter able of winter salads. Sow in May, as				
roots and store them in a dry co them in boxes of soil in a dar	ool situation. As required for succes. h warm cellar or mushroom-house. thered ready for use	sion, plant portions of perpkt, peroz. They soon produce long s. d. s. d.			
seed is sown in June, and the a They are then divested of their	WITLOEF, A NEW VEGETABLE. Those who are fond of the salad known as Barbe de Capucin, will esteem the Witloef highly. The seed is sown in June, and the roots as required are lifted from the end of October to February. They are then divested of their leaves to within two inches of the ground, planted in a trench and covered with 2 or 3 feet of stable litter. As the heat generates, the root throws up from the crown a pale green head, resembling a Paris Cos Lettuce, which is eaten as Salad, or				
eooked and served as Seakale		г о2 б			
The blanched leaves of this plant in S	DANDELION. Spring make a most delicately flavour	ed and wholesome salad. The roots			
may also be treated	in the same way as recommended for I per packet i o New French thick	Barbe de Capucin.			
	CELERY.				
carefully conducted trial of Celery,	e Royal Horticultural Society, good s in which was elicited the important	fact that in this country the really			
distinct typical Celeries do not exceed.	four in number, and that the multitue	le of names are either synonymes, or			
eultivation, we regret to say, being ver	Celeriae, or Turnip rooted Celery, is n ry limited in this country. The exami ance of eareful selections; still it is not	nation of the different stocks of Celery leworthy that the best selected stocks of			
Celeries are only presentable at table a heavily manuring are indispensable, a	in proportion to the eare bestowed on the and during dry weather abundance of first four Celeries in our list are repres	water should be given from time to			
Covent Garden Dwarf White, close	habit, very solid, crisp, juicy, and fine	flavoured			
Covent Garden Tall White, a first-cla Covent Garden Tall Red, a first-cla	t, hardy, crisp, and of a very superior n lass, large, solid crisp variety of excelle .ss, large, solid varicty, very hardy,	ent flavour			
Barr's Champion Solid White; thi	s valuable variety is robust, very solid	I, and sweet, and keeps good			
Ramsey's Solid Red, a first-class soli	d variety, large, crisp, and of fine flavo	ur6d. & I O			
,, New Giant White, a very	olid variety, large, crisp, and of excelle high-class, solid, fine-flavoured variety	I O			
Hooley's Conqueror Prize, a first-cla Sandringham Dwarf White, crisp,	and fine flavoured, grown for the Princ				
Dickson's Superlative Red, very sol Major Clark's Red, it is robust, comp	id, and of a rich nutty flavour pact, very solid, crisp, and of delicate flat and solid, remaining a long time in good	avour I O			
	ving well known varieties 6d. & 1s. per Cole's Defiance red.				
Wright's Grove red.	,, ,, white. Seymour's Superb white.	Turnip Booted, Celeriac. Leicester red.			
Williams' Matchless red.	Carter's Incomparable crimson.	Manchester Champion.			
Wandless Invincible.	Laing's Mammoth. Turner's Incomparable white.	Dixon's Mammoth white. Ivery's Nonsuch.			
	CHERVIL. they impart a warm aromatic flavour of the surface of the	to soups and stews, and are also in			
Curled	per oz. o 6 Sweet Scented	per pkt. 1 0			
Extensively cultivated for the m	EN SALAD, OR LAMBS' LETT parkets of Covent Garden and Paris, lads during the autumn, winter, and sp	forming an exceedingly agreeable			
Large leaved	per oz. o 3 Spoon leaved, z, o 6 Lettuce leaved,	an excellent varietyper oz. I o			
For summer and autumn us dry weather, and thinning the	ed, delieately tender, and with an agree sow in succession from March to Au to plants out sufficiently. For winter u ches apart. In spring the leaves are su	gnst, watering freely in peroz. perpt. se sow in September and s. d. s. d.			
Broad-leaved Garden, larger leaved	than "Plain Cress," and by some prefe	erred 0 42 6 per oz, per pt. per qt.			
	ew days all the year round	per oz. per pt.			
Extra fine Curled, or Normandy; the flavour of this Cress is very agreeable for the first two or 8. d. 6. d. three cuttings, and on the breakfast table it is always acceptable					
July and August, a constant s	upply may be had throughout the winter	er and spring months o 6			

, , , , , , , , , , , , , , , , , , , ,	77.1	
Water-oress, true minit sweetes	CRESS—continued, in sluggish brooks, and moist situation at, a small delicate green variety, m ass pungent and of a more agreeable fla	Ore esteemed than the
	ENDIVE.	
or Batavian Endive is described in " occupying a first position amongst Fre winter, and spring, the growers tying Fraser's Improved Broad-Leaved, a Batavian Imperial Green smooth b	nwn by all who devote even a small port The Parks, Promenades, and Garden nich salads, the Paris markets being su, it up to blanch five days before cutting were hardy superior variety of Batavia road leaves	ss of Faris," by Mr. W. Robinson, as optical abundantly with it in autumn, per pkt. per oz.
Green Curled Extra fine French, ver New Moss Green Curled	I very superiorry superior variety	0 4I 0 0 4I 0 0 6I 6
White Curled, very useful. Batavian Improved Round-leaved,	growth close and compact, and so full	in the centre that nearly
New Intermediate Bourdeaux, a fir	ie winter variety, intermediate between	n Batavian and Curled o 6 I 6
T T. 4	LETTUCE.	
To have Lettuce of reatly fine qu	1 1871, we grew about 600 different sam ers offered in the trade can be supplied ality, let the ground be trenched and i	if reauired
abundance of water during dry weat	COS LETTHCE	per pkt. per oz.
and fine-flavoured, and not soon	te, a first-class variety, forming large on n running to seed m, a first-class variety, large, crisp, an t White Cos, and the best of its kind	d fine-flavoured, forming
specially recommended for autube tied up for a few days before	on sowing; it is crisp, rich, and nuti the sowing; it is crisp, rich, and nuti theing out. In families where a dry	te Brown Cos varieties, by in flavour, and should nutty-flavoured lettice is
covent Garden Winter Giant White of the Summer Giant White, a	throughout the year	sses atl the good qualities
Jefferies' Little Queen, described as j Walker's Covent Garden Sugarloa	for antunn and spring sowing	n any other Cos 1 6
Moor Park, syn. Prince of Wales	and Bunney's Incomparable, a robus	t hardy White Cos for
Paris White, a very superior fine hear	t large, crisp, fine-flavoured hearts, and sen, does not soon run to seed ting variety	I 02 6
Bath Cos, black-seeded, very fine; for Bath Cos, white seeded, very fine; the Laitue Verte Maraîchère." the far	autumn sowingis variety is self-folding vourite Lettuce in France for autumn s favourite Lettuce in France for spring	0 4I 0
Acme.	varieties is. to 2s. 6d. per oz.; 4d. to i	
Bunney's Incomparable. Duckett's Perfection. Williams' Victoria.	Kingsholme. Dimmick's Victoria. Scott's Giant White. Sutton's Superb white.	Alexandra White. Carter's Giant Brown Cos. Magnum Bonum w. s.
Ivery's Nonsuch.		Princess Royal.
Dixon's Essex Champion,	Squire's Wiltshire Cos.	Carter's White Cos.
6 large packets in 6 best varieties of	OUR OWN SELECTION. the above5/6 3 large pkts. in	3 best varieties of the above3/o
weeks, nave no aouot oeen struck with	CABBAGE LETTUCE. the markets of London and Paris, when the quantity of delicate, succulent, is	ight-green lettuce in hambane . there
"Robinson's Parks, Promenades, and	ly the Paris market-gardeners under th d Gardens of Paris''	e Cloche. For details of culture, see
is equally nargy and most desi-	r-formed, compact growing lettuce, ex t, delicate, and solid r and finer than "Hardy Hammersmit rable	0 6 r 6
All the Year Round, a very hardy co Drumhead Selected, a fine crisp, ligh	ting variety, which does not soon run to impact summer or winter Lettuce, solid at green crinkled summer Lettuce	o seed o 61 6
Bossin, the largest Lettuce cultivated Leyden White Dutch, a first-rate con	green crinkled summer Lettuce; a monster variety of White Batavian pact light green variety, literally all he	0 41 0
wheeler's Tom Thumb, this Long-sta New Gem is said to be exceedingly c	above, except in colour, which is dark ander miniature Lettuce has a nicc whi	green 0 41 0 te solid heart 0 61 6
Hardy Green Hammersmith, the har Nonsuch, for spring and autumn som	tine variety, for summer and winter use rdiest for winter, but of no use for sprin ing, a favourite with the London mark	g sowing 0 4I 0
Stone Tennis Ball, a nice Lettuce, w	ardiest and best varieties for winter	o 6 t 6
"Laitue Petit Noire," the Parisian '	'Cloche" Lettuce	I 02 б

CABBAGE LETTUCE—continued.

	CABBAGE LETTUCE—continued.	1.1
The following va	rietics, 1s. to 2s. 6d. per oz.; 4d. to 1	s. per packet :— Laitue de la Passion.
Perpignan.	Malta or Ice Cos. Lee's Hardy Green.	Laitue Gros Gris.
The Hanson. American Gathering.	Grand Admiral.	Laitue Rousse.
American damering.	OUR OWN SELECTION.	·
6 large pkts, in 6 best varieties of	the above 5/6 6 large pkts. ir	6 best varieties of the above 3/-
	MUSTARD.	per oz. per pt. per qt. s. d. s. d. s. d.
White, sow every few days to maintain	a continual supply for small salads	0 2I 32 3
Prown or Black		0 2I 02 0
New Chinese, larger, more pungent as	nd liner havoured than the old white i	mustard 0 42 0
45	RADISH.	per oz. per pt.
Long Scarlet Superb Short Top (Bec	k's), a valuable long salmon variety is	or main crop 0 42 0
,, Early Frame (Wood's), the best	client quality, these are much prized f	or their colours, con- (o 6
Dunnla (trastin	g as they do nicely with the scarlet va	rictics.
" Mixed		0 42 0
Olive-shaped Scarlet	These are all excellent for forcing and gener	al crop, being fleshy, and not 0 63 0
,, White	readily affected by dry weather; they shou	ild be sent to table when not 0 03
" French Breakfast	larger than filberts. The "French Breakfas white, or "Rose demi-long a bout blane" of	
" Mixed	1 1- 1- Danie Mauleun and for Course	
Rose demi-long a bout blanc		(0.4.3.9
Round or Turnip Red	These stand dry not weather be	itter than most other 10 4.20
Purple	varietics, and are esteemed at a	ill seasons. The Rose of 6
" Mixed	rond a bout blanc is the beautiful variety so much esteemed by the I	Tranch 0 42 0
Rose rond a bout blanc	variety so much esteemed by the 1	(0 0
Winter Black Spanish	35 I - steemed for winter soleds a sl	hould be sown in July, o 6
" Scarlet China	Much esteemed for winter salads; sl and again in August, the first sow	
" Purple China	or December, and stored in dry s	
Duggian large white	ready for use.	I 0
" Mixed) 1	(o 6
Californian Mammoth Radish, receiv	ed a First-Class Certificate from the F	Fruit Committee in 1871.
It is a valuable addition to winte	er salads; being very juicy, with a p	leasant, piquant, agree-per pkt. per oz.
able radish-flavour; when mixe	ed with salads it should be thinly s	liced. Sow in July and s. d. s. d.
August		0 4I 0
of 3 ft.; when quite young, Dr. Hooke	rat-tailed Radish. Pods fantastically	snapea, and rapidly attaining a tengin
of 3 ft.; when quite young, Dr. Hooke	RAPE.	anens Ter packet, 10 and 11.
When small salads are sent from to	he country, Rape is preferable to Mu	stard as it keeps longer in condition:
hence the reason of its being cultivated,	for Covent Garden Market, where it i	is sold as Mustard.
		per oz. per qt.
		For any Pro-dis-
For small Salads, sow every few days t	o maintain a succession	0 2I 6
	SORREL.	0 2I 6 perpkt, peroz.
French broad leaved, for salads, on the	SORREL. the continent it is extensively used inste	o 21 6 perpkt, peroz. o 30 6
French broad leaved, for salads, on the	SORREL.	o 21 6 perpkt, peroz. o 30 6
French broad leaved, for salads, on the Section VI. — I	SORREL. The continent it is extensively used insta POT, SWEET, AND GARNISH POT AND SWEET HERBS.	o 21 6 perpkt. per oz. o 30 6 ING HERBS.
French broad leaved, for salads, on the Section VI. — I	SORREL. The continent it is extensively used inste POT, SWEET, AND GARNISH POT AND SWEET HERBS. THE THE MARJORAM SWEET—PURSLAN	o 21 6 perpkt, peroz. o 30 6 ING HERBS.
French broad leaved, for salads, on the Section VI I BASIL, BUSH—BASIL, SW	SORREL. the continent it is extensively used inste POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz.	o 21 6 perpkt. peroz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. perpkt. peroz.
French broad leaved, for salads, on the Section VI.—I BASIL, BUSH—BASIL, SW Basil, Bush green, for seasoning	SORREL. the continent it is extensively used inste POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. 0 4I 0 Marjoram, Sweet	o 2I 6 perpkt, peroz. ad of spinach
French broad leaved, for salads, on the Section VI.— BASIL, BUSH—BASIL, SW Basil, Bush green, for seasoning	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAM per pkt. per oz. 0 4I 0 Marjoram, Sweet 0 4I 0 Purslane, Green 0 4I 0 Purslane, Golden	o 2I 6 perpkt, peroz. ad of spinach
French broad leaved, for salads, on the Section VI.—I BASIL, BUSH—BASIL, SW Basil, Bush green, for seasoning	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAM per pkt. per oz. 0 4I 0 Marjoram, Sweet 0 4I 0 Purslane, Green 0 4I 0 Purslane, Golden	o 21 6 perpkt, peroz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. perpkt. peroz. o 41 0
French broad leaved, for salads, on the Section VI.—I BASIL, BUSH—BASIL, SW Basil, Bush green, for seasoning ", purple , ", " Basil, Sweet green, for seasoning" ", purple , ", ""	POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz 0 4I 0 Marjoram, Sweet 0 4I 0 Purslane, Green 0 4I 0 Purslane, Golden 0 4I 0 Savory, Summer,	o 21 6 perpkt. per oz. ad of spinach
French broad leaved, for salads, on the Section VI.—I BASIL, BUSH—BASIL, SW Basil, Bush green, for seasoning ", purple , ", " Basil, Sweet green, for seasoning" ", purple , ", ""	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAY per pkt. per oz. 0 41 0 Marjoram, Sweet 0 41 0 Furslane, Green 0 41 0 Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME.	O 2I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. per pkt. per oz. o 4I 0 { used in salads, sonps, { 0 4I 0} } and for pickling. { 0 4I 0} for seasoning 0 4I 0 POT—ROSEMARY—RUE—SAGE
Basil, Bush—Basil, Sw Basil, Bush—Seasoning Basil, Bush green, for seasoning """ """ """ """ """ """ """ ""	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. Marjoram, Sweet o 4 i o Marjoram, Sweet o 4 i o Purslane, Green o 4 i o Purslane, Golden o 4 i o Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME o 4 Rue, a medicinal	O 2I 6 perpkt. peroz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. perpkt. peroz. o 4I 0 { used in salads, soups, { 0 4I 0} } and for pickling. { 0 4I 0} for seasoning
Basil, Bush green, for seasoning ", purple ", ", ", ", ", ", ", ", purple ", ", ", ", ", ", ", ", ", ", ", ", ",	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. O 4I O Marjoram, Sweet O 4I O Purslane, Grocen O 4I O Savory, Summer,HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4 Rue, a medicinal, O 4I O Sage, for stu fing,	O 2I 6 perpikt. per oz. and of spinach O 3O 6 ING HERBS. NE—SAVORY, SUMMER. perpikt. per oz. 4I O 4I O 4I O 6 for scasoning O 4I O 6 for scasoning O 4I O 7 for scasoning O 4I O 7 for scasoning O 4I O 6 for scasoning O 4I O 7 for scasoning O 4 O 7 for scasoning O 7 f
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning ", purple , , , Basil, Swect green, for seasoning ", purple , , , Ball, Swect green, for seasoning ", purple , , , Ballm—Burnet—HoreHound— Balm, for claret cup or balm wine Burnet, used for salads and sonps Horehound, a medicinal herb	POT AND SWEET HERBS. EET—MARJORAM SWEET HERBS. EET—MARJORAM SWEET—PURSLAY per pkt. per oz. 0 41 0 Marjoram, Sweet 0 41 0 Furslane, Green 0 41 0 Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. 0 4 Rue, a medicinal Sage, for stu **Ing, Sayory, Winter,	O 2I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. per pkt. per oz. o 4I 0 { used in salads, sorps, { 0 4I 0} } and for pickling. { 0 4I 0} for seasoning
Basil, Bush green, for seasoning ", purple ", ", ", ", ", ", ", ", purple ", ", ", ", ", ", ", ", ", ", ", ", ",	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. O 4I O Marjoram, Sweet — Purslane, Green O 4I O Purslane, Golden O 4I O Savory, Summer, —HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4 O 4I O Savory, Winter, O 4I O Thyme, French, O 4I Thyme, French, O 4I Thyme, French, O 4I Thyme, French, O 4I Thyme, French, O 4II Thyme, French, O 4I Thyme, French,	O 2I 6 perpikt. per oz. and of spinach O 3O 6 ING HERBS. NE—SAVORY, SUMMER. perpikt. per oz. 4I O 4I O 4I O 6 for scasoning O 4I O 6 for scasoning O 4I O 7 for scasoning O 4I O 7 for scasoning O 4I O 6 for scasoning O 4I O 7 for scasoning O 4 O 7 for scasoning O 7 f
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning """""""""""""""""""""""""""""""	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. 0 41 0 Marjoram, Sweet Purslane, Green 0 41 0 Savory, Summer,HYSSOP—LAVENDER—MARJORAM 0 4 Rue, a medicinal Sayory, Winter, Thyme, 0 4 Sayory, Winter, 0 4 Sayory, Winter, 0 4 Thyme, French, f Thyme, German, bs. 0 41 0 Thyme, German, the continued of	o 2.1 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. perpkt. per oz. o 41 0 { used in salads, sonps, { 0 41 0} } and for pickling. { 0 41 0} FOT—ROSEMARY—RUE—SAGE herb
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning ", purple , ", " Babil, Sweet green, for seasoning ", purple , ", " Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and somps Horehound, a medicinal herb Lavender, an aromatic herb Marjoram, Pot, for seasoning and somp Rosemary, an aromatic herb	BORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. O 4I o Marjoram, Sweet Purslane, Green O 4I o Purslane, Green O 4I o Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4 Rue, a medicinal Sage, for stu ing, Savory, Winter, Thyme, French, f Thyme, English Thyme, German,	O 2.1 6 perpkt. per oz. O 30 6 ING HERBS.
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning ", purple , ", purple , ", purple , p	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. Marjoram, Sweet Purslane, Green O 4I o Purslane, Green O 4I o Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4I o Savory, Winter, Thyme, French, f Thyme, French, f Thyme, English Thyme, German, O 4III CHICORY—CORIANDER—MARIGOL	O 2. I 6 perpkt. per oz. o 3 0 6 ING HERBS. NE—SAVORY, SUMMER. per pkt. per oz. o 4 I 0 { used in salads, soups, { 0 4 I 0} } and for pickling. 0 4 I 0 for seasoning 0 4 I 0 POT—ROSEMARY—RUE—SAGE herb 0 4 etc. 0 4 I 0 for soups, etc. 0 4 I 0
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning """, purple """, """ Basil, Swect green, for seasoning """, purple """, """ Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and sonps Hyssop, an aromatic herb Lavender, an aromatic herb Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb Borage, used for claret cup	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAY POT PURSLAY POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAY POT AND SWEET—PURSLAY POT AND SWEET—PURSLAY PURSLAY PUR	O 2 1 6 perpkt. per oz. o 3 0 6 ING HERBS. NE—SAVORY, SUMMER. perpkt. per oz. o 4 1 0 losed in salads, sorps, { 0 4 1 0 losed in salads, sorps, { 0 4 1 0 losed in salads, sorps, { 0 4 1 0 losed in salads, sorps, { 0 4 1 0 losed in salads, sorps, { 0 4 1 0 losed in salads, sorps, { 0 4 1 0 lor seasoning 0 4 1 0 lor soups, etc. 0 4 1 0 l
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning ", purple , ", " Babil, Sweet green, for seasoning ", purple , ", " Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and somps Horehound, a medicinal herb Lavender, an aromatic herb Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb BORAGE- Borage, used for claret cup Chicory, for salads	POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PETPIK. PETOZ. 0 4I 0 Marjoram, Sweet Purslane, Green 0 4I 0 Purslane, Green 0 4I 0 Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. 0 4 Rue, a medicinal Sage, for stuffing, Savory, Winter, 0 4 Thyme, English Thyme, German, 0 4 Thyme, German, 0 4 CHICORY—CORIANDER—MARIGOL 0 3 0 6 Corlander, for ga 0 3 0 6 Corlander, for ga 0 3 0 6 Pot Marigold, the	O 2I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning, purple ,	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN POT POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN POT AND SWEET HERBS. Marjoram, Sweet Purslane, Green Purslane, Golden Savory, Summer, Purslane, Golden Savory, Summer, Purslane, Golden Savory, Winter—Thyme. Rue, a medicinal Sage, for studing, Savory, Winter, Thyme, French, f Thyme, French, f Thyme, French, f Thyme, French, f Thyme, German, CHICORY—CORIANDER—MARIGOL O 3 6 Corlander, for ga SPERULA—CARAWAY—CLARY—DIL	O 2. I 6 perpkt. per oz. o 3 0 6 ING HERBS. NE—SAVORY, SUMMER. per pkt. per oz. o 4 I 0 { used in salads, sonps, { 0 4 I 0} } and for pickling. { 0 4 I 0} for seasoning
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning """" Basil, Sweet green, for seasoning """" Basil, Sweet green, for seasoning """" Basil, Sweet green, for seasoning """" Ballm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and somps Horehound, a medicinal herb Hyssop, an aromatic herb Marjoram, Pot, for seasoning and somp. Rosemary, an aromatic herb Borage, used for claret cup. Chieory, for salads. Angelica—A Angelica, stalks blanched, like celery,	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAY PET PRINT, PET OZ. O 4I O MARJORAM, SWEET—PURSLAY PET SK. PET OZ. O 4I O PURSLANE, GROCH SAVORY, WINTER—THYME. O 4I O SAVORY, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4I O SAVORY, WINTER—THYME. SAVORY, WINTER—THYME. Rue, a medicinal Sage, for stufing, Savory, Winter, Thyme, French, f Thyme, English Thyme, German, O 4I O Thyme, German, O 4I O Thyme, German, O 4I O Thyme, German, O 3O 6 Corlander, for ga O 3O 6 Pot Marigold, the SPERULA—CARAWAY—CLARY—DIL Or (Clary, the leaves)	O 2I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning, ", purple , ", " Basil, Sweet green, for seasoning, ", purple , ", " Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and somps Horehound, a medicinal herb Lavender, an aromatic herb Lavender, on aromatic herb Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine	BORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PRINCE PORS. EET—MARJORAM SWEET—PURSLAN PET PRINCE PORS. MARJORAM SWEET—PURSLAN PET HERBS. EET—MARJORAM SWEET—PURSLAN PET PURSLAN PURSLAN PURSLAN PET PURSLAN PURSLAN PURSLAN PET PURSLAN PURSLAN PURSLAN PURSLAN PET PURSLAN	O 2. I 6 perpkt. per oz. and of spinach O 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning O 4I 0 } and for pickling O 4I 0 for seasoning O 4I 0 POT—ROSEMARY—RUE—SAGE herb O 4 etc. O 4I 0 for seasoning O 4I 0 for seasoning O 4I 0 for soups, etc. O 4I 0
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning ", purple , , , Babil, Swect green, for seasoning ", purple , , , Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and somps Horehound, a medicinal herb Hyssop, an aromatic herb Lavender, an aromatic herb Warjoram, Pot, for seasoning and song Rosemary, an aromatic herb Borage, used for claret cup Chicory, for salads Angelica, stalks blanched, like celery, in May gathered and candied with sug	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. Marjoram, Sweet Purslane, Green O 4I o Purslane, Green Purslane, Golden Savory, Summer, HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4I o Sage, for stu fing, Sage, for stu fing, Sayory, Winter, Thyme, French, f Thyme, French, f Thyme, English Thyme, German, O 3 o 6 Corlander, for ga Por O 3 o 6 Pot Marigold, the For O 3 o 6 SPERULA—CARAWAY—CLARY—DIL For O 3 o 6 Fennel, for garni.	O 2. I 6 perpkt. per oz. and of spinach O 30 6 ING HERBS. NE—SAVORY, SUMMER. per pkt. per oz. , for seasoning O 4I 0 lased in salads, sonps, lo 4I 0 lased in salads, sonps, lo 4I 0 for seasoning O 4I 0 por Seasoning O 4I 0 for soups, etc. O 4I 0 flowers are used in soups O 4I 0 flowers of the flowers O 4I 0
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning """ Basil, Sweet green, for seasoning """ Basil, Sweet green, for seasoning """ Basil, Sweet green, for seasoning """ Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and sonps Horehound, a medicinal herb Hyssop, an aromatic herb Marjoram, Pot, for seasoning and sony Rosemary, an aromatic herb Borage, used for claret cup. Chicory, for salads Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine Caraway, seeds used in confectionary, &	SORREL. POT SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PLAND SWEET—PURSLAN PURSLAN	O 2. I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning O 4. I 0 l used in salads, sonps, (0 4. I 0 l and for pickling. (0 4. I 0 for seasoning O 4. I 0 POT—ROSEMARY—RUE—SAGE herb O 4. I 0 for seasoning O 4. I 0 for seasoning O 4. I 0 for soups, etc. O 4. I 0
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning ", purple , , , Babil, Swect green, for seasoning ", purple , , , Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and somps Horehound, a medicinal herb Hyssop, an aromatic herb Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb Borage, used for claret cup Borage, used for claret cup Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine Caraway, seeds used in confectionary, & Covent Garden Garnishing, a very be	POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN POT AND SWEET—PURSLAN PURSLAN POT AND SWEET—PURSLAN POT AND SWEET—PURSLAN POT AND SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—PURSLAN SWEET—	O 2. I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning
Basil, Bush—Basil, Sw Basil, Bush—Basil, Sw Basil, Bush green, for seasoning, "purple", "purple", "green, for seasoning Basil, Sweet green, for seasoning "purple", "green, for seasoning "Basil, Sweet green, for seasoning "purple", "green, for seasoning "purple", "green, for seasoning "Basil, Sweet green, for seasoning "Balm—Burnet—HoreHound— Balm, for claret cup or balm wine "Burnet, used for salads and somps "Borage, an aromatic herb "Borage, used for claret cup "Borage, used for claret cup "Borage, used for claret cup "Angelica, stalks blanched, like celery, in May gathered and candied with sug asperula odorata, for flavouring wine Caraway, seeds used in confectionary, & Covent Garden Garnishing, a very be	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN per pkt. per oz. Marjoram, Sweet Purslane, Green O 4I o Purslane, Green Purslane, Golden Savory, Summer, HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4I o Savory, Winter, J Thyme, French, J Thyme, French, J Thyme, German, O 4I o Savory, Winter, J Thyme, French, J Thyme, German, O 4I o Savory, Winter, J Thyme, French, J Thyme, German, O 4I o Savory, Winter, J Thyme, French, J Thyme, German, O 4I o Savory, Winter, J Thyme, French, J Thyme, German, O 4I o Savory, Winter, J Thyme, French, J Thyme, German, O 3O 6 O Corlander, for ga Far O 3O 6 Dill, used in soups Fennel, for garni. The Moss Curled, the most beautifully on	O 2. I 6 perpkt. per oz. and of spinach O 3 O 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning O 4 I 0 logo for seasoning O 4 I 0 for seasoning O 4 I 0 for seasoning O 4 I 0 POT—ROSEMARY—RUE—SAGE herb O 4 I 0 for soups, etc O 4 I 0 soups, etc O 4 I 0 for soups, etc O 4 I 0 for soups, etc O 4 I 0 soups, etc O 4 I 0 soups, etc O 4 I 0 for soups, etc O 4 I 0
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning """ Basil, Sweet green, for seasoning """ Basil, Sweet green, for seasoning """ Basil, Sweet green, for seasoning """ Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and sonps Horehound, a medicinal herb Hyssop, an aromatic herb Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb Borage, used for claret cup Chieory, for salads Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine Caraway, seeds used in confectionary, & Covent Garden Garnishing, a very be """ Champlo Dunnett's Garnishing, beautifully curl	SORREL. POT SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PLAND SWEET—PURSLAN PURSLAN PURSLAN PURSLAN SAVORY, WINTER—MARJORAM —SAVORY, WINTER—THYME. A. A. B. Sayory, Winter, B. A. A. B. Sayory, Winter, B. A. C. A. Sayory, Winter, B. A. C. A. Sayory, Winter, B. C. A. C. B. Sayory, Winter, B. C. A. C. B. Sayory, Winter, B. C. A. C. B. C. CORIANDER—MARIGOL B. C. C. A. C. B. C. C. C. B. C. C. C. B. C. C. C. C. S. C. C. C. C. S. C.	O 2. I 6 perpkt. per oz. o 3 0 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning O 4. I 0 \{ used in salads, sonps, \{ 0 4 I 0 \} for seasoning O 4 I 0 \} POT—ROSEMARY—RUE—SAGE herb O 4 o for seasoning O 4 I 0 for soups, etc. O 4 I 0 for soups,
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning	POT AND SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PRINCE POR AND SWEET—PURSLAN PET PRINCE PURSLAN PET PRINCE PURSLAN PET PRINCE PURSLAN PET PURSLAN PURSLAN PURSLAN PURSLAN PARSLEY PURSLAN PURS	O 2.1 6 Petpkt. per oz. O 30 6 ING HERBS. NE—SAVORY, SUMMER. Per pkt. per oz. O 41 0 O 5 O 41 0 O 5
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning	POT AND SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PRINCE POR AND SWEET—PURSLAN PET PRINCE PURSLAN PET PRINCE PURSLAN PET PRINCE PURSLAN PET PURSLAN PURSLAN PURSLAN PURSLAN PARSLEY PURSLAN PURS	O 2.1 6 Petpkt. per oz. O 30 6 ING HERBS. NE—SAVORY, SUMMER. Per pkt. per oz. O 41 0 O 41 0 O 41 0 O 41 0 O 5 O 41 0 O 5
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning """, purple """, """ Basil, Swect green, for seasoning """, purple """, """ Basil, Swect green, for seasoning """, purple """, """ Balm—Burnet—Horehound— Balm, for claret cup or balm wine "" Burnet, used for salads and sonps """ Horehound, a medicinal herb """ Lavender, an aromatic herb """ Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb """ Borage, used for claret cup """ Chieory, for salads "" Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine Caraway, seeds used in confectionary, & Covent Garden Garnishing, a very be """ Covent Garden Garnishing, a very be """ Countet's Garnishing, beautifully curl Fern Leaved, the finely cut leaves of	POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN POT AND SWEET—PURSLAN PURSLAN POT AND SWEET—PURSLAN PURSLAN	O 2.1 6 Petpkt. per oz. O 30 6 ING HERBS. NE—SAVORY, SUMMER. Per pkt. per oz. O 41 0 O 41 0 O 41 0 O 41 0 O 5 O 41 0 O 5
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning	SORREL. POT SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PETPKL PETOZ. O 4I O Marjoram, Sweet Purslane, Green O 4I O Savory, Summer, -HYSSOP—LAVENDER—MARJORAM —SAVORY, WINTER—THYME. O 4 Rue, a medicinal Sage, for stu Ing. O 4 Thyme, English Thyme, German, O 4 Thyme, German, O 4 Thyme, German, O 4 Thyme, German, O 3 O 6 Corlander, for ga O 3 O 6 Corlander, for garnise	O 2. I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PRINCE PORSLAN PET PURSLAN PURSLAN PURSLAN PARSLEY PURSLAN PU	O 2. I 6 perpkt. per oz. o 30 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning O 4. I 0 looked in salads, somps, (0 4. I 0) for seasoning O 4. I 0 for seasoning O 4. I 0 POT—ROSEMARY—RUE—SAGE herb O 4. I 0 for soups, etc. O 5. O 6 flowers are used in soups O 4. I 0 shing, and fish soups O 4. I 0 Shing, and fish soups O 4. I 0 O 30 6 curled of any O 40 9 for garnishing and flower for MALLOW.
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning "purple", "" Basil, Sweet green, for seasoning "purple", "" Basil, Sweet green, for seasoning "purple", "" Basil, Sweet green, for seasoning "purple", "" Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and sonps Horehound, a medicinal herb Hyssop, an aromatic herb Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb Borage, used for claret cup Chicory, for salads Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine Caraway, seeds used in confectionary, & Covent Garden Garnishing, a very be covent Garden Georation "Champio Dunnett's Garnishing, beautifully curl Fern Leaved, the finely cut leaves of garden decoration Myatt's Extra Fine Curled, very fine Hamburgh, or Turnip-rooted; the roc	SORREL. POT SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAY PET PLANT O MARJORAM, SWEET—PURSLAY PET PLANT O MARJORAM, SWEET—PURSLAY PET NATION O 4 I O PURSLAY, SAVORY, WINTER—THYME. SAVORY, WINTER—THYME. O 4 I O SAVORY, WINTER—THYME. O 4 I SAGE, for stu Ing. SAVORY, WINTER—THYME. AUTHOR O 4 I SAGE, for stu Ing. SAVORY, WINTER—THYME. Rue, a medicinal SAGE, for stu Ing. SAVORY, WINTER—THYME. Rue, a medicinal SAGE, for stu Ing. SAVORY, WINTER—THYME. Rue, a medicinal SAGE, for stu Ing. SAVORY, WINTER—THYME. Rue, a medicinal SAGE, for stu Ing. SAVORY, WINTER—THYME. CHICORY—CORIANDER—MARIGOL Thyme, German, T	O 2. I 6 perpkt. per oz. o 3 0 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning
Basil, Bush—Basil, Sw Basil, Bush green, for seasoning "purple", "" Basil, Sweet green, for seasoning "purple", "" Basil, Sweet green, for seasoning "purple", "" Basil, Sweet green, for seasoning "purple", "" Balm—Burnet—Horehound— Balm, for claret cup or balm wine Burnet, used for salads and sonps Horehound, a medicinal herb Hyssop, an aromatic herb Marjoram, Pot, for seasoning and song Rosemary, an aromatic herb Borage, used for claret cup Chicory, for salads Angelica, stalks blanched, like celery, in May gathered and candied with sug Asperula odorata, for flavouring wine Caraway, seeds used in confectionary, & Covent Garden Garnishing, a very be covent Garden Georation "Champio Dunnett's Garnishing, beautifully curl Fern Leaved, the finely cut leaves of garden decoration Myatt's Extra Fine Curled, very fine Hamburgh, or Turnip-rooted; the roc	SORREL. POT, SWEET, AND GARNISH POT AND SWEET HERBS. EET—MARJORAM SWEET—PURSLAN PET PRINCE PORSLAN PET PURSLAN PURSLAN PURSLAN PARSLEY PURSLAN PU	O 2. I 6 perpkt. per oz. o 3 0 6 ING HERBS. NE—SAVORY, SUMMER. , for seasoning

12, King Street, Covent Garden, 1877.] 65			
GARNISHING HERBS—continued. Brazilian Beet, beautiful for garnishing in summer and decorative in shrubbery and flower borders Borecole, Melville's Improved variegated "Covent Garden variegated		kt. per d. s. 4I o 6I o o2	d. 0 6 3
Section VII.—ROOTS, PLANTS, Etc.			
THE POTATO.			
HIGH-CLASS NEW VARIETIES OF THE POTATO. Which have been awarded First-Class Certificates by the Royal Horticallural Society, and which recommend with the utmost confidence of giving satisfaction			
Early Dimmisk, large round, nearly smooth, and very handsome; flesh white, floury, and of s flavour, a heavy cropper, and uniform in size, the best of early round potatoes for exhibition p	uperi	or s. ek 4	
Covent Garden Perfection (Hooper), of this fine variety Mr. Shirley Hibberd says:—"It is distinct fine quality, and the very model of a potato for a gentleman's table."per lb. 2s. 6d., per Porter's Excelsion, a first-class exhibition variety, very handsome, of good quality, a great cropt	inct,	of	
very early	r a lb	c Q	6
Hero and Onwards, the earliest and handsomest of the Lapstone familyper lb. od., p	<i>rkshi</i> er pe	re ek 7	6
floury, and of excellent flavour	<i>crietie</i>	s,	0
floury, and of more than usually fine flavour, second early per per lb. 6d n	w, ve.	ry	0
Fenn's Early White Kidney, a first early handsome variety, of first-rate qualityper lb. 9d., p Fenn's Early Market, large flattish round, of superb quality, dwarf haulmper lb. 1s., p Alpha, a high-class dwarf early American botato, adapted for garden or frame culture. He	er ped er ped	k 7	6
Snowflake, above an average size, half round, very even and regular skin slightly rough: flest	r 7 lbs	s. 6	0
and floury, very handsome, and an immense cropper, second earlyper lb. 8d., pe Eclipse Kidney, very handsome, white, floury, of fine flavour, and medium size, very prolific,	secon	k 6	0
Brownell's Beauty (Vermont Beauty), light red and very large; flesh white, and of excellent quality,	0 2102	nt '	6
heavy cropper, in the way of Red-skinned Flourball, but superiorper bush. 12s. 6d., per Glimax (Bresee), flesh white, floury, and of exceedingly fine quality; having been in cultivation now years, its reputation is established as a high-class varietyper bush. 12s., per	Seneri	7.7	6
Domin Dominana	per per		CL
The following standard varieties are well known and highly esteemed:-	s d	. s.	
Early Giant King, the earliest round polato, an immense cropper, and not liable to disease	3 6	12	6
quality, very free from disease, and should be universally cultivated for main crop; we have this season a fine stock of this very valuable potato	4 0	14	0
Dalmahoy, a very excellent second early Regent The True Flour Ball, a very heavy cropper, and a first-class variety		10	
Paterson's Victoria, a very heavy cropper, and of excellent quality on light soil York Regent, an excellent variety, and more universally cultivated than any other		10	
Paterson's Seedling Rock, an immense cropper, of fine quality Paterson's Regent, a heavy cropper, firm flesh, and fine quality		IO	
The Queen, a selection from Paterson's Victoria, a first-class variety not liable to disease The Marchioness of Lorne, a Scotch seedling of Victoria, a good cooker, and of fine quality, resists the disease well	3 6	12	0
Other varieties of round Potatoes can be supplied at the usual prices.		15	
KIDNEY POTATOES. The following standara varieties are well known and highly esteemed.			
The following standara varieties are well known and highly esteemed:— Early Ash-leaf, the best for forcing	5 0	17	6
Myatt's Covent Garden Prolific Ash-leaf, first class variety, and very handsome	4 0	14	0
Gloucestershire Ridney		14	0
,, Rivers' Royal Ash leaf		14	
Almond's Torkshire hero. Mr. Fenn says of this variety: "It is the best garden Potato in culti-	5 0	17	0
vation, and stands at the top ring of the ladder of the Lapstone section, and adds, it assisted me to gain an extra prize for tubers at the Royal Horticultural Society's show at Bury St. Edmunds, also to gain a silver Banksian medal, a gold Banksian medal, a special certificate,			
and a first class certificate at South Kensington." With such a character from such an eminent source, we feel that any remark of our own would be unnecessary, simply adding that			
it is the longest-keeping Potato known, and we are pleased to say that this year we have a			
fine stock of this most valuable variety		18	
Flat King, or Birmingham Prizetaker, second early, a very handsome first-class flat variety	3 6.	12	6
Webbs Imperiat, or Daw's Matchless, very handsome, and a great cropper for light soils		14	
Red Skinned Fluke, an immense cropper, flavour excellent, and fine constitution		10	
AMERICAN POTATOES,			
Bresee's Frontic 3 612 o Red Skinned Flourball 3 o10 6 Early Oneida	5	per bus	6
Eureka per lb. 6d. 5 o Extra Early Vermont 4 o12 6 Early Rose	3 E	12	0
Paterson's Bovinia3 o10 6 Early Gem6 o18 o	_		
We do not anticipate any change of prices in potatoes during the season, but circumstances	may	arise i	to

time for planting approaches. Chinese Yam, or Dioscorea Butatas, a fine esculent, when boiled or roasted the roots have a pleasant rice-
Chinese Yam, or Disserved Butants, a line escender, when beyond and ornamental climbers they can like taste; they should be grown on ridges, and as they are rapid and ornamental climbers they can be advantageously used for covering arbours and archesper doz. tubers 4 6
APTICHOKES Of 14 lbs. bush
Jerusalem Artichokes, when properly served up, are an exceedingly nice vegetable
Two years old
SBA-KALE ROOTS.—Fer 100, 75. 61. and 150. ct. Chives, Tarragon, Por and Sweet Heres, 6d. per bunch, or 4s. 6d. per dozen. Chives, Tarragon, Por and Sweet Heres, 6d. per bunch, or 4s. 6d. per dozen. Garlic, per lb., 1s.; Shallots, per lb., 1s.; Under-Ground or Portato Onions, per lb., 8d. Mushroom Spawn, of very superior quality, per bushel, 6s. Early's Book on Mushroom Culture, 1s. French Mushroom Spawn, imported, 3s. 6d. and 5s. 6d. per box. Roeinson's Book on Mushroom Culture, 6s. By post 6s. 6d.
CULTURE, 6s. By post 6s. 6d., RHUBARB ROOTS, Prince Albert, Linnæus, Victoria, and other varieties.—Strong, 1s. each; 1os. 6d. per dozen. RHUBARB ROOTS, Johnston's St. Martins. This is one of the finest of all the Rhubarbs; it is early, of fine. flavour, and requires less sugar than the Victoria, each 1s. 6d., per dozen 15s.
TABLE MAIZE.
The following fine varieties are introductions of Mr. Bréhaut, who has written much on the subject of Maize as a culinary vegetable, and we recommend them with the greatest confidence for this country. Those who know highly appreciated Green Maize is in America will be glad of this opportunity, and those who do not know its value are invited to try it. Cultural directions printed on each packet. Made up in 6d, and 1s, packets.
1 Georgian, finest American, for table use 2 Red African, crossed with yellow 3 African Yellow, very hardy 4 Blue Mottled Variety 5 Striped Pyrenean 6 Salmon Mottled Variety 7 The Cobbett, or Forty Days' Maize 8 Mixed from the foregoing
GRASSES, ETC.
TOR LAWNS CROOLET AND CRICKET GROUNDS, PUBLIC PARKS, PLEASURE GROUNDS, ETC.
Thames Embankment Grasses. This special mixture has been very successful on the Thames Embankment and various public and private parks around London, and will be found well adapted for renovating or forming new pleasure grounds, Ornamental Parks, People's Parks in large towns, and for enclosures such as Squares in and about London and other populous cities. Three to five bushels are recommended
Lawn Grass Mixture for Improving Old Lawns or Laying Down New Ones, Groquet Grounds, and Bowling Greens, 1/3 per lb.; 3/6 per gallon; 24/ per bushel. 3 to 5 bushels, or 60 lbs. to 100 lbs. per acre; 60 lbs. is the currently usually sown, but if the ground is to be clothed quickly 100 lbs. is recommended.
Extra fine Lawn Grass Mixture for Improving Old Lawns, or Laying Down New Ones, Croquet Grounds, and Bowling Greens, 1/6 per lb.; 3/9 per gallon; 26/ per bushel. Dutch Clover, Finest White (as no Clover is included in our mixture of Grasses, those who prefer a little should
order separately at the rate of 510, per acres, per 10., 1/0.
Grounds, etc. The Lawn Sand is atso a rich fertilizer, soon imparting to the Grass a rich emerald-green colour. The Weed-destroying Lawn-Sand has been highly spoken of by those who have used it, and the annually increasing demand for it is the best testimony we can offer of its appreciation. Price in London, 2/6, 5/6, and 10/6 per canister, per \(\frac{1}{2}\) cwt. 21/-, I cwt. 40/
AGRICULTURAL SEEDS.
Permanent Pasture Grasses in Mixture, expressly selected to suit the particular soils for which they are required—heavy, medium, or light soils, meadows, or pastures, 30/, 35/, and 40/, according to quality per acre. The quantity we supply per acre is 2 bush. light and 12 lbs. heavy seeds.
Present Prices of the following, which may vary as the season advances:— TURNIP— White-fleshed Varieties (3 to 4 lbs. per acre).
5. d. Ped Tankard Per lb. 1. 2.
Pomeranian White Globe, I o Grey Stone, true
Por lb - 6 Dale's Hybrid
Purple-top do. do, 1 6 Waite's Eclipse, 1 6
Skirving's Liverpoolper lb. 1 3 Carter's London Swedeper lb. 1 6
Skirving's Liverpool
Elvetham Long Red, selected stockper lb. 1 6 Champion Orange Globe, selected stock per lb. 1 6 Champion Orange Globe, selected stock per lb. 1 6
Elvetham Long Yellow, ,,, , 1 6 Improved Red Oval-shaped ,, ,, 1 6 Improved Red Oval-shaped ,, ,, 1 6
Large White Belgian per lb. I 6 Improved Red Altringham, true per lb. 2 6 Large Yellow Belgian , I 6 New Intermediate, excellent for shallow soils , 2 6

25) 1277/2 257 (25) (25) (25) (25) (25) (25) (25) (25)
CABBAGE 1 1b, per acre . 8, d.
KOHL RABI (3 lb. per acre, or if transplanted, 1 lb. per acre). Large Purple, per lb., 4/6 Large Green, per lb., 4/6 Imperial Green, very select stock, per lb 4/6 PARSNIP (6 lbs. per acre).—Large Cattleper lb. 1/6 Large Jersey, imported, per lb. 1/9 PARSLEY.—Plain, for Sheepper lb. 1/-
AGRICULTURAL MUSTARD (3 gallons per acre), 2/6 per gallon; 4d. per lb. BEET (6 lbs. per acre).—White Silesian Sugarper lb. 1/- New Large Crimsonper lb. 2/6 SUNFLOWER.—Sow March, April, and May 4/6 per lb., 6d. per oz. FURZE (12 lbs. per acre).—Englishper lb. 1/6 Frenchper lb. 1/6
BROOM, 1/6 per lb. CHICORY (4 lbs. per acre), 3/- per lb. RAPE (6 to 8 lbs. per acre), 8d. per lb. LUCERNE
It is impossible to over-estimate the value of these for Autumn feeding. Sow in drills in May. 5. d. 2 6 ½ lb., sufficient for ½ acre Melons or Marrows 9 0 1 lb., sufficient for ½ acre ditto 5 0 x lb., ,, 1 ,, 1 ,,

FRENCH VARIETIES OF GLADIOLUS GANDAVENSIS.

In the following list of Gladioli, the most desirable varieties are quoted. The descriptions give the predominating colours, and the varieties are arranged in groups according to their colour, to assist purchasers in making their selection.

We feel it important to add that, in our experimental trials we annually discard those which have been superseded by better sorts, or where the distinction is not sufficiently marked.

CULTURE.—Trench the ground as deep as the soil will admit, intermingling as the work proceeds abun-

20

20

12

,,

2865 Fanny Rouget, beautiful rose 0 3 2866 Felicien David, delicate rose-cerise 0 9

2819

2820 3

2821

2822

CULTURE.—Trench the ground as deep as the soil will admit, intermingling as the work proceeds a bundance of rotten manure, and plant the roots at a depth of 6 inches.

TIME OF PLANTING.—From the middle of April to the beginning of June we consider the best time to plant, and when one planting only is made, we should recommend early in May, but for successional plantings commence middle of April, and continue fortnightly till the middle of June.

PLANTING TO ADVANTAGE.—Groups of three to a dozen roots planted in the flower borders in distinct or diversified colours, produce an exceedingly fine effect. Plant the roots 4 inches from each other, and when sufficiently advanced place a stake in the centre, and fasten the plants to it.

In the first Division we give the Crimsons, Scarlets, and deep shades of Red; in the second, the light Scarlets, the warm soft shades of Red, and the Roses shading to Salmon; in the third, the Purples and those which are Mottled Purple; in the fourth, the Whites, and Blushes, and in the fifth, the Yellows.

For convenience the prices are quoted for one bulb, but if ordered by the dozen, those offered at 3d. each will be charged per dozen, 2/6; 4d., 3/6; 6d., 5/6; 9d., 7/6; 1/0, 10/6, and so on.

GLADIOLUS ROSES VARIETTES OF GANDAVENESS—Our own Selections

GLADIOLUS ROOTS, VARIETIES OF GANDAVENSIS .- Our own Selections.

2.1

5 bulbs each of 20 beautiful varieties for groups42/ to

£ s. d.

0 15

.....21/ to 1 10

2869 Lamarck, cerise, stained with pure white 2870 Linnaus, orange cerise, blotched white ...

..... Ic/6 to

0

0902 0	
2023 3 ,, 12 ,,	
2024 So in so spiendid varieties	······································
2820 25 ,, 25 ,,	12/6, 21/, 30/ to 2 10 0
2826 12 ,, 12 ,,	6/, 9/, 12/, 15/, 21/ to 1 10 o
Gladioli Roots, varieties of Gar	
per Ioo, per dez.	per Ico, per doz.
2827 Fine mixed from Division 1 25/ 3/6	2832 Splendid mixed from Divisions 3 & 4 30/ 4/6
2028 Spiendid mixed ,, ,, 30/ 4/6	2833 Fine mixed from the five Divisions . 25/ 3/6
2828 Splendid mixed ,, ,, ,, 30/ 4/6 2829 Fine mixed from Division 2 25/ 3/6	2834 Splendid mixed from the 5 Divisions 30/ 4/6
2830 Splendid mixed	2835 Fine mixed, all colours
2831 Fine mixed from Divisions 3 and 4 25/ 3/6	2836 Splendidmixed, all colours 30/ 4/6
	RISE, AND THE DEEP SHADES OF RED.
each.—s. d.	each.—s. d.
2837 Achille, rich, beautiful currant-red 1 0	2849 Horace, rich scarlet, white centre 0 9
2838 Alexandre, intense crimson-scarlet I o	2850 Isis, rich vermilion-scarlet, white centre o
2839 Antonius, rich scarlet-cerise, white centre o 6	2851 John Waterer, rose-scarlet, white centre 2 0
2840 Argus, soft-flamed scarlet, white centre 2 0	2852 La Quintinee, orange-salmon 0 6
2841 Brenchleyensis, rich vermilion-scarlet,	2853 Le Titien, rose-scarlet, with cerise glow I 6
per 100 12/6, per doz. 2/- 0 3	2854 Marechal Vaillant, bright scarlet, blotched
2842 Brilliant, crimson-lake	white 2 6
2843 Comte de Morny, bright red, shaded lake o 6	2855 Meteor, intense red, white centre I O
2844 Cornelle, bright cerise	2856 Meyerbeer, rich scarlet, flamed vermilion 0 9
2845 Decandolle, light cerise, blotched carmine	2857 Napoleon III., rich crimson-scarlet 0 6
rose I 3	0050 Draming do Wantrows ' /
2846 Emile, rich deep red, centre white 0 9	
	2860 Sir William Hooker was and delice
2847 Gaillee, rich currant-red I O	2860 Sir William Hooker, rose-cerise and white o
2848 Greuze, intense rich cerise, light centre o 6	2861 Vandyck, crimson-amarynth 0 6
Division IILIGHT SCARLETS, WARM AND SOFT S	HADES OF RED, and ROSES SHADING TO SALMON.
2882 Arsinoe, satin rose, flamed carmine 2 0	2867 Goliath, rose, flamed salmon 0 4
2863 Condé, light orange-red, marked white o 6	2868 James Watt, light vermilion, blotched
2864 Edulia, violet and white I O	white I 3
COCC The Property of the Control of	1 3

```
GLADIOLUS-continued.
                                                                  2880 Princess Clothilde, rose, flaked purple ... 2
2881 , Mathilde, blush, mottled car-
2871 Lacipede, rose, tinted cerise-violet ...... 2 6
2875 Milton, rose cerise I 2876 Moliere (Souchet), cerise-scarlet and white 2 2877 Ninon de l'Enclos, vermilion-rose 2878 Pericles, soft rose, blotched white 2 2879 Pline, rose, flamed cerise-lake I Districtor III — UIII
                                                                   2886 Velleda, blush, mottled vermilion......
                                Division III.-PURPLES,
                                                                AND PURPLE MOTTLES.
                                                                   2908 Leonard de Vinci, cherry red, tinted orange 1
2909 L'Ornement des Parterres, ruby-rose..... 0
2910 Livingstone, purple-carmine, shading to
2887 Agathe, blush rose, mottled lake ..... 0
2888 Alcyon, white, flamed carmine-rose ......
2889 Ambroise Verschaffelt, rose - carmine,
                                                                  2897 Colbert, cerise, tinged orange, long spike,
2898 Dr. Lindley, rich carmine-cerise ...........
2899 Donna Maria, dark violet, feathered white
2904 Lady Franklin, rose cerise, mottled white..
 2905 La Favourite, rose-lake, mottled rose .....
 2906 Laura, deep rose-lake and white ....... 0
2907 Le Dante, beautiful rose, stained white ... I
                                                                   -WHITES.
                                                                   2927 Angèle, white, mottled rose-lake ...... o 6
 2928 Belle Gabrielle, white, shaded rose ....... I
2929 Berthe Rabourdin, white, mottled carmine
 2933 Didon, white, suffused lilac 26
2934 Henrietta, white, tinted rose-lilac I 3
2935 Isabelle, white, blotched carmine 16
2936 Jeanne d'Arc, white, tinged carmine 06
Division V.
                                                                    2946 Reine Victoria, pure white edged rosc .....
                                                                     YELLOW.
                                                                    2951 Nestor, light yellow, very large, new ..... 1
2952 Ophir, yellow, purple mottled ...... 0
2953 Sulphureus, sulphur, feathered ruby ..... 0

      2947 Canary, canary, striped purple
      0 6

      2948 Citrinus, sulphur
      1 0

      2949 Eldorado, yellow, variegated purple
      0 6

      2950 Lord Granville, canary, variegated lilac
      0 6

                                      GLADIOLUS, VARIETIES OF RAMOSUS.
FOR DETAILED LIST, SEE BULB CATALOGUE.
```

LILIUM. (Lilies.)

Culture out of doors.—The Lily in its native habitat, is found growing amongst brushwood, long grass, on the margins of plantations, or in ravines, &c., and always where there is more or less shade, and in soil which is sweet and well drained; so that in choosing a situation for planting these, partial shade and perfect drainage should be attended to. The borders of Rhododendron and Azalca beds are found admirably suited for lily culture; they also do well amongst dwarf shrubs, or intermingled with herbaceous plants, and in the proximity of trees. During the past summer we saw Lilium auratum alternated with Roses, in the borders of Rhododendron beds, the stems of the lilies in some cases measuring 3 to 4 inches in circumference, and attaining a height of 11 feet, surmounted with large heads of flowers, with from 50 to upwards of 100 blossoms. Prepare the ground by loosening the soil to a good depth, intermixing fresh loam, plenty of peat and coarse sand, or leaf soil may be used instead of peat. Then plant the bulbs 6 inches deep, and if the drainage is satisfactory they not again be disturbed. be disturbed.

be disturbed.

Culture In-doors.—The Lily succeeds best in a compost of fibry loam and peat, with plenty of sand, or leaf soil and loam with sand; the top of the bulb should be covered at least one to two inches, and the pots plunged in ashes in a cold frame; or the pots may be placed out of doors, and covered with ashes, as recommended in the culture of the Hyacinth, and there allowed to remain till the plants have speared through, or better still, let them remain till the flower buds are formed, then remove to the conservatory, corridor, or sitting-room. While the Lily is growing, a situation should be selected, or measures taken to prevent the sun's rays falling upon the flower pot. A vinery, or the north side of a hedge or wall, are suitable places. Lilies grown in pots, should have liquid manure twice a week, and the drainage must be perfect and the soil kept sweet.

We have arranged the Lilies in accordance with Mr. Baker's classification, which is a natural grouping based on the shape of the flower; these groupings with a few exceptions, represent also the order of flowering. Purchasers therefore selecting from each group, secure both diversity of form and succession of bloom.

OUR OWN SELECTIONS OF LILIES FROM THE FOLLOWING FOUR GROUPS.

	2, King Stree								
295	9 For Flore	r horder dosoratio	n so in so l	LILIUM—con	atinued.	24			
296 296	0 1 01 1 10We	r border decoratio	25 in 25	Jeaninui varie		35. 7 4.4	105 : 75 5	55.; 47	73.
296	1 ,,		12 in 12			7s. 6d.	10s. 6d., 151.	215. to 4	25.
296	2 For Rhode	dendron beds	25 in 25 i	tall growing t	eautiful varieties		425.	635. & 82	45.
296	5 ,,	23	12 in 12	11	11		215.	425, & 6	34,
				ISOLIRION	GROUP.				
	Flo	nvers erecl and be	ll shaped, a.	nd flowering ,	from end of May	till latter e	nd of July.		
296	4 Bulbiferum	, crimson shadin	a la arange	and shotted	hulhlets in the lea	farile of	nor do	each—s.	d.
296	5 "	umbellatum. c	rimson-scar	iet, shading t	o vellow. Freelv si	botted, 2k ft.		TO/6 -	6
296		nanum Louis	Phillipe, ri	ch crimson, si	nading to orange,	mottled blo	od crimson, z	off.	6
296	7 Catesbæi, o	range-red. hurble	shotted. T f	t				~	6
2969	concolor, s	carlet, slightly sp oridion, yellow,	ottea otack, spotted brown	III vrft	••••••	• • • • • • • • • • • • • • • • • • • •	••••••••••	_	6
2970	i Croceiim /	ight orange free!	21 500110 d 2211	th black oft			202 do-	-10	6
297	,, 8	plendens, rich c. (Spectabile of	lear beautifi	ul yellow, free	ly spotted, 21 ft.		.,,,,,,,	5/6 0	4
2972		(Spectabile of a	Sweet), red	, shading to ye	ellow, freely spott	ed	•••••••	2	6
2973 2974	**	Duke of Suther	rland, orani	pe-red, shadin	e-scarlet, and spo eg to bright yellou	y. 2 ft			6
2970		Duke of Wellin	gton, crims	son, shading t	o vellow, 2\ it			т	0
2976	,,,	Duke of Devons	nire, scarle	t, shading to or	range, moderately	spotted. The	t. perdoz	70/6 7	0
2977		erectum, rich co	rise-scarlet.	shading to ve	//ozu. 2★ ft			10/6 I	0
2978 2979		multiflorum.	iniense rich arlet. shadi:	crimson, jree ng to orange.	ly spotted, 2 ft 2 ft.		,		0
2980		Sappho, scarlet,	shading to	orange, mode	rately spotted, 2 f	· · · · · · · · · · · · · · · · · · ·			6
2981	. ,,	Rubens, crimson	n, shading t	o yellow, free.	ly spotted, 2 ft			10/6 I	0
2982 2983		Vulcan scarlet	e-red, shadi	ng to yellow,	i ½ ft	•• •••••			0
2984		fine mixed vari	eties			per roo	rol	-16	0
2985	,,	choice mixed ve cum, scarlet, sha	arieties			•••••	60/, ,	9/0	
2986	Philadelphi	cum, scarlet, sha	ding to orar	nge, conspicuo	usly marked with	large black	spots, 13 ft	2	6
2987	Pulchellum	rich scarlet, wit	cum, a new 4 black shot	species which	has not yet been	nowered in .	this country	7	6.
2989	Thunbergia	num alutaceum	, glowing ch	amois, frecly	spotted black, I i		per doz.	. 7/6 0	6
2990	,,	,,	Prince of C	range, clear.	apricot orange, s	potted black,	I ft	5	9 6
2991	**	armeniacui	m. soft rich	glanna anyz	OLOPONOP. THE IT.		ner doz	7 - 16 T	6
2992 2993	"	an osang m	mac mac	ulatum <i>bloo</i> c	, spotted black, 1 t-crimson, mottle	g 11 d tarını ora	,,	15/6 I (6 6
2994	"	bicolor, apr	ricot-orange,	flamed scarle	t and lilac, very	beautiful, 13	ft., per doz.,	15/6 1	6
2995	21	flore pleno	(staminosu	m), blood-cri	mson, perfectly d	ouble. 18 ft.	Y	168 2 1	6
2996 2997	31	fulgens, ric	h crimson, s	stained tawny	NATION THAT		ner dez	TO/6 T /	0
	91			ah a dad dagues	yerrow, 19 10		pcr doz.,	10/0	1
		splendens (n, crimson, new). rich o	shaded tawns	vellow, Aowers l	irge, ik ft.		10/6 T (0
2998 2999	"	Wilsoni, or	new), rich d ange, yellow	shaded tawny pricot, spotted band and spo	yellow, flowers la crimson, and fla otted crimson (ne	irge, 1½ ft. imed carnii w), 2½ ft	ne, 2 ft3	10/6 1 0 /6, & 5 6 10 6	6 6
2998 2999 3000	"	Wilsoni, or	new), rich d ange, yellow	shaded tawny pricot, spotted band and spo	yellow, flowers la crimson, and fla otted crimson (ne	irge, 1½ ft. imed carnii w), 2½ ft	ne, 2 ft3	10/6 1 0 /6, & 5 6 10 6	6 6 7
2998 2999	19	Wilsoni, or	ange, yellow	shaded tawny apricot, spotted band and spo	yellow, flowers he crimson, and flootted crimson (ne	irge, 1½ ft. imed carnii w), 2½ ft	ne, 2 ft3	10/6 1 0 /6, & 5 6 10 6	6 6 7
2998 2999 3000)) 1) 2)	Wilsoni, ord fine mixed choice mixe	new), rich a ange, yellow ed	shaded tawny apricot, spotted band and spo EULIRION G	yellow, flowers le crimson, and flotted crimson (ne	arge, 1½ ft. amed carnui w), 2½ ft per 100, ,,	50/, per doz.	10/6 1 6 /6, & 5 6 10 6 , 7/6 16.	6 6 7
2998 2999 3000)) 1) 2)	Wilsoni, or	new), rich dange, yellow ed shaped, and	shaded tawny spricot, spotted band and spo EULIRION GI horizontal or	yellow, flowers le crimson, and flo tted crimson (ne ROUP. slightly droopin	arge, 1½ ft. amed carnui w), 2½ ft per 100, ,,	50/, per doz.	10/6 1 6 /6, & 5 6 10 6 , 7/6 16.	0 6 6 7
2998 2999 3000 3001	Flowers fi	Wilsoni, or. fine mixed choice mixe	newy, rich dange, yellow ed shaped, and flower.	shaded tawny spricot, spotted band and spo EULIRION GI horizontal or ing in July a	yellow, flowers li crimson, and fli tted crimson (ne ROUP. slightly droopin nd August.	arge, 1½ ft. amed carnii w), 2½ ft per 100, y, These a:per 100,	ne, 2 ft3, 50/, per doz. 80/, ,, re all fragra, 25/, per doz.	10/6 1 0/6, & 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6 7
2998 2999 3000 3001 3002 3003	Flowers fi	Wilsoni, or, fine mixed choice mixe	ange, yellow ange, yellow ange, yellow shaped, and flower.	shaded tawny spricot, spotted band and spo EULIRION GI I horizontal or ing in July a	yellow, flowers li crimson, and fl tted crimson (ne ROUP. slightly droopin nd August.	arge, 1½ ft. umed carmin w), 2½ ft per 100, These a:per 100,	ne, 2 ft3, 50/, per doz. 80/, ,, re all fragra. 25/, per doz.,	10/6 1 0/6, & 5 0/6, & 5 0/6, & 5 0/6, & 5 0/6, & 5 0/6, & 7/6, &	o 6 7
2998 2999 3000 3001 3002 3003 3004	Flowers for Candidum, s	witsont, or, fine mixed choice mixed choice mixed choice mixed choice mixed choice or trumpel now-white, 4 ft. lore pleno, white the number of the choice of	ange, yellow ange, yellow shaped, and flower,	shaded tawny spricot, spotted band and spo EULIRION G! I horizontal or ing in July a	yellow, flowers li crimson, and fli tted crimson (ne ROUP. slightly droopin nd August.	arge, 1½ ft. amed carnii w), 2½ ft per 100, g. These a: per 100,	25/, per doz., ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	10/6 I (6/8 5 6/8 5 6/8 15/9 7/6 7/6 7/6 15/9 7/9 7/9 7/9 7/9 7/9 7/9 7/9 7/9 7/9 7	0 6 6 7
2998 2999 3000 3001 3002 3003	Flowers for Candidum, s	witsont, or, fine mixed choice mixed choice mixed choice mixed choice mixed choice purpured to the purpured soliis aureo-maced aureo-maced aureo-maced aureo-maced choice purpured choice aureo-maced choice aureo-maced choice choice aureo-maced choice choi	ed	shaded tawny apricot, spotted band and spo band and spo ling the spotted c, tinged purp e, tinged purp es gold-blotche cted, beautifi	yellow, flowers let crimson, and fletted crimson (ne stightly droopin and August. Sle, 4 ft.	rge, 1½ ft. med carmii w), 2½ ft per 100, , , , These a per 100,	50/, per doz., 80/, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	10/6 1 (6, & 5 (6, \) 15/5 7/6 15/5 7/6 0 (10/6 1 (6) 1	0 6 6 7
2998 2999 3000 3001 3002 3003 3004 3005 3006 3007	Flowers for Candidum, s	Wilsoni, or, fine mixed choice mixed choice mixed choice mixed choice mixed choice or trumpel now-white, 4 ft. lore purpureo-siolis aureo-mac, aureo-mac, aureo-mac, aureo-mac	newj, rich dange, yellow ed	shaded taving pricot, spotted band and spot band band band band band band band band	yellow, flowers literimson, flowers literimson, and flowers literimson (ne existence of the control of the cont	arge, 1½ ft. nmed carnii nmed carnii nmed carnii nper 100, g. These a. per 100, leaves	7e, 2 ft. '3, 50/, per doz. 80/, ,, re all fragra. 25/, per doz.	10/6 1 0/6, % 5 0/6, 10 0/6 1 0	6 6 7 4 9 9
2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3008	Flowers fi	witsont, or, fine mixed choice mixe nuncl or trumpel now-white, 4 ft, lore pleno, white lore purpureo-si ollis aureo-mac ,, aureo-mac ,, aureo-mar ,, arenteo-n	newly, rich a ange, yellow ed	shaded taving a pricot, spotted to band and spot band band band band band band band band	yellow, flowers li terimson, and fle ted crimson (ne stightly droopin nd August. le, 4 ft. d ully gold blotched gold margined ly margined sil	g. These a:per 100, g. These a:per 100, erv-white	7e, 2 ft. '3, 50/, per doz., 80/, ,, re all fragra. 25/, per doz.,	10/6 1 (6, & 5 (6,) (7,	409066
2998 2999 3000 3001 3002 3003 3005 3006 3007 3008 3009 3010	Flowers for Candidum, s fi	wiisoni, or, fine mixed choice mixed choice mixed choice mixed mow-white, 4 ft, lore pleno, white fore purpureo-siolis aureo-mace, aureo-mare, argenteo-n peciosum, small white, the carlie	ed	shaded lawny pricot, spotted band and specific pricotal or ing in July a specific pricotal, beautiful teaves elegantly leaves elegantly leaves of 4 ft. mson, 3 to 4 ft.	yellow, flowers li crimson, and flo tted crimson (ne stightly droopin nd August. le, 4 ft. d ully gold blotched gold-margined silv margined silv	arge, 1½ ft. umed carnuit w), 2½ ft per 100, g. These aper 100, leaves	7e, 2 ft. '3, 50/, per doz., 80/, ,, re all fragra. 25/, per doz., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	nt, nt, 3/6 0 4 10/6 1 0 10/6 1	0 6 6 7 4 0 9 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2998 2999 3000 3001 3002 3003 3005 3006 3007 3008 3009 3010	Flowers for Candidum, s fi	wiisoni, or, fine mixed choice mixed choice mixed choice mixed mow-white, 4 ft, lore pleno, white fore purpureo-siolis aureo-mace, aureo-mare, argenteo-n peciosum, small white, the carlie	ed	shaded lawny pricot, spotted band and specific pricotal or ing in July a specific pricotal, beautiful teaves elegantly leaves elegantly leaves of 4 ft. mson, 3 to 4 ft.	yellow, flowers li crimson, and flo tted crimson (ne stightly droopin nd August. le, 4 ft. d ully gold blotched gold-margined silv margined silv	arge, 1½ ft. umed carnuit w), 2½ ft per 100, g. These aper 100, leaves	7e, 2 ft. '3, 50/, per doz., 80/, ,, re all fragra. 25/, per doz., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	nt, nt, 3/6 0 4 10/6 1 0 10/6 1	0 6 6 7 4 0 9 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2998 2999 3000 3001 3002 3003 3004 3006 3007 3008 3010 3011 3012	Flowers for Candidum, so for finding	witsont, or, fine mixed choice mixed choice mixed choice mixed to trumpel now-white, 4 ft, lore purpureo-siolis aureo-mac, aureo-mac, argenteo-n peciosum, small white, the carlie giganteum, whorey white, the carlie giganteum, whorey white, white, white, who showni, white, who choice mixed to trumpel to the carlie giganteum, who showni, white, who carlied to the control of the control of the carlied to the ca	ange, yellow ange, yellow ange, yellow shaped, and flower. , 4 ft. ulatis, leav ulatis, sele ginatis, lea anginatis, lea snow-white r leaves crit iterior tinges	shaded taving apricot, spotted band and spot band band band band band band band band	yellow, flowers let crimson, and fletted crimson (ne stited crimson (ne slightly droopin nd August. let, 4 ft. d ully gold blotched gold-margined let margined silv itet, 6 to 10 ft. genificent species,	rge, 1½ ft. nmed carnii nmed carnii nmed carnii nmed carnii per 100, g. These a: per 100, leaves leaves ery-white 2 ft.	25/, per doz. 80/, ,, re all fragra. 25/, per doz. ,,, ,,,,,,,,,	10/6 1 (6, & 5 (6,) (7)/6 (7) (7)/6	409055555
3002 3003 3001 3002 3003 3005 3006 3007 3008 3010 3011 3012 3013	Flowers for Candidum, so for firm of f	witsont, or, fine mixed choice mixed choice mixed choice mixed choice mixed choice purpured fore purpured, aureo-mac, aureo-mac, argenteo-n peciosum, small white, the carlie giganteum, white, extrament, delicate	newly, 7tch ange, yellow ange, yellow ed	shaded lawny pricot, spotted pricot, spotted pricot, spotted pricot, spotted library library e, linged pury es gold-blotche cted, beautiff ves elegantly leaves elegant flowers, 4 ft. mson, 3 to 4 ft majestic of L d brown, a m (new), 2 ft.	yellow, flowers li terimson, and flo teted crimson (ne stightly droopin nd August. cle, 4 ft. d d yold blotched gold-margined ty margined silv ities, 6 to 10 ft. ugnificent species,	rge, 1½ ft. med carnii w), 2½ ft per 100, , g. These a. per 100, leaves leaves ery-white 2 ft.	7e, 2 ft3, 50/, per doz. 80/, ,, re all fragra. 25/, per doz., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10/6 1 0/6, & 5 0/6, & 5 0/6 & 12 0/6 &	4090655555
2998 2999 3000 3001 3002 3003 3005 3006 3007 3010 3011 3012 3013 3014 3015	Flowers for Candidum, so for first section of the condition of the conditi	wilsoni, or, fine mixed choice mixed choice mixed choice mixed to trumpel now-white, 4 ft, lore pleno, white lore purpureo-mace, aureo-mac, aureo-mac, argenteo-n peciosum, small white, the carlie giganteum, who srowni, white, extrameri, delicate, album, roseum	ange, yellow ange, yellow ange, yellow shaped, and flower. 4 ft. triato, whit ulatis, leav ulatis, sele ginatis, lea anginatis, lea inginatis, ten ter leaves crivite, the most terior tinge blush pink white (new rose-bink rose-bink	shaded laving a pricot, spotted band and spot band band band band band band band band	yellow, flowers let crimson, and fletted crimson (ne stied crimson) (ne stightly droopin and August. See, 4 ft. August blotched gold margined Let willy gold blotched gold margined silvest illes, 6 to 10 ft. agnificent species,	rge, 1½ ft. med carnii med carnii , 2½ ft per 100, g. These a: per 100, leaves leaves ery-white 2 ft3/6,	7e, 2 ft3, 50/, per doz. 80/, ,, re all fragra. 25/, per doz., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10/6 1 (6, & 5 (6, & 10)))))))))))))))))))))))))))))))))	4090555550
2998 2999 3000 3001 3002 3003 3005 3006 3007 3010 3011 3012 3013 3014 3015	Flowers for Candidum, so for first section of the condition of the conditi	wilsoni, or, fine mixed choice mixed choice mixed choice mixed to trumpel now-white, 4 ft, lore pleno, white lore purpureo-mace, aureo-mac, aureo-mac, argenteo-n peciosum, small white, the carlie giganteum, who srowni, white, extrameri, delicate, album, roseum	ange, yellow ange, yellow ange, yellow shaped, and flower. 4 ft. triato, whit ulatis, leav ulatis, sele ginatis, lea anginatis, lea inginatis, ten ter leaves crivite, the most terior tinge blush pink white (new rose-bink rose-bink	shaded laving a pricot, spotted band and spot band band band band band band band band	yellow, flowers let crimson, and fletted crimson (ne stied crimson) (ne stightly droopin and August. See, 4 ft. August blotched gold margined Let willy gold blotched gold margined silvest illes, 6 to 10 ft. agnificent species,	rge, 1½ ft. med carnii med carnii , 2½ ft per 100, g. These a: per 100, leaves leaves ery-white 2 ft3/6,	7e, 2 ft3, 50/, per doz. 80/, ,, re all fragra. 25/, per doz., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10/6 1 (6, & 5 (6, & 10)))))))))))))))))))))))))))))))))	4090666
2998 2999 3000 3001 3002 3003 3005 3006 3007 3010 3011 3012 3013 3014 3015	Flowers for Candidum, so for first section of the condition of the conditi	witsont, or. fine mixed choice mixe now-white, 4 ft. lore pleno, white lore purpureo-si loiis aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, wh Browni, white, ex krameri, delicate , album, , roseum , pure white, 1½ f eximium (Wiis	newly, rich ange, yellow ange, yellow shaped, and flower. 4, 4 ft. triato, whit ulatis, leave ulatis, seloe ginatis, leave ulatis, seloe rarginatis, snow-white terior tinge blush pink white (new y rose-pink, t. toni), pure u	shaded lawny pricot, spotted pricot, spotted pland and spot pricot pland in Tuly a left to see the spot pricot pland pricot pricot pricot pland pricot pric	yellow, flowers literimson, flowers literimson, and flowers literimson (new stightly droopin and August. The slightly droopin and August. The slightly gold blotched gold-margined silved margined silved literims, 6 to 10 ft. agnificent species, I (new)	rge, 1½ ft. 1 med carnii 1 med carnii 2 med carnii 2 per 100, 2 mer 100, 1 leaves 1 leaves 2 ft. 1 mer 100, 2 ft. 1 the flower.	per, 2 ft3, 50/, per doz., 80/, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	10/6 1 (6, & 5 (6) (7)/6	4090555550050
2998 2999 3000 3001 3002 3003 3005 3006 3007 3010 3011 3012 3013 3014 3015	Flowers for Candidum, s fi	wiisoni, or. fine mixed choice mixe now-white, 4 ft. lore pleno, white lore purpureo-si oliis aureo-mac ,, aureo-mac ,, argenteo-n peciosum, small white, the carlie giganteum, wh Browni, white, ta album, ,, roseum , pure white, ta f eximium (Wiis in any other Liu Kiu, bure u	shaped, and flower. shaped, and flower. thato, whit ulatis, leave ulatis, sele ginatis, lea arginatis, lea ide, the most ide, the most ubhite (new y, rose-pink, t. oni), pure w r variety of hite. It fit.	shaded lawny pricot, spotted band and spendent of the law of the l	yellow, flowers literimson, flowers literimson, and flowers literimson (ne extended and all the flowers literimson) and August. Sole, 4 ft. delta ft. d	g. These a per 100, per 100, leaves leaves per 100, leaves leaves per 100, de ft. per 100, leaves	26, 2 ft3, 50/, per doz., 80/, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	nt, nt, 3/6 0 4 10/6 1 0 10/6 1	999999999999999999999999999999999999999
2998 2999 3000 3001 3001 3004 3005 3006 3007 3011 3011 3012 3013 3014 3015 3016 3017	Flowers for Candidum, so for first section of the condition of the conditi	witsont, or. fine mixed choice mixe innel or trumpel now-white, 4 ft. lore pleno, white lore purpureo-si oliis aureo-mac , aureo-mac , aureo-mac , aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, wh Browni, white, ex trameri, delicate , album, , roseum , pure white, 1½ f eximium (Wils in any other Liu Kiu, pure u Takesimæ (true	shaped, and shaped, and flower. 4 4 ft. triato, whith the shaped shaped and shaped sh	shaded lawny pricot, spotted pricot, spotted pricot, spotted pricot and spotted pricot an	yellow, flowers literimson, flowers literimson, and flowers, and flowers, and flowers, flowers, flowers, flowers, and flowers, and flowers, a ft.	g. In the second	per 2 ft3, 50/, per doz., 80/, re all fragra., 25/, per doz., .	nt, nt, nt, nt, nt, nt, nt, nt,	999999999999999999999999999999999999999
2998 2999 30000 3001 3002 3003 3004 3005 3006 3007 3008 3010 3011 3012 3013 3014 3015 3016 3017	Flowers fi	witsont, or, fine mixed choice mixed choice mixed choice mixed in the choice mixed in the choice pleno, white fore purpureo-stolis aureo-mace, existente, exi	ange, yellow ange, yellow ange, yellow ange, yellow shaped, and flower. , 4 ft. triato, whit ulatis, leav ulatis, selog ginatis, lea anginatis, lea anginatis, lea arginatis, lea terior tinge blush pink terior tinge blush terior tinge terior tinge blush terior tinge terior tinge blush terior tinge	shaded laving pricot, spotted band and spot band band band band band band band band	yellow, flowers let crimson, flowers, and flowers, and flowers, and flowers let the crimson (new letter describe the content of the content o	ge, I\frac{1}{2} ft. umed carnii umed carnii umed carnii umed carnii per 100, ge, These a. per 100, leaves ery-white per 100, 2 d the flower ry white, 1	per doz., 2 ft. '3, 50/, per doz., 80/, " re all fragra., 25/, per doz., " per doz., " per doz., " 5/6, 7/6, 10/, 10/, 10/, 10/, 10/, 10/, 10/, 10/	nt, nt, nt, nt, nt, nt, nt, nt,	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers for Candidum, so for find the first state of the first state o	wilsonl, or. fine mixed choice mixe nuncl or trumpel now-white, 4 ft. lore pleno, white lore purpureo-st olils aureo-mac; , aureo-mac; , aureo-mar; , argenteo-m peclosum, small white, the carlic giganteum, wh Browni, white, ex trameri, delicate ,, album, ,, roseum , pure white, 1½ fe eximium (Wils in any other Liu Kiu, pure u Takesimæ (tru folils argenteo ure white, outside	ange, yellow ange, yellow ange, yellow shaped, and flower. , 4 ft. triato, whit ulatis, teav ulatis, sele ginatis, lea arginatis, lea arginatis, lea terior tinge blush pink terior tinge the most terior tinge blush pink terior tinge blush pink terior tinge the most terior tinge blush pink terior tinge the most terior tinge the	shaded laving pricot, spotted pricot, spotted pricot, spotted pricot and spot pricot and and spot pricot and and spot pricot and and spot pricot and prico	ROUP. Stightly droopin and August. Sile, 4 ft. August. Sile, 4 ft. If your blotched gold-margined silv margined silv. If (new) If (new) If (new) If (new) If (new) If (newers, 2 ft. If (newers	rge, 1½ ft. 1 med carnii 2 med carnii 2 med carnii 2 per 100, 2 ft. 2 per 100, 2 leaves 2 ft. 2 ft. 2 ft. 2 ft. 2 ft. 3/6, 2 ft. 2 ft. 2 ft. 3/7, 3/8, 3/8, 3/9, 4 the flower.	25/, per doz., 25/6, 7/6, 10/6, 10/6, 7/6, 10/6, 27/, per doz., 27	10/6 1 0/6, & 5 0 0/6, & 5 0 0/6, & 5 0 0/6 1 0/	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers fi	witsont, or. fine mixed choice mixe innel or trumpel now-white, 4 ft. lore pleno, white lore purpureo-si lore purpureo-si lore purpureo-si lore aureo-mac ,, aureo-mac ,, aureo-mac ,, aureo-mac ,, argenteo-n peclosum, small white, the carlic giganteum, wh Browni, white, ex frameri, delicate ,, roseum ,, pure white, i\frac{1}{2}\text{ ft} eximium (Wiis in any other Liu Kiu, pure u follis argenteo ure white, outsid se. The flowers they measure 9 they meas	shaped, and flower. shaped, and flower. 4 ft. triato, white was criticate, leave arginatis, leave arginatis, selow terior tinge blush pink to white (new prose-pink). t. onl), pure we rearried to the continue of the co	shaded taving appricot, spotted band and specific process of the control of the c	ROUP. I stightly droopin and August. Sole, 4 ft. dully gold blotched gold-margined lies, 6 to 10 ft. agnificent species, I (new) I flowers, 2 ft. stes margined silve, the base	g. In the second	per doz. f, f	10/6 1 0 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers for Candidum, s " " " " " " " Cordifolium, Japonicum I " " Longiflorum " " Nepalense, p Neilgherrens fragrant; colour is w	witsont, or. fine mixed choice mixe innel or trumpel now-white, 4 ft. lore pleno, white lore purpureo-si olitis aureo-mac , aureo-mac , aureo-mac , aureo-mac , argenteo-n pectosum, small white, the carlie giganteum, wh Browni, white, ex trameri, delicate , album, , roseum , pure white, i\frac{1}{2}\text{ fe} exima (tru folitis argenteo ure white, outside. The flowers they measure 9 white, tinged print	shaped, and shaped, and flower. 4 ft. briato, whit ulatis, sele ginatis, lea aurginatis, lea aurginatis, show-white r leaves crivite, the most terior tinge blush pink untite (new r variety of white, 1\frac{1}{2} ft. e) pure whi e suffused p of this ma to 12 inche trose. The	shaded laving appricot, spotted band and spot band band band band band band band band	ROUP. stightly droopin and August. sle, 4 ft. dully gold blotched gold-margined silv margined silv margined silv it it is taller, and 2 ft. flowers, 2 ft. se margined silve the base margined silve the base margined silve the base if the free robust groe free robust groe margined silvery are of great size and are large in free robust groe	g. In the second	per doz., 2 ft3, 50/, per doz., 80/, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	nt, nt, nt, nt, nt, nt, nt, nt,	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers for Candidum, so for conservation in the control of the co	wilsoni, or. fine mixed choice mixe unuel or trumpel now-white, 4 ft, lore pleno, white idere purpureo-si oliis aureo-mac ,, aureo-mac ,, argenteo-n peciosum, small white, the carlie giganteum, wh Browni, white, ex trameri, delicate ,, album, ,, roseum , pure white, 1½ fe eximium (Wils in any other Liu Kiu, pure u Takesima (tru foliis argenteo ure white, outsid se. The flowers they measure 9 white, tinged prin vatory decoration	shaped, and flower. shaped, and flower. triato, whit ulatis, teavulatis, seleginatis, teavulatis, seleginatis, teavulatis, senow-white reaves critic, the most terior tinge blush pink white (new york). t. complements of this marginati e suffused p of this marose. The norse.	culling the property of the pr	ROUP. I stightly droopin and August. Role, 4 ft. d duly gold blotched gold-margined silvers, 6 to 10 ft. I flowers, 2 ft. I flowers, 2 ft. I flowers, 2 ft. I margined silvers and are large in free robust growelligron are on great size and are large in free robust growelligherries at a fortent species, and are large in free robust growelligherries at a free robust growelligherries at a free robust growelligherries at a selection of the se	ge. In the carneis will be a seen to	26, 2 ft3, 50/, per doz., 80/, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	10/6 1 0 6 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers for Candidum, s f f f f f g Cordifolium, S Cordifolium, Longiforum Nepalense, p Neigherrens fragrant; colour is w for conser found wild	witsont, or. fine mixed choice mixe muncl or trumpel mow-white, 4 ft. lore pleno, white lore purpureo-si folis aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, white, ex frameri, delicate , album, , roseum , pure white, 1½ feximium (Wils in any other Liu Kiu, pure u folis argenteo ure white, outsid se. The flowers they measure 9 white, tinged prim vatory decoration with from 5 to 7	shaped, and flower. shaped, and flower. 4 ft	shaded lawny appricate, spotted to band and specification of the property of t	ROUP. I stightly droopin and August. ROUP. I slightly droopin and August. Role, 4 ft. I was a stightly gold blotched gold-margined silvers, 6 to 10 ft. I many infecent species, I (new) I (new) I (new) I flowers, 2 ft. I ses margined silver the base. I are of great size and are large in free robust gro Neilgherries at a the hardiest an	g. In the second	per doz., 2 ft3, 50/, per doz., 2 ft3, 60/,, re all fragra., 25/, per doz.,,,,,,,,	10/6 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers for Candidum, so for conser found wild From the as Noveml	wilsonl, or. fine mixed choice mixe nuncl or trumpel now-white, 4 ft, lore pleno, white diore purpureo-st olils aureo-mac; , aureo-mac; , aureo-mac; , argenteo-m peclosum, small white, the carlic giganteum, wh Browni, white, ex trameri, delicate , album, , roseum , pure white, 1½ fe eximium (Wils in any other Liu Kiu, pure u Takesima (tru foliis argenteo oure white, outsid se. The flowers they measure 9 white, tinged prim vatory decoration with from 5 to 7 consignment rece our. From the g	shaped, and flower, 4ft	culling the property of the pr	collow, flowers let crimson, and flotted crimson (ne stightly droopin and August. Cole, 4 ft. delet, 4 ft. dele	ge. In the carneid carneid carneid will, 2½ ft	per, 2 ft3, 50/, per doz., 80/, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	10/6 1 0/6, & 5 0 0/6, & 5 0 0/7, 15/7 1/7, 15	40906666
2998 2999 3000 3001 3001 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021	Flowers for Candidum, s f f f f f f f f f f f f f	witsont, or. fine mixed choice mixe now-white, 4 ft. lore pleno, white lore purpureo-si loilis aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, white, ex frameri, delicate , album, , roseum , pure white, 1½ feximium (Wiis in any other Liu Kiu, pure u foliis argenteo ure white, outsid se. The flowers they measure 9 white, tinged prim vatory decoration with from 5 to 7 consignment rece ber. From the g h, and have plant	shaped, and flower. shaped, and flower. the thin thin thin thin thin thin thin thin	cullirion Gilden and specificate of the control of	ROUP. I crimson, and flatted crimson (ne teted crimson) I crimson (ne teted crimson) ROUP. I slightly droopin and August. I cle, 4 ft. I cle, 4 ft. I cle, 4 ft. I cle could margined silver are of great size and are large in free robust growing free robust growell and are large in free robust growell at the hardiest and the hardiest and the hardiest and the hardiest and the source of great size and the hardiest and the hardi	ge. 1½ ft. med carnii med carnii med carnii med carnii med carnii per 100, g. These an mer 100, leaves leaves leaves cry white the flower the flower thy as July, and ad high eleva d best of t ly as July, and healthy bu healthy bu	per doz., 2 ft. '3, 50/, per doz., 2 ft. '3, 25/, per doz., 25/, per doz., 3/6, 5/6, 7/6, 10/, 7/6, 10/, 7/6, 10/, 5/6, 7/6, 10/, 7/6, 10/, 10/, 10/, 10/, 10/, 10/, 10/, 10/	10/6 1 0/6, & 5 0 0/6, & 5 0 0/7 0/7 0/7 0/7 0/7 0/7 0/7 0/7 0/7 0	40906666
2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3011 3012 3013 3014 3015 3016 3017 3018 3020 3021 3022	Flowers for Candidum, s "f	witsont, or. fine mixed choice mixe nunel or trumpel now-white, 4 ft. lore pleno, white lore purpureo-si loilis aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, wh Browni, white, ex framerl, delicate , album, , roseum , pure white, 1½ fe eximium (Wilse in any other thu Kiu, pure u Takesimae (tru follis argenteo ure white, outsid se. The flowers they measure 9 white, tinged prin vatory decoration twith from 5 to 7 consignment rece ber. From the g d, and have plant in pots, baving	shaped, and ange, yellow ange, yellow ange, yellow ange, ang	the definition of the control of the	ROUP. Is slightly droopin and August. Sole, 4 ft. Is left the dilly gold blotched gold-margined silve with a species, and a silve the base. I (new) I (g. These and per 100, 2 ftper 100, 2 f	per doz. get all fragra. get all fragra. get all fragra. get all fragra. get doz. per doz. get doz.	10/6 1 0/6, & 5 0/6, & 5 0/6, & 5 0/6 1 0/7/6 1 0/7/6 0 0/6 1 0/6	40906666
2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3011 3012 3013 3014 3015 3016 3017 3018 3020 3021 3022	Flowers for Candidum, s "f	witsont, or. fine mixed choice mixe nunel or trumpel now-white, 4 ft. lore pleno, white lore purpureo-si loilis aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, wh Browni, white, ex framerl, delicate , album, , roseum , pure white, 1½ fe eximium (Wilse in any other thu Kiu, pure u Takesimae (tru follis argenteo ure white, outsid se. The flowers they measure 9 white, tinged prin vatory decoration twith from 5 to 7 consignment rece ber. From the g d, and have plant in pots, baving	shaped, and ange, yellow ange, yellow ange, yellow ange, ang	the definition of the control of the	ROUP. Is slightly droopin and August. Sole, 4 ft. Is left the dilly gold blotched gold-margined silve with a species, and a silve the base. I (new) I (g. These and per 100, 2 ftper 100, 2 f	per doz. get all fragra. get all fragra. get all fragra. get all fragra. get doz. per doz. get doz.	10/6 1 0/6, & 5 0/6, & 5 0/6, & 5 0/6 1 0/7/6 1 0/7/6 0 0/6 1 0/6	40906666
2998 2999 3000 3001 3002 3003 3005 3006 3007 3008 3010 3011 3015 3016 3017 3018 3019 3020 3021 3022	Flowers for Candidum, s f f f f f f f f f f f f f	witsont, or. fine mixed choice mixe nuncl or trumpel now-white, 4 ft. lore pleno, white lore purpureo-si loilis aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , aureo-mac , argenteo-n peclosum, small white, the carlic giganteum, wh Browni, white, ex frameri, delicate , album, , roseum , pure white, i\frac{1}{2}\text{ fe} eximium (Wiis in any other Liu Kiu, pure u folits argenteo oure white, outsid se. The flowers they measure 9 white, tinged prim vatory decoration they flower they measure 9 consignment rece our. From the gi d, and have plant in pots, having prices	shaped, and flower. shaped, and flower. thato, whit what is, selow unlatis, leave unlatis, leave unlatis, selow terior tinge blush pink terior tinge blush pink to to is inches to is inc	continued to the contin	college of the base of the base of great size and are large in free robust gro Noilgherries at a the hardest and are large in free robust gro Noilgherries at a the hardiest and eflowered as ear Lily we feel cont. Our stock of since January, 3/The Prince of trindoor Lily, 4 if the tring of the hard of the hardiest and the hardie	g. If the same dearning of the same dearning of the same same same same same same same sam	per doz., 2 ft3, 50/, per doz., 2 ft3, 50/, per doz., 25/, per doz.,	10/6 1 0/6, & 5 0/6, & 5 0/6, & 5 0/7/6 15/7 15/7 15/7 15/7 15/7 15/7 15/7 15/7	40906666
2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3008 3010 3011 3012 3013 3016 3017 3018 3019 3020 3021 3022	Flowers for Candidum, s f f f f f f f f f f f f f	witsont, or. fine mixed choice mixe now-white, 4 ft. lore pleno, white lore purpureo-si loilis aureo-mac , argenteo-n peclosum, small white, the carlie giganteum, wh Browni, white, ex frameri, delicate , album, , roseum , pure white, 1½ fe eximium (Wiis in any other Liu Kiu, pure u foliis argenteo ure white, outsid see. The flowers they measure 9 white, tinged prim vatory decoration with from 5 to 7 consignment rece ber. From the g d, and have plant l in pots, having prices , white; Mr.	shaped, and flower. shaped, and flower. thato, whit what is, selow unlatis, leave unlatis, leave unlatis, selow terior tinge blush pink terior tinge blush pink to to is inches to is inc	continued to the contin	college of the base of the base of great size and are large in free robust gro Noilgherries at a the hardest and are large in free robust gro Noilgherries at a the hardiest and eflowered as ear Lily we feel cont. Our stock of since January, 3/The Prince of trindoor Lily, 4 if the tring of the hard of the hardiest and the hardie	g. If the same dearning of the same dearning of the same same same same same same same sam	per doz., 2 ft3, 50/, per doz., 2 ft3, 50/, per doz., 25/, per doz.,	10/6 1 0/6, & 5 0/6, & 5 0/6, & 5 0/7/6 15/7 15/7 15/7 15/7 15/7 15/7 15/7 15/7	40906666

MARTAGON GROUP.

	MARTAGON GROUP.	
	Flowers with the divisions of the perianth rolled back like a Turk's Cap, and one or other of the	
	Flowers with the avoisions of the pertantil rocket of the state of August. each—s. d. Albanum, white, sweet scented, introduced by Mr. Leichtlin in 1875. 5 6	
3026		
3027	Avenaceum, yettow. A new Japaness species which has no feet day at 12 0 introduced by us	
2028		
3029		
3030	"flavum, yellow, freely spotted crimson, 3 to 4 ft	
3031	flavo-rubrum, yellow, shading to orange, freely spotted, 3 to 4 to kermestnum, rich blood-crimson, 3 to 4 to 5 6	
3032	parvum, yellow, generally spotted, flowers small, a miniature gem, 2 ft	
3033		
3034	distinct plant from Parvum, 3 tt	
3035	rubrum, crimson, freely spotted, 3 to 4 ft	
3036	Calloeum (pumilum of Leichtlin, tenuifolium etenophyllum of Baker), rich scarlet, 2 ft 5 6	
3037	Carniolicum, orange, passing to scarlet, 3 ft	
3038	Carniolicum, orange, passing to startet, 3 ft. per doz. 9/ 1 co Chalcedonicum, intense deep scarlet, 3 ft. per doz. 9/ 1 co Columbianum (true), yellow, a miniature form of Humboldti, 1½ ft. property of the startet of	,
2039	Hansonl, bright golden yellow, freely spotted crimson, very rare)
3041	Humboldti (Roezl) syn. Puberulum (Torrey), rich golden yellow, freely spotted crimson, flowers of	
	great substance, 5 ft	*
3042	ocellatum (Bloomerianum), bronze crimson, shading to brange, freely spotted with	,
0040	Tatabiling for allow wish we stated rejusion, a rare species, 3 ft	
3043	Hansonl, bright golden yellow, freely spotted crimson, very rare. Humboldti (Roezl) syn. Puberulum (Torrey), rich golden yellow, freely spotted crimson, flowers of great substance, 5 st	
3045	album, pure white, a very handsome scarce lily, 4 ft.	
3046	Dalmaticum, rich glossy crimson-purple, a magnificent species, 4 ft	
	", flore pleno, purple, very double, 4 ft	
3048	Monadelphum (Loddlgesianum) (true), rich yellow, spotted black, 3 ft	
3049	species from the Caucasus, 3 ft	5
3050	Dal-harling an extremely rare cheries from (ashmere, found at an elevation of 0,000 to 0,000 feet,	
	instance on record of its having been flowered in cultivation, 3 tt	o 6
3051	Pomponium, red, extremely neat species with fine elegant foliage, contents and per doz. 7/6 o pyrenaicum flavum, yellow, spotted black, 3 ft	9
3052	Pyrenaicum navum, yeuneau, yeu	ó
3054	rubrum, orange-red, 3 ft. Superbum, varying in shade from orange to erimson, spotted rich brown, 4 to 7 ft. 10/6 1 10/6 1	0
		6
3058	Dandallanan mis of marieties these are noble plants for Khododenaron ocas	0 6
3057	scarlet, shading to rich yellow, freely spotted purple-brown, 5 to 6 ft	
3058	foliage warrow the whork recular, and the nowers larger than any of this	
	section, 5 to 6 ft	0
3059	var. Californicum (true), intense crimson-scarlet, shading to yellow, spotted erimson-	_
		6
3060	wan nalidifalium (Baker) an nuherulum (Leichtlin), differing from Paradinum	
306	in the flower heing congler and not so deeply coloured, o to 7 it 5/0, 7/0, cc 10	6
3062	which is a second of the s	
	and the plant allogether of a more massive character than any of the Parda- linum section, 6 to 7 ft	0
000	linum section, 6 to 7 it. 3/6 & 5	6
306	4 Testaceum, eyn.excelsum, delicate apricot, delightfully fragrant, 4 ft.; per doz. 10/6 & 15/6; each 1/ & 1	6
000	ARCHELIRION GROUP.	
	Flowers reflexed, horizontal or slightly drooping; slowering from July to September.	
Ти	A AURANUM - Most of the nazieties have gold hands and crimson spots on a white ground; some, however	r,
A 44.	t and armiet or Aurolich shots and others have the gold hand bronzed over: some again have only a IC	w
	Arimrose shots on the rubite ground. Indeed, the variation is almost enaless; selaom are two varieties alike	e.
	The number of "Ex.'s" denotes the relative value, and the price indicates the size of the value,	6
	5 Auratum, Ex. 3 ft	6
306 306	7 Fy Fy of	6
306	8 ,, Ex., Ex., Ex. 3 ft	0
306	Beautiful varietiee for bede, borders, or pot culture, 3ft. per doz., 12/, 18/, 21/, 30/ to 60	0
	Speciosum for more usually though erroneously eatled Lancifolium, naturally avoides tisely this two distin	ct
SEC.	tions, which are distinguishable by the coloration of the stem. 1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the folia	ge
	deepening pro ratio with the colour of the stem. Kubrum verum has a purplish viack stem.	
	2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the following	ge
	pro ratio with the green of the stem. Roseum verum has a pale green stem.	
	SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES.	
30'	70 Specioeum album, pure white, 3 ftper doz., 15/ & 21/; each 1/6 & 2	6
30'	faeciatum, bure white, very floriferous, 2 il	6
30'	rubrum, white, suffused and spotted crimson, 3 ft., per GOZ., 7/6, 12/, & 15/; ea. 19, 1/3, & 1	O
30'	clearly defined white edge to the segments of the perianths, 3 ft 2	6
30'	facility m white sufficed and shotted crimson, very floriferous, 2 ft	6
30	macranthum, white, spotted erimson, very large, 3 ft	6
30	purpuratum (Boom), rich blood crimson, edged pure white, the finest, 3 ft. 5/0 & 7	6
	SECTION II.—SPECIOSUM ROSEUM AND ITS VARIETIES.	
	77 Speciosum alhum novum, pure clear white, very beautiful, 3 ft	6
30	78 ,, vestale, pure white, 2 ft	6

		LILIUM—continued, each	-5,	d.
3079	Speciosum	punctatum, white, spotted delicate pink, anthers yellow, a distinct species, 3 ft. per doz. 15/	X	6
3080	- 11	,, album novum, pure white, yellow anthers, 3 ft.	IO	6
3081		" fasciatum, while, spotted pink, very floriferous, 3 ft.	3	6
3082	21	roseum, white, suffused and spotted rose, 3 ftper doz. 7/6, 12/, & 15/; each /9, 1/3, &	I	6
3083	,,,	, verum, white, suffused and spotted rose, green stem, 3 ft.	I	6
3084	11	,, extra (typical Speciosum), white, suffused and spotted rose, having a clearly		
		defined white edge to the segments of the perianth, 3 ft.	2	6
3085	.,,	,, fasclatum, white, suffused and spotted rose, very floriferous, 3 ft.	2	6
3086	11	multiflorum, white, suffused and spotted rose, very beautiful, 3 ft., per doz. 15/	Y	6
3087	11	fine mixed, from Roseum and Rubrum, for beds and borders, per 100, 50/; per doz. 7/6	5	
3088	"	choice mixed ,, ,, ,, for beds and borders ,, 80/; ,, 12/		
	THE TICHE	KITIE manistics in the concernations are dringely blants. Sinence is the oldest and hast h	22 074	144 4

THE TIGRINUM varieties in the conservatory are princely plants. Sinense is the oldest and best known; Japonicum is a little taller, and flowers about a week later; Erectum is a perfectly distinct species, the flowers are erect, and the segments roll back, thus showing the centre of the flower, it is in bloom with Sinense; Fortunei is characterised by its extremely woolly stems, and it flowers from a week to ten days after Japonicum; Fortunei flore pleno has magnificent double flowers; and Splendens is distinguished by its dark polished stem and noble aspect; it flowers later than Fortunei, and is more floriferous. Jucundum, Maximowiczii, or Lishmanni; whether these three names represent one plant or three plants has not yet been decided, but is believed there is but one plant to represent the three names. It is a distinct beautiful species without leaf-axils, and flowers the last of this growth. last of this group. 3089 Tigrinum sinense, rich orange-scarlet, freely spotted crimson-brown, 3 ft.; per 100, 21/; per doz. 3/6

Simense, rich orange-scarlet, freely spotted crimson-brown, 3 it.; per 100, 21; per 3090 3091 3092 3093 3094 19 3095 3096 3097

IRIS BARBATA, THE BEARDED IRIS, COMMONLY CALLED GERMAN OR FLAG IRIS.

Our collection of this Section of Iris has been pronounced the most complete in England, and in "THE GARDEN" of Aug. 29th, 1874, a lengthened, classified, and descriptive list is given of the varieties we have flowered. Those we enumerate in this list are a selection from upwards of 200 varieties. The better to understand our descriptions, we furnish a woodcut, and it will be observed from it that three of the petals are erect-these are called standards; the other three droop-these are called falls. The small tongued parts of the flower are the petaloid stigmas, under which run the "beards." The flowers in this Section are all large and very handsome, more or less beautifully mottled in the standards, and reticulated in the falls; the beards ranging from delicate primrose to orange, and the petaloid stigmas frequently enhancing the general effect by their contrast of colour. We furnish these important particulars that our descriptions may be the better understood, as we have not attempted to take in these individual points, but to deal with the colours which strike the eye on first looking at the flower, is no flower, however, that so improves by examination. sight its beauty is equal to the Orchid, but, on closer examination, we have no hesitation in saying it possesses points of interest surpassing the finest Orchid. In colours there are the richest yellows, the intensest purples, the most delicate blues, the softest mauves, and the most beautiful claret-reds. There are whites, and primroses, and bronzes of every imaginable shade-indeed, language fails us in picturing the beauties of this flower; and, consequently our descriptions fall far short of the reality; and this will be readily understood when we state that there may be found in almost any one of the flowers from 10 to 20 different shades harmonizing and blending in such a manner as to make one perfectly enthusiastic. Those who have not used this Iris for



surrounding artificial lakes and ponds, or grown it in the flower borders, shrubberies, and woodland walks, should do so; for wherever a large quantity of cut flowers is required from May to July, these plants when established, will, with good cultivation, increase in size annually till they attain large proportions, each plant yielding 50 to 100 spikes of bloom.

J. G. Baker, Esq., of the Royal Herbarium at Kew, in a series of papers published in the "Gardeners' Chronicle," commencing April, 1876, gives a Monograph of the genus Iris. In the "Garden," a valuable illustrated weekly journal, which devotes much space to hardy plants, a condensed Monograph is given, on the 2nd December, x876, of the genus Iris, by W. B. Hemsley, Esq., accompanied by a coloured plate of the beautiful Iris Iberica.

in the descriptions S. is used to signify Standards, or the erect petals; F., Falls, or the drooping petals. See Woodcut above.

3098 50 in 50 most superb varieties of Iris 42 0 0 3099 25 in 25 ,, , , , , 21 0 3100 12 in 12 ... 3104 Choice mixed varieties..... per 100, 40s. to 50 3105 per doz., 4s. 6d. to 5 3106 Fine mixed varieties per 100, 20s. to 30 12 0 3100 12 in 12 " ,, 30 0 per doz, 3s. to 4 3101 50 in 50 very fine varieties 3102 25 in 25 ,, ,, 3107 3108 Mixed blue and white varietiesper doz. 4 ,, 15 0 3108 Mixed blue and white varietiesper c 2.2

We have arranged the Iris Barbata in natural groups to facilitate amateurs in making selections. Each roup has a distinctive characteristic. Germanica flowers first, and is represented by the blue, purple, and white Flag Iris of our gardens; they flower at the same time, and are extremely decorative in May. Aphylla

IRIS-continued.

embraces the species Plicata and Swertii; the Standards have a frill-like appearance arising from the marginal coloured transverse lines on a white ground. Amœna has the standards white, or approaching to white. Neglecta has the standards purple, or approaching to purple. Pallida has the standards ranging from pale lavender to rose-lilac. Squalens embraces those with the standards bronzed; and Variegata has the standards invariably yellow.

The following commence flowering as the Germanica group goes out of bloom, and continue the succession till July.

SIOII	un july.				
3113	Aphylla	(Bot. Mag.), S. creamy while, margined dull lilac, F. white, margined lilac	cach	I	6
3114	"	Alice Barr, S. white, F. white, tinged lilac		I	
3115	11	Beauty, S. white, margined lilac, F. white, upper part red-lilac	33	I	6
3116	31	Bridesmald, S. very pale lavender, F. white, margined lavender	21	1	
3117	**	Gazella, S. red-lavender, mottled white, F. white, edged purple	2.5	0	
3118	33	Madame Chereau, S. white, margined blue, F. white, margined blue	11	I	6
3119	Amonno (striata, S. white, margined lavender, F. white and lavender		0	-
		Sweet), S. white, tinged lavender, F. white, slightly margined lilac	2.2	0	9
3121 3122	**	Calypso, S. white, F. mottled purple and white		I	0
3123	**	Clio, S. white, F. purple	**	1	6
3124	• • • • • • • • • • • • • • • • • • • •	Comte de St. Clair, S. white, F. crimson-purple, reticulated white	**	Ī	0
3125	"		11	x	6
3126	"	Donna Maria, S. white, F. white, tinged lilac	,,	ï	o
3127	- 11	Juliette, S. white, tinged lavender, F. violet blue, stained white	,,	I	0
3128	**	Morphous, S. white, tinged lavender, F. violet, heavily mottled white	11	I	0
3129	11	Poiteau, S. white, tinged lavender, F. very rich velvety crimson	.,,	I	6
3130	2)	reticulata alba, S. white, F. purple-crimson, reticulated white	- 25	I	0
3131	31	Sir Garnet Wolseley, S. pure white, flaked purple, I. velvety crimson, reticulated white	**	I	6
3132	93	Unique, S. white, F. violet-purple, reticulated white	, 11	0	9
3133	Nordocto.	,, surpassed, S. white tinged lavender, F. deep crimson, edged and reticulated whi (Bot. Mag.) S. decided lavender, F. purple mottled, with dark lines	16,,	1	0
3135		Agathe, S. white, margined and mottled lavender, F. white margined lavender	- 11	0	9
3136	11	Alice, S. pale lavender, F. rich purple, mottled white	**	I	0
3137	"	Atropos, S. lavender-blue, F. rich velvety crimson, upper part mottled white	22	ī	0
3138	"	atro-purpurea, S. deep purple, F. very deep purpleper doz. 9/.	"	Ĩ	0
3139	"	Cameleon, S. rich bluc, F. light crimson	"	ī	6
3140	,,	clarissima, S. purple, shading to blue, F. rich crimson, mottled white	"	I	6
3141	"	Fairy Queen, S. white, flaked purple-blue, F. purple-blue, heavily reticulated white Fantasie, S. lavender blue, F. purple mottled	,,	0	9
3142	22		- 11	I	ő
3143	33	Florence Barr, S. delicate lavender, F. lavender	11	1	6
3144	11	halophila, S. lavender blue, F. red purple	- 11	I	0
3145	33	Harloquin Milanais, S. white, tinged lavender, F. rich crimson-purple	33	0	9
3146	**	Irma, S. lavender, F. crimson-purple, heavily mottled white	- 22	I	0
3147	2.0	Nationale, S. purple-blue, F. rich velvety crimson Penelope, S. white, variegated lavender, F. white, reticulated lilac	- 11	0	6
3148 3149	11	reticulata, S. pale lavender, F. velvety crimson, reticulated white	31	I	0
3150	"	Rowlandiana, S. lavender-bluc, F. light purple, upper part reticulated white	**	0	9
3151	"	purpurea, S. deep lavender, F. purple	• • • • • • • • • • • • • • • • • • • •	0	9
3152	"	Sultana, S. lavender, F. rich velvety purple, reticulated white	"	I	0
3153	"	Victorine, S. white, mottled blue, F. rich violet-blue, upper part mottled white	11	ī	6
3154	11	Virginie, S. lavender, F. rich vetvety-crimson, lined with white	11	0	9
3155		Willie Barr, S. lavender, F. white, reticulated purple	11	I	6
3156	Pallida (Reich), S. dark lavender, passing to light lavender, F. purple, passing to light purple		I	6
3157	22	azurea, S. azure bluc, F. violet-purple	**	I	6
3158	22	Cordella, S. violet, F. velvely crimson-black, very large	"	3	6
3159	**	Delmottee S. Israeles II. Violet	**	I	6
3160	33	Garibaldi S roce lilas R roce Aurale	3.9	I	6
3161 3162	39	azurea, S. azure bluc, F. violet-purple Cordelia, S. violet, F. velvety crimson-black, very large Cytheree, S. blue, F. violet Dalmatica, S. lavender-blue, F. lavender, tinged purple. Garibaldi, S. rose-lilac, F. rose-purple Madame Pacquitte, S. rich claret-red, F. a deeper shade of claret-red.	"	0	6
3163	"	Maerisart, S. mauve, F. purple-crimson.	"	0	6
3164	"	Queen of May, S. and F. rose-lilac	23	0	9
3165	"	Raphael, S. and F. deep lavender-blue	,,	I	9
3166	"	rubella, S. red-purple, F. deep red-purple	11	ō	6
3167	13	ruberissima. S. red-purble. F. claret	12	1	0
3168	99	variabilis, S. light purple, F. deep purple, both changing to slate-lavender	11	I	0
3169	. 11	Walner, S. deep lavendcr-blue, F. purple, mottled white	,,	0	9
3170	Squatens	(Reich), S. primrose-bronze, F. crimson-purple, reticulated white	,,	0	9
3171	93	Arnols, S. bronze-purple, F. rich vetvety crimson	21	I	0
3172	11	Bosseut, S. sulphur-bronze, F. crimson, heavily reticulated white	- 21	I	0
3173	"	Doctor Bernice, S. coppery bronze, F. very rich velvety crimson Folgerie, S. yellow-bronze, F. crimson-brown, reticulated white	11	I	0
3174 3175	11	Hericaut de Thury, S. bronze-primrosc, F. red-brown, reticulated white	**	0	0
3176	,,,	Icarus, S. primrose-brouse, F. purble-crimon reticulated white	73	I	0
3177	**	Icarus, S. primrose-bronze, F. purple-crimson, reticulated white Jacquiniana, S. red-bronze, F. velvety crimson.	11	I	6
3178	"	Judita, S. oronze-primrose, F. crimson-burble, reliculated white		I	6
3179	"	Lady Jane, S. brown-brouze, F. cfinson-brouze	"	ī	6
3180	"	Lady Seymour, S. lavender, F. white and purple mottled	"	ō	9
3181	11	La Prestiose, S. glittering bronze, F. rich velvety crimson, reticulated white	"	ō	9
3182	11	latifolia, S. primrosc-brouze, F. purple, mottled white	"	I	ő
3183	1)	lavandulacea, S. lavender, tinged primrose, F. decided lavender	31	0	6
3184	- 11	La Vesuve, S. blue, motlled bronze, F. rich purple-crimson		1	0

		IRIS—continued.		8.	d.
3185	Squalens	Lord Grey, S. coppery rose, F. deeper coppery rose		I	0
3186	11	Marmora, S. bronze purple, F. purple-crimson, reticulated white		I	0
3187	,,	Monsieur Cherion, S. sulphur-bronze, F. crimson-velvet, mottled white	11	I	0
3188	,,	M. Defries, S. primrosc-bronze, F. light purple		0	9
3189	**	Mozart, S. brown-bronze, F. purple-bronze, mottled white	10	1	0
3190	29	Pancratius, S. primrose-bronze, F. pale purple		0	9
3191	12	Phidias, S. brown-bronze, F. rich deep crimson	9.9	I	0
3192	12	Rebecca, S. primrose-bronze, F. intense crimson	13	I	0
3193	**	Solomon, S bronze-brown, F. rich crimson, heavily reticulated	5.9	I	0
3194	13	Van Geertii, S. purple-bronze, F. rich crimson, reticulated white	11	0	9
3195	11	venusta, S. bronze-primrose, F. rich crimson, reticulated white		I	0
3196		Walneriana, S. bronze-purple, F. purple, reticulated white and brown	in	I	0
3197	Variegat	a. (Bot. Mag.), S. rich yetlow, F. rich crimson-brown	3.5	0	9
3198	19	major, S. rich yellow, F. brown, reticulated white		I	6
3199	1)	Abou Hassan, S. fine clear rich yellow, F. yellow, mottled crimson-brown		1	0
3200	**	Adonis, S. chrome-yellow, F. crimson-brown, reticulated white	,,	1	0
3201	1)	Apollon, S. sulphur, F. crimson-brown	7.9	1	0
3202		Czarowitz, S. chrome-yetlow, F. crimson-purple		I	0
3203	,,	Humboldti, S. yellow, F. velvety crimson-brown	23	I	0
3204		Louis de Cerise, S. light yellow, F. crimson, reticulated yellow and white	21	I	0
3205	,,,	Malvina, S. yeltow, tinged with bronze, F. mottled brown and white	11	I	6
3206		Mexicana, S. fine chrome-yellow, F. crimson, reticulated white	**	I	6
3207		Minnie, S. orange yellow, F. crimson-brown, reticulated white	**	1	6
3208	29	multicolor, S. rich deep yetlow, F. crimson-brown, mottled yellow	**	I	0
3209		Rigolette, S. chrome-yellow, F. velvety crimson, reticulated white	31	I	6
3210		spectabilis lutea, S. rich yellow, F. crimson, edged yellow	11	0	9
3211	Flavesce	ns (Sweet), S. primrose, F. light primrose	11	0	9
3212		Munite, S. primrose, F. primrose, reticulated lavender	11	I	0
3213	Florenti	na (Reich), S. white, F. white, (I. Germanica alba)	11	0	6
3214	Ganymed	les, S. yellow, mottled purple, F. velvety crimson, beautiful	- 11	2	6
3215	Innocenz	a, S. pure white, F. pure white, slightly reticulated beautiful		2	6
3216	Lurida (A	Reich, S. bronze-purple, F. rich purple-crimson, scented elder	9.0	0	9
3217	Nepalens	is, S. blue, F. purple, a magnificent species, resembling Germanica but larger	21	2	
		is, S. purple, F. crimson-purple	- 22	0	6
3219	Sub-biflo	ra (Bot. Mag.), S. and F. very rich deep purple, a grand speciesper doz. 9/	11	I	0
3220	sambuch	na major, S. bronze-primrose, F. purple-crimson, elder scented		1	6

SUNDRY SPECIES OF IRIS.

We enumerate under this heading a few rare, curious, and beautiful species. For example, I. Iberica, a dwarf plant, with large flowers, the colours bright, beautiful, and in curious combinations. The Woodcut on p. 7x represents the flower, and in the Garden of 2nd December, 1876, a beautiful coloured plate is given, as an accompaniment to the Monograph of the genus Iris. I. Susiana, though a perfectly distinct plant and with larger flowers, is in the way of I. Iberica. I. Caucasica is a curious dwarf plant, the foliage has a silvery margin, and the flowers are of a transparent greenish primrose. I. Ruthenica grows in the shape of a fan, with beautiful blue flowers issuing from the heel of the fan. I. longipetala, sanguinea, and violatea are remarkably decorative. I. Tectorum, the Tomiolopha Iris of the Chinese, is as remarkable for its beauty as it is for its curious habit of growth. In China it grows on the thatched houses, and we would recommend it for this kind of culture. I. Sibirica is distinguished by its long grassy leaves and beautiful orchid-like flowers, which are valuable for bouquets. I. Virginica and Versicolor are exquisite dwarf growing Iris. The varieties of I. Kampferi form a perfectly distinct race; the flowers are flat, and some of them as large as Clematis, while I. Pumila, or dwarf Iris, make admirable edgings, and are valuable for rockwork.

bouquets. 1. Virginica and Versicolor are exquisite dwarf growing fris. The varieties of 1. Kemp			
perfectly distinct race; the flowers are flat, and some of them as large as Clematis, while I. I	² umi	la,	or
dwarf Iris, make admirable edgings, and are valuable for rockwork.		s.	d.
3221 Acuta, blue	cach	1	0
3222 Attica, S. and F. sulphur, shaded purple, dwarf, \(\frac{1}{2}\) ft.		I	0
3223 Caucasica, S. and F. primrose, with silvery margined foliage, dwarf, \ t.	- !!	2	6
3224 Columnaris, S. and F. violet-purple, reticulated white	,,	T	0
3225 Cristata, rich amethyst-blue, spotted deep blue, striped orange, 3 in.	"	Ô	0
3226 Cuprea, S. and F. orange, 2 ft.	**	T	6
3227 Erratica, S. white, F. white, yellow centre, 1\(\frac{1}{2}\) ft.	.,,	Ŷ	6
3228 Fimbriata, S. porcelain blue, F. reticulated lavender, 2 ft.	1.1	÷	6
3229 Fætidissima, the seed vessels are much prized at Christmas, on account of their searlet berries	"		0
3230 ,, fol. variegatis, an effective variegated winter foliage plant, $1\frac{1}{2}$ ft. per doz. 5s. 6d.	- 11	0	6
2001 Tolldowntodttl suids and sulder sulders.	23	-	-
3231 Goldenstadtli, white and golden yellow		1	6
3232 Graminea, blue and purple, 3-ft.	2.5	1	0
3233 Hexagona, S. deep violet, F. violet, mottled white, 1 ft	- 11	1	0
3234 Iberica, a dwarf species of great beauty, with large pure satiny-white flowers, lower petals			_
rich brown-purple, spotted black, I ft	1.1	3	6
3235 Longipetala, S. lavender, F. white, reticulated blue, 3 ft.	**	İ	0
3336 Ochroleuca, S. pure white, F. white and yellow, 3 ft.		I	0
3237 Pseudo-Acorus, vellow, 3 II	21	0	9
3238 ,, japonicus fol. variegatis, a beautifully variegated foliage plant, 3 ft	11	I	0
pallida, delicate primrose, 3 ft.	,,	1	6
3240 Pulchella	12	2	6
3241 Ruthenica, blue, a pretty miniature Iris, 4-ft.		I	0
3242 Sanguinea (orientalis), S. and F. velvely blue, very beautiful, 2 ft	,,	1	6
3243 Sibirica, S. bright blue, F. blue, reticulated white, 3 ft	"	0	6
3244 , alba, S. white, F. mottled purple, 3 ft. per doz. 5s. 6d.		0	6
2045 mm ottomata C Annala D Annata maticulated autita anna temptiful vi fa	"	I	6
3246 , grandflora præcox, S. purple, F. blue-purple, reticulated white, 3 ft	"	0	9
norm make on C. Harris W. Harris and Jack Harriston of the		0	9
noso minutifican C willed Anath E the entire lated white a fe	33	0	9
3248 ,, minutinora, S. violet parple, F. sine, reticulated white, 3 ft	11	T	9
	2.2	-	6
3250 Spuria major, 2 ft.	"	2	0
3251 Stylosa, beautiful light blue, 1 ft.	11	I	0
3252 Susiana, blush, tinted brown, and netted with dark lines, very distinct and handsome, 1 1 ft	31	2	0
20K9 major were		-	6

major, new

	-	Barr and Sugden,
TDTC		each-s. d.
IRIS—co.	utinueu. aanana faaala shaklad	7 ×1 ft
3254 Tectorum syn. tomiolopha, lovely blue crested for	rwers, jreety spotted	, 1½ II ,, 2 0
3255 Tuberosa (Snakeshead), violet, 3 ft	******************	
3256 Versicolor kermesina, 1 ft.	***************************************	,, I O

3258 ,, rosea perfecta, 1 ft		
2000 Mandadas Control to the first track of the state of the		,, 3 0
3260 Virginica, S. velvety purple, F. rich purple, 11 ft.		,, ,, ,,
IRIS KÆMPFERI, THI	E JAPANESE FLAC	IRIS.
These new Iris are a perfectly distinct race. The The colours are rich and extremely beautiful. Those w	lowers are flat, and	many of them as large as Clematis.
the Royal Horticultural Society have invariably received	first class certificat	es.
According to Herr Max Leichtlin, this Iris succeeds	best in sandy peat a	nd sunny situations. When established,
he informs us, they flower abundantly; they have also	been found to flow	ver freely in ordinary garden soil, and
even in pure sand; moisture and a warm situation appe		
3261 Our own selection, 6 in 6 varieties of Iris	Kæmpferi	12s., 18s., 24s., and 30s.
3262 ,, ,, ,, 12 in 12 ,,		12s., 18s., 24s., and 3os. 21s., 3os., and 42s. each—3. d.
each—s, d,		each-3. d.
3263 Keempieri, original species 0 0	3273 Kæmpieri	Arelagel
3264 " Alexander Von Humboldt 1 6		La Souvenir 1 6
3265 ,, Alexander Von Siebold 1 6	3275 ,,	Lemoinei 5 6
3266 , Blumei 3 6	3276 ,,	Madame Helene Von Siebold 5 6
3267 ,, Defries 3 6	3277 ,,	" La Greele d'Hanis I o
3268 , Duchess de Belcourt I O	3278 ,,	Miguelli 5 6
3269 , Ernest Moritz Arndt 1 0	3279 "	Nippon 0 9 Oudemansi 5 6
3270 ,, Gloire de Rotterdam	2007	Reinwardtii 7 6
2070	0000	Rutherford Alcock 1 6
IRIS PUMILA,	OR DWARF IRIS.	
Charming dwarf varietics, growing from 6 to 9 i		
For groups in small borders, and as edgings to Rhodode		
succeeding in almost any soil and situation. The perm		som is enhanced however, in situations
where they are slightly protected from cutting winds an	d hot sunshine.	
In the descriptions S. is used to signify Standards	, or the erect petals	; F., Falls, or the drooping petals.
cach—s, d.		each—s. d.
3283 Pumila, S. and F. rich purple 0 6	3288 Pumila fu	ircata, S. and F. deep rich purple o 6
3284 ,, minor, S. and F. claret-purple o 6	3289 ,, 11	atermedia o 6
3285 ,, atro-cœrulea, S. violet-purple, F.		itea, S. and F. clear yellow 1 0
crimson-purple 0 6	3291 ,, 8	ulphurescens, S. creamy white,
3286 ,, bicolor, S. white F. purple 0 9		F. sulphur 0 6
3287 ,, corulescens, S. and F. clear blue o 6	3292 ,, V	ersicolor, S. violet, F. purple o 6
TIG	RIDIA.	
It may be questioned if any ording equals in beau	ty the Tigridia, or	elicits so much admiration. Plant for
	l, and flowers may l	elicits so much admiration. Plant for pe gathered from them daily for months.
succession in March, April and May in any good light so	l, and flowers may l	ne gathered from them daily for months.
succession in March, April and May in any good light so caches. d.	l, and flowers may b	oe gathered from them daily for months. each—s. d.
succession in March, April and May in any good light so caches. d.	l, and flowers may l	oe gathered from them daily for months. each—s. d.
succession in March, April and May in any good light so caches. d.	l, and flowers may l	oe gathered from them daily for months. each—s. d.
succession in March, April and May in any good light so caches. d.	l, and flowers may l	oe gathered from them daily for months. each—s. d.
succession in March, April and May in any good light so each—s, d. 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 3s. 3296 Speciosa, per doz., very distinct but no	oe gathered from them daily for months. each—s. d.
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 3s. 3296 Speciosa, per doz., very distinct but no CYCLAMEN.	be gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d. 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no SYCLAMEN, nd annually large grow freely in the	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, nd annually large grow freely in the walls, in wild garde	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no CYCLAMEN. nd annually large grow freely in the walls, in wild garde tiful Anœctochilus-	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no SYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœetochilus- ter have we gazed	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each-s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde liful Anœctochilus-ter have we gazed nts, intermingling i	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, and annually large grow freely in the walls, in wild garde tiful Anœctochiluster have we gazed nts, intermingling i idst the foliage of	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no SYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i nidst the follage of ent suggested, these	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde hiful Anœctochilus-iter have we gazed nts, intermingling i lidst the foliage of ent suggested, those st the loveliest gree	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde hiful Anœctochilus-iter have we gazed nts, intermingling i lidst the foliage of ent suggested, those st the loveliest gree	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d. 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 3s. 3296 Speciosa, per doz., very distinct but no CYCLAMEN. nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed ints, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no SYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i idst the follage of ent suggested, these st the loveliest gree eum which are at 2	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 3s. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, and annually large grow freely in the walls, in wild garde tiful Anœctochiluster have we gazed ints, intermingling i didst the foliage of ent suggested, these st the loveliest greeum which are at 2 3306 Hederæfo 3307	pe gathered from them daily for months. scarlet and orange, I ft., per
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, no distinct but no CYCLAMEN, in wild garde liful Anœctochilus-ler have we gazed nts, intermingling i lidst the foliage of ent suggested, these st the loveliest greeum which are at 2 3306 Hederæfo 3307 flowers them	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 3s. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega	pe gathered from them daily for months, scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anæctochilus- ter have we gazed nts, intermingling i idst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variege 3308 Ibericum, 3309 Macrophy	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN. nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them 3309 Macrophy 3310 Repandur 3311 Vernum,	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them 3309 Macrophy 3310 Repandur 3311 Vernum,	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d. 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but ne CYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed ntts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 fowers them variegg 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per	pe gathered from them daily for months. scarlet and orange, I ft., per
succession in March, April and May in any good light so each—s, d. 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no SYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i idst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, not annually large grow freely in the walls, in wild garde hiful Anœctochilus- iter have we gazed nts, intermingling i hidst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN. nd annually large of grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variege 3308 Ibericum, 3309 Macrophy 3310 Repanduu 3311 Vernum, per SICUM IN FLOWE indoor plants, and s protection. They	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d. 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 33. 3296 Speciosa, per doz., very distinct but no SYCLAMEN, nd annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed nts, intermingling i nidst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Iberariega 3308 Repandur 3310 Repandur 3311 Vernum, per SICUM IN FLOWE indoor plants, and so of the principal dee of the principal dee	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, not danually large grow freely in the walls, in wild garde hiful Anœctochilus- iter have we gazed nts, intermingling i hidst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum,	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, not danually large grow freely in the walls, in wild garde hiful Anœctochilus- iter have we gazed nts, intermingling i hidst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum,	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, no distinct but no CYCLAMEN, down annually large grow freely in the walls, in wild garde liful Anœctochilus- ter have we gazed nts, intermingling i lidst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers lihem variege 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE indoor plants, and s protection. They of the principal dees in mixture, in ble Larger specimen	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde tiful Anœctochilus- ter have we gazed ants, intermingling i dist the foliage of ont suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variege 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE indoor plants, and s protection. They of the principal deces si m mixture, in ble Larger specimen	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde tiful Anæctochilus- ter have we gazed ants, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE indoor plants, and s protection. They of the principal dees in mixture, in ble Larger specimen 3317 Persicum 3318 ,,	pe gathered from them daily for months. scarlet and orange, x ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde tiful Anæctochilus- ter have we gazed ants, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE indoor plants, and s protection. They of the principal dees in mixture, in ble Larger specimen 3317 Persicum 3318 ,,	pe gathered from them daily for months. scarlet and orange, I ft., per 6d
succession in March, April and May in any good light so each—s, d, 3293 Canariensis, yellow, spotted scarlet, I ft., per doz., 3s. 6d	3295 Pavonia, doz., 35. 3296 Speciosa, per doz., very distinct but no CYCLAMEN, and annually large grow freely in the walls, in wild garde tiful Anæctochilus- ter have we gazed ants, intermingling i didst the foliage of ent suggested, these st the loveliest gree eum which are at 2 3306 Hederæfo 3307 flowers them variega 3308 Ibericum, 3309 Macrophy 3310 Repandur 3311 Vernum, per SICUM IN FLOWE indoor plants, and s protection. They of the principal dees in mixture, in ble Larger specimen 3317 Persicum 3318 ,,	pe gathered from them daily for months. scarlet and orange, x ft., per 6d

PLANTS IN FLOWER AND COMING INTO FLOWER.

3319 Fine Plants, as above, for Conservatory or Table Decoration, including whatever is in season, and in various sizes, per doz., 215., 305., 425., and upwards; or each, 25. 6d., 35. 6d., and upwards.
3320 Hyacinths, Tulips, and Polyanthus Narcissus, fine varieties assorted; Hyacinths one in a pot, Tulips and

Narcissus three in a pot; per doz., 18s., 24s., and 3os.; or each, 2s., 2s. 6d., and 3s. 6d

FOLIAGE PLANTS, INCLUDING PALMS, ETC.

3321 A Nice Assortment for Conservatory and Table Decoration, according to size, per doz., 425., 635., 845., 3321 A Nice Assortment for Conservatory and Table Decoration, according to size, per doz., 42s., 63s., 64s., 105s., and upwards; or each, 5s. 6d., 7s. 6d., 10s. 6d., and upwards.

3322 A Nice Assortment for Stove and Table Decoration, according to size, per doz., 42s., 63s., 84s., 105s., and

upwards; or each, 5s. 6d., 7s. 6d., 10s. 6d., and upwards.

DOUBLE TUBEROSES, ITALIAN AND AMERICAN.

The flowers of the Tuberose resemble the much-prized Stephanotis, but more fragrant, and as they are perfectly double, are more generally useful. If planted in succession from the 1st January till July, a constant supply of cut flowers may be had from May to December, and the conservatory during these months perfumed with the most delicious fragrance.

CULTURAL TREATMENT, as adopted by the growers for Covent Garden Market.—Pot singly in 5 or 6-inch CULTURAL TREATMENT, as adopted by the growers for Covent Garden Market.—For singly in 5 or o-men pots, plunge in tan or any other gentle bottom heat, and withhold water till the foliage appears, then give it freely, and when the flower buds develope, remove the plants to a cool house. The bulbs intended for carly flowering should be potted and plunged in bottom heat as soon as procurable, taking care that the temperature is never below 60 deg. The dry bulbs for successional plantings must be kept where the temperature never falls below 50 deg. each-s. d.

FINE SORTS OP HARDY ALPINE PLANTS FOR ROCKWORK, ETC.

FINE SORTS OF HARDY HERBACEOUS BORDER PLANTS.

CARNATIONS.

Few flowers are more prized than Carnations, and Picotees, whether as border plants, to cut for bouquets, or for buttonholes. The plants offered are ready in pots, but, if not otherwise instructed, they will be taken out of their pots and balled up for convenience in packing.

3340 Choice Named Varieties...... per dozen, 12s. and 15s. Fine ditto, 6s. and 9 0 PICOTEES.

3341 Choice Named Varieties...... per dozen, 12s. and 15s. Fine ditto, 6s. and 9 0 PINKS.

8342 Choice Named Varietiesper dozen, 9s. and 12s. Fine ditto, 6s. and 7 6 CHRYSANTHEMUMS.

3843 Assorted Plantsper dozen, 9s., 12s., 18s., 24s., 30s., and upwards,

Choice hardy varieties British and Exotic, 155., 185., 245, and 30s. per dozen. Choice in-door varieties, for Plant Cases, etc., 185., 245., and 30s. per dozen.

IVIES FOR COVERING WALLS OR FORMING EDGINGS.

CLEMATIS.

3346 Assorted Beautiful Varieties.....per dozen, 21s., 30s. and 42 o PALMS, suitable for Hall and Drawing-Room Decoration.

At our Warehouse we have always a nice assortment of these at prices ranging from 75, 6d., 105, 6d., 125, 6d., 15s., 17s. 6d., 21s., and upwards, according to size and variety.

HARDY FLOWERING SHRUBS. 3347 Assorted...... per dozen, 24s., 30s., and 42 0

HARDY VARIEGATED-FOLIAGED SHRUBS.

3348 Assorted......per dozen, 24s., 30s., and 42 0

HARDY EVERGREEN SHRUBS. 3349 Assorted......per dozen, 18s., 24s., 30s., and 42 o

HARDY CLIMBERS.

3350 Assorted...... per dozen, 185., 245., and 30 o GREENHOUSE CLIMBERS.

3351 Assorted......per dozen, 185., 245., and 30 0

ROSES.


GREENHOUSE PLANTS. 3355 Assorted Varietiesper dozen, 18s., 24s., 30s., and 42 0

DOUBLE POTENTILLAS. 3356 20 in 20 varieties42/- and 50 0 | 3357 12 in 12 ,,21/- and 30 0



THE PAXTON NAIL BAG, as above illustrated, was designed by the late William Barnes, of Camberwell, and considered by him to meet all the requirements necessary, 10/6.

THE CHISWICK BAG is larger than the Paxton, and by some preferred, but certainly not so perfect, 7/6.



BARR'S PORTABLE TRANSMISSION CUT FLOWER CASES, TIN JAPANNED, in compartments.—No. 1. 14 in. by 10 in., 2 compartments, 18/; extra strong, 21/.—No. 2. 18 in. by 13 in., 3 compartments, 25/; extra strong, 33/.—No. 3. 23 in. by 16 in., 4 compartments, 34/; extra strong, 42/.



GILBERT'S HAND LIGHTS.—These Plant Protectors are of great value to amateurs, and useful in large establishments for Winter Salads, etc.

U	0 0000			
12in. sc	guare5/6	22in. sq.	10/6, his	ng. 12/6
14in.	,,6/6	2.1in. ,,	11/6, ,	, 14/
16in.	,,	44in. by	22, 19/,	, 22/
	,, 8/6, hinged 10/6			
201n.	,, 9/6, ,, 11/6		2ft. bing	ged 29/
	6ft by oft hin	and	22/=.	

Orders received for the above will be executed direct from the manufactory.

THE IMPROVED PAXTON FU-MIGATOR.—Those who dishke the disagreeable process of funigating houses in the ordinary way will find the Paxton Funigator to be all they could desire. It is simple and efficacious. The nozzle, cylinder, and inner gratings are cust in brass, and will stand any reasonable amount of heat; the bellows are strong and well ando. The operator has simply to insert the nozzle through a small opening, and gently work the bellows till he has filled the house with smoke, that means secreting the foliage will be



BARR'S PORTABLE GARDEN ENGINES. No. 1, 50/; No. 2, 42/.—No. 1 will throw a continuous stream of water 40 fect, and turough a 3-inch suction-bose draw its supply from a distance of 60 feet. No. 2 will draw water from a distance of 30 feet through a 3-inch hose. These engines are constructed on the best principles. They are not liable to get out of order, while their value for washing wall fruit trees, cleansing hops, and watering flower-beds, etc., cannot be overestimated.

Extra hose, \(\frac{3}{4}\)-inch, \(\text{rs. } 6d\). per foot run.


\(\text{t-inch, rs. } 3d\). per foot run.



BARR'S HEATED FRAMES.
For Raising Seeds and Striking Cuttings.

These are heated either by Colza oil, Paraffin, or gas; there is a hot air chamber and a water chamber. Seeds are more successfully raised in these frames than in an ordinary Hotbed. Lily of the Valley can be forced in these better than elsewhere. Indeed it would be difficult to overestimate their value. They may be placed in a Greenhouse or Sitting-room,

No. 1. 23 by 17 in., on Stand, 90/; on Dwarf Ft., 84/. No. 2. 29 by 20 in., on Stand, 98/; on Dwarf Ft., 92/. No. 3. 35 by 23 in., on Stand, 105/; on Dwarf Ft., 98/.



opening, and gently work the bellows till he has filled the house with smoke. When fumicating a single plant, screw on the biass tabe to the nozzle, and by that means scorehing the foliage will be avoided. Price, including stained wooden case, 20s.